

Date: 86/09/27

IRAN DRUG LIST

No.	Drug Name	DOSAGE FORM	Route of Admin	ATC	Description
1	<i>A.C.A</i>	<i>TABLET</i>	ORAL	<i>N02BE51</i>	<i>Acetaminophen 162.5mg+caffeine 32.5mg+ASA 325mg</i>
2	<i>Abciximab 2 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AC13</i>	-
3	<i>Acarbose 100 mg</i>	<i>TABLET</i>	ORAL	<i>A10BF01</i>	-
4	<i>Acarbose 50 mg</i>	<i>TABLET</i>	ORAL	<i>A10BF01</i>	-
5	<i>Acetaminophen 325 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>N02BE01</i>	-
6	<i>Acetaminophen 10 mg/ml, 100ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>N02BE01</i>	-
7	<i>Acetaminophen 10 mg/ml, 50ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS	<i>N02BE01</i>	-
8	<i>Acetaminophen 100 mg/ml</i>	<i>SUSPENSION</i>	ORAL	<i>N02BE01</i>	-
9	<i>Acetaminophen 100 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>N02BE01</i>	-
10	<i>Acetaminophen 120 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>N02BE01</i>	-
11	<i>Acetaminophen 120 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>N02BE01</i>	-
12	<i>Acetaminophen 125 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>N02BE01</i>	-
13	<i>Acetaminophen 150 mg/ml, 2ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>N02BE01</i>	-
14	<i>Acetaminophen 150 mg/ml, 4ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>N02BE01</i>	-

15	<i>Acetaminophen 325 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>N02BE01</i>	-
16	<i>Acetaminophen 325 mg</i>	<i>TABLET</i>	ORAL	<i>N02BE01</i>	-
17	<i>Acetaminophen 500 mg</i>	<i>TABLET</i>	ORAL	<i>N02BE01</i>	-
18	<i>Acetaminophen 500 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>N02BE71</i>	-
19	<i>Acetaminophen Codeine 300/10 mg</i>	<i>TABLET</i>	ORAL	<i>N02BE71</i>	<i>Acetaminophen 300mg + Codeine Phosphate 10mg</i>
20	<i>Acetaminophen/Caffeine/Ibuprofen</i>	<i>CAPSULE</i>	ORAL	<i>M01AE51</i>	<i>Acetaminophen 325mg + Caffeine (30-40) mg + Ibuprofen 200mg</i>
21	<i>Acetazolamide 250 mg</i>	<i>TABLET</i>	ORAL	<i>S01EC01</i>	-
22	<i>Acetazolamide 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>S01EC01</i>	<i>** (as Sodium)**</i>
23	<i>Acetic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
24	<i>Acetylcholine Chloride 1%</i>	<i>INJECTION</i>	OPHTHALMIC	<i>S01EB09</i>	-
25	<i>Acetylcysteine 200 mg</i>	<i>TABLET</i>	ORAL	<i>R05CB01</i>	-
26	<i>Acetylcysteine 200 mg</i>	<i>TABLET, EFFERVESCENT</i>	ORAL	<i>R05CB01</i>	-
27	<i>Acetylcysteine 200 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB23</i>	-
28	<i>Acetylcysteine 600 mg</i>	<i>TABLET, EFFERVESCENT</i>	ORAL	<i>R05CB01</i>	-
29	<i>Acetylsalicylic acid/Ascorbic acid 400/240 mg</i>	<i>TABLET, EFFERVESCENT</i>	ORAL	<i>N02BA51</i>	<i>Acetylsalicylic acid 400mg+Ascorbic acid 240mg</i>
30	<i>Aciclovir 250 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>J05AB01</i>	<i>** (as Sodium)**</i>
31	<i>Aciclovir 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J05AB01</i>	<i>** (as Sodium)**</i>

32	<i>Aciclovir 200 mg</i>	<i>TABLET</i>	ORAL	<i>J05AB01</i>	-
33	<i>Aciclovir 3%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01AD03</i>	-
34	<i>Aciclovir 400 mg</i>	<i>TABLET</i>	ORAL	<i>J05AB01</i>	-
35	<i>Aciclovir 5%</i>	<i>CREAM</i>	TOPICAL	<i>D06BB03</i>	-
36	<i>Acitretin 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>D05BV02</i>	-
37	<i>Acitretin 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>D05BV02</i>	-
38	<i>Activated Prothrombin Complex (concentrated) 1000 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD03</i>	-
39	<i>Activated Prothrombin Complex (concentrated) 500 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD03</i>	-
40	<i>Adapalene 0.1%</i>	<i>GEL</i>	TOPICAL	<i>D10AD03</i>	-
41	<i>Adapalene 0.1%</i>	<i>SOLUTION</i>	TOPICAL	<i>D10AD03</i>	-
42	<i>Adapalene 0.1%</i>	<i>LOTION</i>	TOPICAL	<i>D10AD03</i>	-
43	<i>Adapalene 1%</i>	<i>CREAM</i>	TOPICAL	<i>D10AD03</i>	-
44	<i>Adefovir Dipivoxil 10 mg</i>	<i>TABLET</i>	ORAL	<i>J05A</i>	-
45	<i>Adenosine 3 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01EB10</i>	-
46	<i>Adult Cold</i>	<i>TABLET</i>	ORAL	<i>R05</i>	<i>Acetaminophen (325-500)mg + Phenylephrine HCl 5mg + Chlorpheniramine maleate 2mg</i>
47	<i>Adult Cold</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R05</i>	<i>Acetaminophen (325-500)mg+phenylephrine HCl 5mg+chlorpheniramine maleate 2mg</i>

48	<i>Adult Cold Preparations_1</i>	<i>TABLET</i>	ORAL	<i>R05X</i>	<i>Acetaminophen (325-500)mg + Pseudoephedrine HCl 30 mg + Diphenhydramine HCl 25 mg</i>
49	<i>Adult Cold Preparations_2</i>	<i>TABLET</i>	ORAL	<i>R01BA52</i>	<i>Acetaminophen (325-500)mg + Pseudoephedrine HCl 30 mg</i>
50	<i>Adult Cold Preparations_2</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R01BA52</i>	<i>Acetaminophen (325-500)mg + Pseudoephedrine HCl 30 mg</i>
51	<i>Adult Cold Preparations_3</i>	<i>TABLET</i>	ORAL	<i>R01BA</i>	<i>Acetaminophen (325-500)mg + Pseudoephedrine HCl 30mg + chlorpheniramine maleate 2mg + Dextrometorphane HBr 15mg</i>
52	<i>Adult Cold Preparations_4</i>	<i>TABLET</i>	ORAL	<i>R01BA</i>	<i>Acetaminophen (325-500)mg + Pseudoephedrine HCl 30mg + Dextrometorphane HBr 15mg</i>
53	<i>Adult Cold Preparations_5</i>	<i>TABLET</i>	ORAL	<i>R01BA</i>	<i>Acetaminophen (325-500)mg+phenylephrine HCl 5mg + Dextrometorphane HBr 15mg</i>
54	<i>Adult Cold Preparations_6</i>	<i>TABLET</i>	ORAL	<i>R01BA</i>	<i>Acetaminophen (325-500)mg+phenylephrine HCl 5mg+chlorpheniramine maleate 2mg + Dextrometorphane HBr 15mg</i>
55	<i>Albendazole 200 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>P02CA03</i>	-
56	<i>Albendazole 200 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>P02CA03</i>	-
57	<i>Albendazole 400 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>P02CA03</i>	-
58	<i>Albumin (Human) 20%, 100ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-
59	<i>Albumin (Human) 20%, 10ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-
60	<i>Albumin (Human) 20%, 250ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-
61	<i>Albumin (Human) 20%, 500ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-

62	<i>Albumin (Human) 20%, 50ML</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	<i>**50 ml, 100 ml**</i>
63	<i>Albumin (Human) 5%, 100ML</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-
64	<i>Albumin (Human) 5%, 250ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-
65	<i>Albumin (Human) 5%, 500ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA01</i>	-
66	<i>Alendronate 10 mg</i>	<i>TABLET</i>	ORAL	<i>M05BA04</i>	<i>** (as Sodium) **</i>
67	<i>Alendronate 35 mg</i>	<i>TABLET</i>	ORAL	<i>M05BA04</i>	<i>** (as Sodium) **</i>
68	<i>Alendronate 70 mg</i>	<i>TABLET</i>	ORAL	<i>M05BA04</i>	<i>** (as Sodium) **</i>
69	<i>Alfentanil 0.5 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01Ah02</i>	<i>** (As Hydrochloride) **</i>
70	<i>Alfentanil 0.5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH02</i>	<i>** (as Hydrochloride) **</i>
71	<i>Alfentanil 0.5 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH02</i>	<i>** (As Hydrochloride) **</i>
72	<i>Allergenic Extracts</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AA</i>	-
73	<i>Allopurinol 100 mg</i>	<i>TABLET</i>	ORAL	<i>M04AA01</i>	-
74	<i>Allopurinol 300 mg</i>	<i>TABLET</i>	ORAL	<i>M04AA01</i>	-
75	<i>Alprazolam 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA12</i>	-
76	<i>Alprazolam 1 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA12</i>	-
77	<i>Aluminium Chloride</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
78	<i>Aluminium Hydroxide 300 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>A02AB01</i>	<i>** (as Dried Gel) **</i>

79	<i>Aluminium Hydroxide 320 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>A02AB01</i>	<i>**as Gel**</i>
80	<i>Aluminium/Magnesium 200/200 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>A02A</i>	<i>Aluminium hydroxide 200mg + magnesium hydroxide 200mg</i>
81	<i>Aluminium/Magnesium 225/200 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>A02A</i>	<i>(Aluminium hydroxide 225mg+magnesium hydroxide 200)/5ml</i>
82	<i>Aluminium/Magnesium 225/200 mg/5ml, 10ml</i>	<i>SUSPENSION</i>	ORAL	<i>A02A</i>	<i>(Aluminium hydroxide 225mg+magnesium hydroxide 200mg)/5ml **Sachet**</i>
83	<i>Aluminium/Magnesium 564/174 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>A02A</i>	<i>(Aluminium hydroxide 564mg + Magnesium hydroxide 174mg)/sachet</i>
84	<i>Aluminium/Magnesium/Simethicone</i>	<i>SUSPENSION</i>	ORAL	<i>A02A</i>	<i>(Aluminium hydroxide 225mg+magnesium hydroxide 200mg+simethicone 25mg)/5ml</i>
85	<i>Aluminium/Magnesium/Simethicone</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>A02A</i>	<i>Aluminium hydroxide 200mg+magnesium hydroxide 200mg+simethicone 25mg</i>
86	<i>Aluminium/Magnesium/Simethicone 10 ml</i>	<i>SUSPENSION</i>	ORAL	<i>A02A</i>	<i>(Aluminium hydroxide 225mg+magnesium hydroxide 200mg+simethicone 25mg)/5ml**SACHET**</i>
87	<i>Amantadine Hydrochloride 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>N04BB01</i>	-
88	<i>Ambenonium Chloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N07AA30</i>	-
89	<i>Amikacin 250 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB06</i>	<i>**as Sulfate**</i>
90	<i>Amikacin 50 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB06</i>	<i>**as Sulfate**</i>
91	<i>Amiloride/Hydrochlorothiazide 5/50 mg</i>	<i>TABLET</i>	ORAL	<i>C03EA01</i>	<i>Amiloride HCl (as dihydrate) 5mg + hydrochlorothiazide 50mg</i>
92	<i>Amino Caproic Acid 250 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AA01</i>	-
93	<i>Amino Caproic Acid 400 mg/ml,10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AA01</i>	-

94	<i>Aminoacid 10 %</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05BA01</i>	<i>Isoleucine 5g + Leucine 7.4 g + Lysine Acetate 9.31g + Methionine 4.3g + Phenylalanine 5.1 g + Threonine 4.4g + Tryptophane 2g + Valine 6.2g + Arginine 12g + Histidine 3g + Alanine 14g + Glycine 11g + Taurine 1g + Proline 11.2g + Serine 6.5g + Tyrosine</i>
95	<i>Aminoacid 10%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA01</i>	<i>Isoleucine 5.1 g + Leucine 8.90 g + Lysine HCl 7 g + Methionine 3.8 g + Phenylalanine 5.1 g + Threonine 4.1 g + Tryptophane 1.8 g + Valine 4.8 g + Arginine 9.2 g + Histidine 5.2 g + Alanine 13.7 g + Glycine 7.9 g + Asparagine H2O 3.72 g + Aspartic acid 1</i>
96	<i>Aminoacid 10%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA01</i>	<i>Isoleucine 5 g + Leucine 7.4 g + Lysine (as monoacetate) 6.6 g + methionine 4.3 g + Phenylalanine 5.1g + Threonine 4.4 g + Tryptophan 2 g + Valine 6.2 g + Arginine 12 g + Histidine 3 g + Glycine 14 g + Alanine 15 g + Proline 15 g + Acetic acid glacial</i>
97	<i>Aminoacid 5%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA01</i>	<i>Isoleucine 2.55g+Leucine 4.45g+Lysine HCl 3.5g +Methionine 1.9g+Phenylalanine2.55g+Threonine 2.05g+Tryptophane 0.90g+Valine 2.40g+Arginine 4.60g+Histidine 2.6g+Alanine 6.85g+Aminoacetic acid 3.95g+Asparagine H2O 1.86g+Aspartic acid 0.65g+Cysteine HCl 0.3</i>
98	<i>Aminoacid 5%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA01</i>	<i>Isoleucine 2.55 g + Leucine 4.45 g + Lysine HCl 3.50 g + Methionine 1.90 g + Phenylalanine2.55 g + Threonine 2.05 g + Tryptophane 0.90 g + Valine 2.40 g + Arginine 4.60 g + Histidine 2.60 g + Alanine 6.85 g + Glycine 3.95 g + Asparagine H2O 1.86 g + Asp</i>
99	<i>Aminobenzoic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>**Paba**</i>
100	<i>Aminobenzoic Acid/Padimate</i>	<i>LOTION</i>	TOPICAL	<i>D02BA</i>	<i>Para Aminobenzoic Acid 5% w/w + Padimate O 3.2% w/w **(Paba-p)**</i>
101	<i>Aminobezoic Acid 5%</i>	<i>LOTION</i>	TOPICAL	<i>D02BA</i>	<i>**Paba**</i>
102	<i>Aminoglutethimide 250 mg</i>	<i>TABLET</i>	ORAL	<i>L02BG01</i>	-
103	<i>Aminophylline 25 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03DA05</i>	-
104	<i>Amiodarone Hydrochloride 200 mg</i>	<i>TABLET</i>	ORAL	<i>C01BD01</i>	-

105	<i>Amiodarone Hydrochloride 50 mg/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01BD01</i>	-
106	<i>Amitriptyline Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA09</i>	-
107	<i>Amitriptyline Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA09</i>	-
108	<i>Amitriptyline Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA09</i>	-
109	<i>Amitriptyline Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA09</i>	-
110	<i>Amlodipine 5 mg</i>	<i>TABLET</i>	ORAL	<i>C08CA01</i>	<i>** (as Besylate) **</i>
111	<i>Amlodipine 10 mg</i>	<i>TABLET</i>	ORAL	<i>C08CA01</i>	<i>** (As Besylate) **</i>
112	<i>Amlodipine 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>C08CA01</i>	<i>** (As Besylate) **</i>
113	<i>Amlodipine/Atorvastatin 5/20 mg</i>	<i>TABLET</i>	ORAL	<i>C</i>	<i>** (As Besylate) / (As Calcium) **</i>
114	<i>Ammonium Alum</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
115	<i>Ammonium Chloride</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
116	<i>Ammonium Chloride 500 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>G04BA01</i>	-
117	<i>Ammonium Hydroxide</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
118	<i>Amoxicillin 125 mg</i>	<i>TABLET, ORODISPERSIBLE</i>	ORAL	<i>J01CA04</i>	<i>** (As 3H2o) **</i>
119	<i>Amoxicillin 250 mg</i>	<i>TABLET, ORODISPERSIBLE</i>	ORAL	<i>J01CA04</i>	<i>** (As 3H2O) **</i>
120	<i>Amoxicillin 250 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>J01CA04</i>	<i>** (as 3H2O) **</i>
121	<i>Amoxicillin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01CA04</i>	<i>** (as 3H2O) **</i>

122	<i>Amoxicillin 125 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CA04</i>	-
123	<i>Amoxicillin 200 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>J01CA04</i>	-
124	<i>Amoxicillin 200 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CA04</i>	-
125	<i>Amoxicillin 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01CA04</i>	-
126	<i>Amoxicillin 250 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CA04</i>	-
127	<i>Amoxicillin 400 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>J01CA04</i>	-
128	<i>Amoxicillin 400 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CA04</i>	-
129	<i>Amoxicillin 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01CA04</i>	-
130	<i>Amphotericin-B 50 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>J02AA01</i>	-
131	<i>Amphotericin B Liposome 50 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J02AA01</i>	-
132	<i>Ampicillin 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CA01</i>	<i>** (as Sodium) **</i>
133	<i>Ampicillin 250 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CA01</i>	<i>** (as Sodium) **</i>
134	<i>Ampicillin 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CA01</i>	<i>** (as Sodium) **</i>
135	<i>Ampicillin 125 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CA01</i>	-
136	<i>Ampicillin 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01CA01</i>	-
137	<i>Ampicillin 250 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CA01</i>	-
138	<i>Ampicillin 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01CA01</i>	-

139	<i>Ampicillin/Sulbactam 1/0.5 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CR01</i>	<i>1 g AMPICILLIN + 0.5 g SULBACTAM</i>
140	<i>Ampicillin/Sulbactam 2/1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CR01</i>	<i>2 g AMPICILLIN + 1 g SULBACTAM</i>
141	<i>Amyl Nitrite</i>	<i>INHALER</i>	RESPIRATORY	<i>V03AB22</i>	-
142	<i>Anthocyanoside A</i>	<i>TABLET</i>	ORAL	<i>C04A</i>	<i>Myrtillus Anthocyanosidic Extract of Vaccinium Myrtillus 100mg + Betacarotene 5mg</i>
143	<i>Anti - D Immunoglobulin 250 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAMUSCULAR	<i>J06BB01</i>	-
144	<i>Anti - D Immunoglobulin 250 mcg</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>J06BB01</i>	-
145	<i>Anti - D Immunoglobulin 300 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAMUSCULAR	<i>J06BB01</i>	-
146	<i>Anti - D Immunoglobulin 300 mcg</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>J06BB01</i>	-
147	<i>Anti - D Immunoglobulin 50 mcg/ml, 2ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>J06BB01</i>	-
148	<i>Anticoagulant</i>	<i>UNKNOWN</i>	NOT APPLICABLE	<i>B01</i>	<i>(Sodium citrate dehydrate 2.63 g + Citric acid anhydrous 0.299 g + Sodium biphosphate monohydrate 0.222 g + Dextrose monohydrate 3.19 g + Adenine 0.0275 g) /100 ml BLOOD PACK</i>
149	<i>Antihemorrhoid</i>	<i>OINTMENT</i>	RECTAL	<i>C05AD01</i>	<i>(Lidocaine 50mg+hydrocortisone acetate 2.75mg+aluminium subacetate 35mg+zinc oxide 180mg)/g</i>
150	<i>Antihemorrhoid</i>	<i>SUPPOSITORY</i>	RECTAL	<i>C05AD01</i>	<i>Lidocaine 60mg+hydrocortisone acetate 5mg+aluminium subacetate 50mg+zinc oxide 400mg</i>
151	<i>Antihistamine Decongestant</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>R01BA51</i>	<i>Brompheniramine Maleate 12mg+ Pseudoephedrine HCl 120 mg</i>
152	<i>Antihistamine Decongestant</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R01BA51</i>	<i>Chlorpheniramine maleate 2 mg + Pseudoephedrine HCl 30 mg</i>
153	<i>Antihistamine Decongestant</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>R01BA51</i>	<i>Brompheniramine Maleate 12mg+ Pseudoephedrine HCl 120 mg</i>
154	<i>Antihistamine Decongestant</i>	<i>TABLET</i>	ORAL	<i>R01BA51</i>	<i>Chlorpheniramine maleate 2 mg + Pseudoephedrine HCl 30 mg</i>

155	<i>Antilymphocyte Immunoglobulin 20 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L04AA03</i>	-
156	<i>Antilymphocyte Immunoglobulin 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L04AA03</i>	-
157	<i>Antiscorpion Aenom Serum</i>	<i>INJECTION</i>	PARENTERAL	<i>J06AA</i>	-
158	<i>Antisnake Aenom Serum</i>	<i>INJECTION</i>	PARENTERAL	<i>J06AA03</i>	-
159	<i>Antithymocyte Immunoglobulin 25 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L04AA04</i>	-
160	<i>Antithymocyte Immunoglobulin 50 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L04AA04</i>	-
161	<i>Apomorphine Hydrochloride 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N04BC07</i>	**1/2H20**
162	<i>Aprotinin 10,000 KIU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AB01</i>	**Kallikrein Inhibitor (Inactivator) Units**
163	<i>Aprotinin 20,000 KIU/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AB01</i>	**Kallikrein Inhibitor (Inactivator) Units**
164	<i>Arginine Hydrochloride</i>	<i>INJECTION</i>	PARENTERAL	<i>B05XB01</i>	**950 mOsmol/L**
165	<i>Arsenic Trioxide 0.1%</i>	<i>INJECTION</i>	PARENTERAL	<i>L01XX27</i>	-
166	<i>Artemether 40 mg</i>	<i>CAPSULE</i>	ORAL	<i>P01BE02</i>	-
167	<i>Artemether 80 mg</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BE02</i>	-
168	<i>Artemether/Lumefantrine 20/120 mg</i>	<i>TABLET</i>	ORAL	<i>P01BE</i>	**SA**
169	<i>Articaine Hydrochloride/Epinephrine 4/0.001 %</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB</i>	**(Articaine Hydrochloride 4% + Epinephrine 1/100000)**
170	<i>Articaine Hydrochloride/Epinephrine 4/0.002 %</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB</i>	**(Articaine Hydrochloride 4% + Epinephrine 1/200000)**
171	<i>Artificial Saliva</i>	<i>SPRAY, SOLUTION</i>	ORAL	<i>A16AA</i>	-

172	<i>Artificial Saliva</i>	<i>GEL</i>	ORAL	<i>A16AA</i>	-
173	<i>Artificial Tears</i>	<i>GEL</i>	OPHTHALMIC	<i>S01XA20</i>	-
174	<i>Artificial Tears</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01XA20</i>	-
175	<i>Artisunate 100 mg</i>	<i>TABLET</i>	ORAL	<i>P01BE</i>	**SA**
176	<i>Artisunate 200 mg</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BE</i>	-
177	<i>Artisunate 50 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>P01BE</i>	**SA**
178	<i>Artisunate 60 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BE</i>	-
179	<i>ASA (Acetylsalicylic Acid) 100 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>B01AC06</i>	-
180	<i>ASA (Acetylsalicylic Acid) 100 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N02BA01</i>	**Microcoated**
181	<i>ASA (Acetylsalicylic Acid) 325 mg</i>	<i>TABLET, EFFERVESCENT</i>	ORAL	<i>N02BA01</i>	-
182	<i>ASA (Acetylsalicylic Acid) 325 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N02BA01</i>	-
183	<i>ASA (Acetylsalicylic Acid) 325 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>N02BA01</i>	-
184	<i>ASA (Acetylsalicylic Acid) 325 mg</i>	<i>TABLET</i>	ORAL	<i>N02BA01</i>	-
185	<i>ASA (Acetylsalicylic Acid) 500 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N02BA01</i>	**Microcoated**
186	<i>ASA (Acetylsalicylic Acid) 80 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>B01AC06</i>	-
187	<i>ASA Codeine 500/10 mg</i>	<i>TABLET</i>	ORAL	<i>N02BA71</i>	<i>ASA 500mg + -Codeine phosphate 10mg</i>
188	<i>Asparaginase 10,000 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L01XX02</i>	-

189	<i>Aspartame 18 mg</i>	<i>TABLET</i>	ORAL	<i>V06</i>	-
190	<i>Atenolol 100 mg</i>	<i>TABLET</i>	ORAL	<i>C07AB03</i>	-
191	<i>Atenolol 50 mg</i>	<i>TABLET</i>	ORAL	<i>C07AB03</i>	-
192	<i>Atorvastatin 10 mg</i>	<i>TABLET</i>	ORAL	<i>C10AA05</i>	<i>** (as Calcium) **</i>
193	<i>Atorvastatin 20 mg</i>	<i>TABLET</i>	ORAL	<i>C10AA05</i>	<i>** (as Calcium) **</i>
194	<i>Atorvastatin 40 mg</i>	<i>TABLET</i>	ORAL	<i>C10AA05</i>	<i>** (as Calcium) **</i>
195	<i>Atovaquone/Chloroghanide Hydrochloride 250/100 mg</i>	<i>TABLET</i>	ORAL	<i>P01A</i>	<i>ATOVAQUONE 250 mg + CHLOROGUANIDE HCl 100 mg</i>
196	<i>Atovaquone/Chloroghanide Hydrochloride 62.5/25 mg</i>	<i>TABLET</i>	ORAL	<i>P01A</i>	<i>ATOVAQUONE 62.5 mg + CHLOROGUANIDE HCl 25 mg</i>
197	<i>Atracurium Besylate 10 mg/ml, 2.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC04</i>	-
198	<i>Atracurium Besylate 10 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC04</i>	-
199	<i>Atropine Sulfate 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>A03BA01</i>	-
200	<i>Atropine Sulfate 0.5 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03BA01</i>	-
201	<i>Atropine Sulfate 0.5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01FA01</i>	-
202	<i>Atropine Sulfate 1 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03BA01</i>	-
203	<i>Atropine Sulfate 1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01FA01</i>	-
204	<i>Atropine Sulfate 1%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01FA01</i>	-
205	<i>Atropine Sulfate 10 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03BA01</i>	-

206	<i>Atropine Sulfate 2.5 mg/ml, 0.8ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03BA01</i>	<i>**in prefilled disposable syringe**</i>
207	<i>Azathioprine 50 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L04AX01</i>	<i>**as Sodium**</i>
208	<i>Azathioprine 50 mg</i>	<i>TABLET</i>	ORAL	<i>L04AX01</i>	-
209	<i>Azelaic Acid 20%</i>	<i>CREAM</i>	TOPICAL	<i>D10AX03</i>	-
210	<i>Azithromycin 100 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01FA10</i>	<i>**as Dihydrate**</i>
211	<i>Azithromycin 200 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01FA10</i>	<i>**as Dihydrate**</i>
212	<i>Azithromycin 250 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA10</i>	<i>**as Dihydrate**</i>
213	<i>Azithromycin 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01FA10</i>	<i>**as Dihydrate**</i>
214	<i>Azithromycin 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01FA10</i>	<i>**as Dihydrate**</i>
215	<i>Azithromycin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA10</i>	<i>**as Dihydrate**</i>
216	<i>Azithromycin 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01FA10</i>	-
217	<i>Bacitracin 500 U/g</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>D06AX05</i>	-
218	<i>Baclofen 10 mg</i>	<i>TABLET</i>	ORAL	<i>M03BX01</i>	-
219	<i>Baclofen 25 mg</i>	<i>TABLET</i>	ORAL	<i>M03BX01</i>	-
220	<i>Balanced Salt Solution</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>V07AV</i>	<i>NaCl 0.49% or 0.64% + KCl 0.075% + MgCl₂, 6H₂O 0.03% + CaCl₂, 2 H₂O 0.048% + Sodium Citrate, 2 H₂O 0.17% + Sodium Acetate, 3H₂O 0.39%</i>
221	<i>Balanced Salt Solution/Glutathion</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>V07AV</i>	<i>Part 1:480ml (NaCl 7.44mg+KCl 0.395mg + Na₂HPO₄ 0.433mg+ NaHCO₃ 2.19mg)/ml, Part 2:20ml (Glutathion Disulfide 4.6mg + Dextrose 23 mg + Calcium Chloride,2H₂O 3.85mg + Magnesium Chloride,6H₂O 5mg)/ml</i>

222	<i>Barium Sulfate 135 g</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>V08BA02</i>	**SACHET**
223	<i>BCG</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVESICAL	<i>J07AN</i>	**Vaccine**
224	<i>BCG</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L03AX03</i>	**vaccine**
225	<i>Beclomethasone Dipropionate 250 mcg/dose</i>	<i>AEROSOL</i>	RESPIRATORY	<i>R01AD01</i>	-
226	<i>Beclomethasone Dipropionate 50 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R01AD01</i>	-
227	<i>Beclomethasone Dipropionate 50 mcg/dose</i>	<i>INHALER</i>	NASAL	<i>R01AD01</i>	-
228	<i>Belladonna Pb</i>	<i>ELIXIR</i>	ORAL	<i>A03CB02</i>	<i>(Atropine Sulfate 19.4mcg+Hyoscine HBr 6.5mcg+Hyoscyamine Sulfate 103.7mcg+Phenobarbital 16.2mg)/5ml</i>
229	<i>Belladonna Pb</i>	<i>TABLET</i>	ORAL	<i>A03CB02</i>	<i>Atropine Sulfate 19.4mcg+Hyoscine HBr 6.5mcg+Hyoscyamine Sulfate 103.7mcg+Phenobarbital 16.2mg</i>
230	<i>Benzocaine 5%</i>	<i>OINTMENT</i>	TOPICAL	<i>D04AB04</i>	-
231	<i>Benzoic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
232	<i>Benzoin Tincture</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
233	<i>Benzoyl Peroxide 10%</i>	<i>SOAP</i>	TOPICAL	<i>D10AE01</i>	**W/W**
234	<i>Benzoyl Peroxide 10%</i>	<i>GEL</i>	TOPICAL	<i>D10AE01</i>	-
235	<i>Benzoyl Peroxide 10%</i>	<i>LOTION</i>	TOPICAL	<i>D10AE01</i>	**w/w or w/v**
236	<i>Benzoyl Peroxide 5%</i>	<i>GEL</i>	TOPICAL	<i>D10AE01</i>	-
237	<i>Benzoyl Peroxide 5%</i>	<i>SOAP</i>	TOPICAL	<i>D10AE01</i>	**w/w**
238	<i>Benzoyl Peroxide 5%</i>	<i>LOTION</i>	TOPICAL	<i>D10AE01</i>	**w/w or w/v**

239	<i>Benztropine Mesylate 1 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N04AC01</i>	-
240	<i>Benztropine Mesylate 2 mg</i>	<i>TABLET</i>	ORAL	<i>N04AC01</i>	-
241	<i>Benzylamine Hydrochloride 0.15%</i>	<i>MOUTHWASH</i>	IRRIGATION	<i>A01AD02</i>	-
242	<i>Benzyl Benzoate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>v03</i>	-
243	<i>Benzyl Benzoate 25%</i>	<i>LOTION</i>	TOPICAL	<i>P03AX01</i>	-
244	<i>Bephenium Hydroxynaphthoate 5 g/SACHET</i>	<i>GRANULE</i>	ORAL	<i>P02CX02</i>	-
245	<i>Beractant 25 mg/ml</i>	<i>SUSPENSION</i>	INTRATRACHEAL	<i>R07A</i>	-
246	<i>Betacarotene 15 mg</i>	<i>CAPSULE</i>	ORAL	<i>A11CA02</i>	-
247	<i>Betacarotene 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>A11CA02</i>	-
248	<i>Betacarotene 30 mg</i>	<i>CAPSULE</i>	ORAL	<i>A11CA02</i>	-
249	<i>Betahistine Dihydrochloride 16 mg</i>	<i>TABLET</i>	ORAL	<i>N07CA01</i>	-
250	<i>Betahistine Dihydrochloride 8 mg</i>	<i>TABLET</i>	ORAL	<i>N07CA01</i>	-
251	<i>Betamethasone</i>	<i>INJECTION,SUSPENSION,EXTENDED RELEASE</i>	PARENTERAL	<i>H02AB01</i>	<i>(Betamethasone acetate 3mg+Betamethasone(as disodium phosphate) 3mg)/ml</i>
252	<i>Betamethasone 0.1%</i>	<i>CREAM</i>	TOPICAL	<i>D07AC01</i>	<i>** (as Valerate) **</i>
253	<i>Betamethasone 0.1%</i>	<i>LOTION</i>	TOPICAL	<i>D07AC01</i>	<i>w/w or w/v ** (as Valerate) **</i>
254	<i>Betamethasone 0.1%</i>	<i>OINTMENT</i>	TOPICAL	<i>D07AC01</i>	<i>** (as Valerate) **</i>
255	<i>Betamethasone 4 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H02AB01</i>	<i>** (as Disodium Phosphate) **</i>

256	<i>Betamethasone 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB01</i>	-
257	<i>Betamethasone Disodium Phosphate 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC & OTIC	<i>S03</i>	**OPHTHALMIC and OTIC and NASAL DROPS**
258	<i>Betamethasone Disodium Phosphate 0.1%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01BA06</i>	-
259	<i>Betaxolol 0.5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01ED02</i>	**(as Hydrochloride)**
260	<i>Bethanechol Chloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N07AB02</i>	-
261	<i>Bicarbonate Concentrate 500 mg</i>	<i>POWDER</i>	NOT APPLICABLE	<i>V</i>	<i>For Haemodialysis Machine</i>
262	<i>Bicarbonate Concentrate 650 mg</i>	<i>POWDER</i>	NOT APPLICABLE	<i>V</i>	<i>For Haemodialysis Machine</i>
263	<i>Bicarbonate Concentrate 750 mg</i>	<i>POWDER</i>	NOT APPLICABLE	<i>V</i>	<i>For Haemodialysis Machine</i>
264	<i>Biperiden Hydrochloride 2 mg</i>	<i>TABLET</i>	ORAL	<i>N04AA02</i>	-
265	<i>Biperiden Hydrochloride 4 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N04AA02</i>	-
266	<i>Biperiden Lactate 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N04AA02</i>	-
267	<i>Bisacodyl 10 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A06AB02</i>	-
268	<i>Bisacodyl 5 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A06AB02</i>	-
269	<i>Bisacodyl 5 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A06AB02</i>	-
270	<i>Bismuth Subcitrate Equ. To Bismuth Oxide** 120 mg</i>	<i>TABLET</i>	ORAL	<i>A02BX05</i>	-
271	<i>Bleomycin 15 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L01DC01</i>	**(as Sulfate)**
272	<i>Borax</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-

273	<i>Boric Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
274	<i>Botulinum A Toxin</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AX01</i>	-
275	<i>Botulinum A Toxin</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>M03AX01</i>	-
276	<i>Botulism Monovalent</i>	<i>INJECTION</i>	PARENTERAL	<i>J06AA</i>	<i>**antitoxin**</i>
277	<i>Botulism Polyvalent (A+B+E)</i>	<i>INJECTION</i>	PARENTERAL	<i>J06AA</i>	<i>**Antitoxin**</i>
278	<i>Bovactant 50 mg/1.2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R07A</i>	-
279	<i>Brimonidine Tartrate 0.2%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01EA05</i>	-
280	<i>Brinzolamide 1%</i>	<i>DROPS, SUSPENSION</i>	OPHTHALMIC	<i>S01EC04</i>	-
281	<i>Bromhexine Hydrochloride 2 mg/ml, 2 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R05CB02</i>	-
282	<i>Bromhexine Hydrochloride 4 mg/5ml</i>	<i>ELIXIR</i>	ORAL	<i>R05CB02</i>	-
283	<i>Bromhexine Hydrochloride 8 mg</i>	<i>TABLET</i>	ORAL	<i>R05CB02</i>	-
284	<i>Bromocriptine 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>G02CB01</i>	<i>** (as Mesylate) **</i>
285	<i>Budesonide 0.5 mg/2ml</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R03BA02</i>	-
286	<i>Budesonide 1 mg/2ml</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R03BA02</i>	-
287	<i>Budesonide 100 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BA02</i>	-
288	<i>Budesonide 400 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BA02</i>	-
289	<i>Budesonide 64 mcg/dose</i>	<i>INHALER</i>	NASAL	<i>R01AD05</i>	-

290	<i>Bupivacaine Hydrochloride 0.25%, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB01</i>	-
291	<i>Bupivacaine Hydrochloride 0.25%, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB01</i>	-
292	<i>Bupivacaine Hydrochloride 0.5%, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB01</i>	-
293	<i>Bupivacaine Hydrochloride 0.5%, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB01</i>	-
294	<i>Bupivacaine Hydrochloride 0.5%, 4ml</i>	<i>INJECTION</i>	INTRASPINAL	<i>N01BB01</i>	<i>Spinal (Bupivacaine HCl 5 mg + Glucose 80 mg)/ml</i>
295	<i>Buprenorphine 0.3 m/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AE01</i>	<i>** (as Hydrochloride) **</i>
296	<i>Buprenorphine 0.4 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>N07BC01</i>	<i>** (as Hydrochloride) **</i>
297	<i>Buprenorphine 0.4 mg</i>	<i>CAPSULE</i>	SUBLINGUAL	<i>N02AE01</i>	<i>** (as Hydrochloride) **</i>
298	<i>Buprenorphine 2 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>N07BC01</i>	<i>** (as Hydrochloride) **</i>
299	<i>Buprenorphine 8 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>N07BC03</i>	<i>** (as Hydrochloride) **</i>
300	<i>Buprenorphine Hydrochloride/Naloxone Hydrochloride 2/0.5 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>N07B</i>	<i>** (Buprenorphine Hydrochloride 2 mg + Naloxone Hydrochloride 0.5 mg) **</i>
301	<i>Buprenorphine Hydrochloride/Naloxone Hydrochloride 8/2 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>N07B</i>	<i>** (Buprenorphine Hydrochloride 8 mg + Naloxone Hydrochloride 2 mg) **</i>
302	<i>Bupropion Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>N07BA02</i>	-
303	<i>Bupropion Hydrochloride 150 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N07BA02</i>	-
304	<i>Bupropion Hydrochloride 75 mg</i>	<i>TABLET</i>	ORAL	<i>N07BA02</i>	-
305	<i>Burn Ointment</i>	<i>OINTMENT</i>	TOPICAL	<i>D03AA</i>	<i>Cod liver oil 50%+Zinc oxide 30%</i>
306	<i>Buserelin 1 mg/ml, 5.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L02AE01</i>	<i>** (as Acetate) **</i>

307	<i>Buserelin 150 mcg/dose</i>	<i>SPRAY</i>	NASAL	<i>L02AE01</i>	<i>** (as Acetate) **</i>
308	<i>Bupirone Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05BE01</i>	-
309	<i>Bupirone Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N05BE01</i>	-
310	<i>Busulfan 2 mg</i>	<i>TABLET</i>	ORAL	<i>L01AB01</i>	-
311	<i>Busulfan 6 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01AB01</i>	-
312	<i>Cabergoline 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>G02CB03</i>	-
313	<i>Cabergoline 1 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC06</i>	-
314	<i>Cade Oil</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
315	<i>Calamine 8%</i>	<i>CREAM</i>	TOPICAL	<i>D02AB</i>	-
316	<i>Calamine 8%</i>	<i>LOTION</i>	TOPICAL	<i>D02AB</i>	-
317	<i>Calcipotriol 50 mcg/g</i>	<i>OINTMENT</i>	TOPICAL	<i>D05AX02</i>	-
318	<i>Calcipotriol 50 mcg/ml</i>	<i>SOLUTION</i>	TOPICAL	<i>D05AX02</i>	-
319	<i>Calcitonin 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H05BA03</i>	-
320	<i>Calcitonin 50 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H05BA03</i>	-
321	<i>Calcitonin, Salmon 100 IU/dose</i>	<i>SPRAY</i>	NASAL	<i>H05BA01</i>	-
322	<i>Calcitonin, Salmon 200 IU/dose</i>	<i>SPRAY</i>	NASAL	<i>H05BA01</i>	-
323	<i>Calcitriol 0.25 mcg</i>	<i>CAPSULE</i>	ORAL	<i>A11CC04</i>	-

324	Calcium Acetate 667 mg	TABLET	ORAL	A12AA12	1 YEAR
325	Calcium Chloride 100 mg/m, 10ml	INJECTION	PARENTERAL	A12A	-
326	Calcium Dobesilate 250 mg	TABLET	ORAL	A12AA04	-
327	Calcium Dobesilate Monohydrate 500 mg	TABLET	ORAL	A12AA04	-
328	Calcium Fulfinate 10 mg/ml, 10ml	INJECTION	PARENTERAL	V03AF03	-
329	Calcium Fulfinate 10 mg/ml, 20ml	INJECTION	PARENTERAL	V03AF03	-
330	Calcium Fulfinate 10 mg/ml, 5ml	INJECTION	PARENTERAL	V03AF03	-
331	Calcium Fulfinate 100 mg	INJECTION, POWDER	PARENTERAL	V03AF03	-
332	Calcium Gluconate 10%, 10ml	INJECTION	PARENTERAL	A12AA03	-
333	Calcium Pantothenate 100 mg	TABLET	ORAL	A11HA31	-
334	Camphor	UNKNOWN	UNASSIGNED	V03	-
335	Capecitabine 150 mg	TABLET	ORAL	L01BC06	-
336	Capecitabine 500 mg	TABLET	ORAL	L01BC06	-
337	Capreomycin 1g	INJECTION, POWDER,	INTRAMUSCULAR	J04AB30	** <i>(as Sulfate)</i> **
338	Captopril 25 mg	TABLET	ORAL	C09AA01	-
339	Captopril 50 mg	TABLET	ORAL	C09AA01	-
340	Carbamazepine 100 mg/5ml	SUSPENSION	ORAL	N03AF01	-

341	<i>Carbamazepine 200 mg</i>	<i>TABLET</i>	ORAL	<i>N03AF01</i>	-
342	<i>Carbamazepine 200 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N03AF01</i>	-
343	<i>Carbamazepine 400 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N03AF01</i>	-
344	<i>Carbon [14C] Urea 5 micCi</i>	<i>SOLUTION</i>	ORAL	<i>V09</i>	-
345	<i>Carboplatin 10 mg/ml, 15ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01XA02</i>	-
346	<i>Carboplatin 10 mg/ml, 45ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01XA02</i>	-
347	<i>Carboplatin 10 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01XA02</i>	-
348	<i>Carboplatin 150 mg</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01XA02</i>	-
349	<i>Carboplatin 50 mg</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01XA02</i>	-
350	<i>Carboprost 250 mcg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G02AD04</i>	<i>** (As Tromethamine) **</i>
351	<i>Carbustine 100 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L01AD01</i>	-
352	<i>Carvedilol 12.5 mg</i>	<i>TABLET</i>	ORAL	<i>C07AG02</i>	-
353	<i>Carvedilol 25 mg</i>	<i>TABLET</i>	ORAL	<i>C07AG02</i>	-
354	<i>Carvedilol 6.25 mg</i>	<i>TABLET</i>	ORAL	<i>C07AG02</i>	-
355	<i>Casoni Test</i>	<i>INJECTION</i>	PARENTERAL	<i>V04</i>	-
356	<i>Caspofungin 50 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J02AX04</i>	<i>(As Acetate)</i>
357	<i>Caspofungin 70 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J02AX04</i>	<i>(As Acetate)</i>

358	<i>Castor Oil</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
359	<i>Cefalexin 125 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA01</i>	**Sachet**
360	<i>Cefalexin 125 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA01</i>	-
361	<i>Cefalexin 250 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA01</i>	-
362	<i>Cefalexin 250 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA01</i>	**SACHET**
363	<i>Cefalexin 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01DA01</i>	-
364	<i>Cefalexin 250 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA01</i>	-
365	<i>Cefalexin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA01</i>	-
366	<i>Cefalexin 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01DA01</i>	-
367	<i>Cefazolin 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA04</i>	**<i>(as Sodium)</i>**
368	<i>Cefazolin 250 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA04</i>	**<i>(as Sodium)</i>**
369	<i>Cefazolin 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA04</i>	**<i>(as Sodium)</i>**
370	<i>Cefepime 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA24</i>	**<i>(as Dihydrochloride or Hydrochloride Monohydrate)</i>**
371	<i>Cefepime 2 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA24</i>	**<i>(as Dihydrochloride or Hydrochloride Monohydrate)</i>**
372	<i>Cefepime 500mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA24</i>	**<i>(as Dihydrochloride or Hydrochloride Monohydrate)</i>**
373	<i>Cefixime 100 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA23</i>	**Sachet**
374	<i>Cefixime 100 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA23</i>	-

375	<i>Cefixime 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01DA23</i>	-
376	<i>Cefixime 200 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA23</i>	-
377	<i>Cefixime 400 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA23</i>	-
378	<i>Cefixime 400 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01DA23</i>	-
379	<i>Cefixime 50 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA23</i>	**SACHET**
380	<i>Cefotaxime 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA10</i>	**as Sodium**
381	<i>Cefotaxime 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA10</i>	**as Sodium**
382	<i>Ceftazidime 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA11</i>	**as Pentahydrate**
383	<i>Ceftazidime 2 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA11</i>	**as Pentahydrate**
384	<i>Ceftazidime 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA11</i>	**as Pentahydrate**
385	<i>Ceftizoxime 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA12</i>	**as Sodium**
386	<i>Ceftizoxime 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA12</i>	**as Sodium**
387	<i>Ceftriaxone 250 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA12</i>	**as Sodium**
388	<i>Ceftriaxone 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA13</i>	**as Sodium**
389	<i>Ceftriaxone 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA13</i>	**as Sodium**
390	<i>Cefuroxime 1.5 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA06</i>	**as Sodium**
391	<i>Cefuroxime 125 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA06</i>	**as Axetil**

392	<i>Cefuroxime 125 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA06</i>	<i>** (as Axetil) **</i>
393	<i>Cefuroxime 250 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA06</i>	<i>** (as Axetil) **</i>
394	<i>Cefuroxime 250 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA06</i>	<i>** (as Sodium) **</i>
395	<i>Cefuroxime 250 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01DA06</i>	<i>** (as Axetil) **</i>
396	<i>Cefuroxime 750 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA06</i>	<i>** (as Sodium) **</i>
397	<i>Cefuroxime 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01DA06</i>	<i>** (as Axetil) **</i>
398	<i>Celecoxib 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AH01</i>	-
399	<i>Celecoxib 200mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AH01</i>	-
400	<i>Cephalothin 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DA04</i>	<i>** (as Sodium) **</i>
401	<i>Cetirizine Hydrochloride 10 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R06AE07</i>	-
402	<i>Cetirizine Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>R06AE07</i>	-
403	<i>Cetirizine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>R06AE07</i>	-
404	<i>Cetirizine Hydrochloride 5mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R06AE07</i>	-
405	<i>Cetrimide/Chlorhexidine</i>	<i>SOLUTION, CONCENTRATE</i>	TOPICAL	<i>D08AG</i>	<i>Cetrimide 15% + Chlorhexidine gluconate 1.5%</i>
406	<i>Cetrorelix 250 mcg</i>	<i>INJECTION</i>	PARENTERAL	<i>H01CC02</i>	-
407	<i>Charcoal Activated 250 mg</i>	<i>TABLET</i>	ORAL	<i>A07BA</i>	-
408	<i>Charcoal Activated 30 g/240ml</i>	<i>SUSPENSION</i>	ORAL	<i>A07BA</i>	-

409	<i>Charcoal Activated 50 g</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>A07BA</i>	-
410	<i>Children Cold</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>N02BE51</i>	<i>Acetaminophen 80mg + Chlorpheniramine maleate 0.5 mg + Pseudoephedrin HCl 7.5 mg</i>
411	<i>Chloral Hydrate 250 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>N05CC01</i>	-
412	<i>Chlorambucil 2 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA02</i>	-
413	<i>Chloramphenicol 1 g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01BA01</i>	<i>** (as Sodium Succinate) **</i>
414	<i>Chloramphenicol 150 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>J01BA01</i>	<i>** (as Palmitate) **</i>
415	<i>Chloramphenicol 0.5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AA01</i>	-
416	<i>Chloramphenicol 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01BA01</i>	-
417	<i>Chlordiazepoxide 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA02</i>	-
418	<i>Chlordiazepoxide 5 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA02</i>	-
419	<i>Chlorhexidine Gluconate/Detergent 4%</i>	<i>SOLUTION</i>	TOPICAL	<i>D08</i>	-
420	<i>Chlormadinone Acetate/Ethinyl Estradiol 2 / 0.03 mg</i>	<i>TABLET</i>	ORAL	<i>G03FA</i>	<i>(Chlormadinone Acetate 2 mg + Ethinyl Estradiol 0.03 mg)</i>
421	<i>Chlormethine Hydrochlorid (Nitrogen mustard) 10 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L01AA05</i>	-
422	<i>Chloroquine 30 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BA01</i>	<i>** (as Phosphate) **</i>
423	<i>Chloroquine 40 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BA01</i>	<i>** (as Phosphate) **</i>
424	<i>Chloroquine 50 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>P01BA01</i>	<i>** (as Sulfate) **</i>
425	<i>Chloroquine 25 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>P01BA01</i>	<i>** (as Sulfate) **</i>

426	<i>Chloroquine Phosphate 250 mg</i>	<i>TABLET</i>	ORAL	<i>P01BA01</i>	-
427	<i>Chloroquine Sulfate 50 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BA01</i>	-
428	<i>Chlorpheniramine Maleate 10 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R06AB04</i>	-
429	<i>Chlorpheniramine Maleate 2 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R06AB04</i>	-
430	<i>Chlorpheniramine Maleate 4 mg</i>	<i>TABLET</i>	ORAL	<i>R06AB04</i>	-
431	<i>Chlorpheniramine Maleate 8 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>R06AB04</i>	-
432	<i>Chlorpromazine Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>N05AA01</i>	-
433	<i>Chlorpromazine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N05AA01</i>	-
434	<i>Chlorpromazine Hydrochloride 25 mg/ml, 2ml</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>N05AA01</i>	-
435	<i>Chlorpropamide 250 mg</i>	<i>TABLET</i>	ORAL	<i>A10BB02</i>	-
436	<i>Chlorthalidone 100 mg</i>	<i>TABLET</i>	ORAL	<i>C03BA04</i>	-
437	<i>Cholestyramine 4 g</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>C10AC01</i>	**SACHET**
438	<i>Choriogonadotropin Alfa 500 mcg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03GA08</i>	<i>Recombinant_Prefilled Syringe</i>
439	<i>Chorionic Gonadotrophin (Human) 1500 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>G03GA01</i>	-
440	<i>Chorionic Gonadotrophin (Human) 500 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>G03GA01</i>	-
441	<i>Chorionic Gonadotrophin (Human) 5000 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>G03GA01</i>	-
442	<i>Ciclosporin 0.05%</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01</i>	-

443	<i>Ciclosporin 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA01</i>	-
444	<i>Ciclosporin 100 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>L04AA01</i>	-
445	<i>Ciclosporin 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA01</i>	-
446	<i>Ciclosporin 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA01</i>	-
447	<i>Ciclosporin 50 mg/ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L04AA01</i>	-
448	<i>Ciclosporin 50 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L04AA01</i>	-
449	<i>Cimetidine 100 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A02BA01</i>	**<i>(as Hydrochloride)</i>**
450	<i>Cimetidine 200 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>A02BA01</i>	**<i>(as Hydrochloride)</i>**
451	<i>Cimetidine 200 mg</i>	<i>TABLET</i>	ORAL	<i>A02BA01</i>	-
452	<i>Cinnarizine 25 mg</i>	<i>TABLET</i>	ORAL	<i>N07CA02</i>	-
453	<i>Cinnarizine 75 mg</i>	<i>TABLET</i>	ORAL	<i>N07CA02</i>	-
454	<i>Ciprofloxacin 0.3%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S03AA07</i>	**<i>(as Hydrochloride)</i>**
455	<i>Ciprofloxacin 10 mg/ml, 20ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS	<i>J01MA02</i>	**<i>(As Lactate)</i>**
456	<i>Ciprofloxacin 2 mg/ml, 100ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>J01MA02</i>	**<i>(as Lactate)</i>**
457	<i>Ciprofloxacin 250 mg</i>	<i>TABLET</i>	ORAL	<i>J01MA02</i>	**<i>(as Hydrochloride)</i>**
458	<i>Ciprofloxacin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01MA02</i>	**<i>(as Hydrochloride)</i>**
459	<i>Cisapride 10 mg</i>	<i>TABLET</i>	ORAL	<i>A03FA02</i>	**<i>(as Monohydrate)</i>**

460	<i>Cisapride 5 mg</i>	<i>TABLET</i>	ORAL	<i>A03FA02</i>	<i>** (as Monohydrate) **</i>
461	<i>Cisatracurium 2 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC11</i>	<i>** (as Besylate) **</i>
462	<i>Cisatracurium 2 mg/ml, 2.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC11</i>	<i>** (as Besylate) **</i>
463	<i>Cisatracurium 2 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC11</i>	<i>** (as Besylate) **</i>
464	<i>Cisatracurium 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC11</i>	<i>** (as Besylate) **</i>
465	<i>Cisplatin 0.5 mg/ml, 100ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01XA01</i>	-
466	<i>Cisplatin 0.5 mg/ml, 20ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01XA01</i>	-
467	<i>Cisplatin 10 mg</i>	<i>INJECTION, POWDER,</i>	INTRAVENOUS DRIP	<i>L01XA01</i>	-
468	<i>Cisplatin 50 mg</i>	<i>INJECTION, POWDER,</i>	INTRAVENOUS DRIP	<i>L01XA01</i>	-
469	<i>Citalopram 20 mg</i>	<i>TABLET</i>	ORAL	<i>N06AB04</i>	<i>** (as Hydrobromide) **</i>
470	<i>Citalopram 40 mg</i>	<i>TABLET</i>	ORAL	<i>N06AB04</i>	<i>** (as Hydrobromide) **</i>
471	<i>Citalopram 40 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>N06AB04</i>	<i>** (as Hydrobromide) **</i>
472	<i>Citicoline 125 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N06BX06</i>	<i>** (as Sodium) **</i>
473	<i>Citric Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>** ANHYDROUS OR MONOHYDRATE **</i>
474	<i>Cladribine 1mg/ml, 10ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01BB04</i>	-
475	<i>Cladribine 2 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01BB04</i>	-
476	<i>Clarithromycin 125 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01FA09</i>	-

477	<i>Clarithromycin 250 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA09</i>	-
478	<i>Clarithromycin 250 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01AF09</i>	-
479	<i>Clarithromycin 250 mg/sachet</i>	<i>GRANULE, FOR SUSPENSION</i>	ORAL	<i>J01FA09</i>	-
480	<i>Clarithromycin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA09</i>	-
481	<i>Clemastine 1 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R06AA04</i>	<i>** (as Fumarate) **</i>
482	<i>Clemastine 1mg</i>	<i>TABLET</i>	ORAL	<i>R06AA04</i>	<i>** (as Fumarate) **</i>
483	<i>Clidinium/Chlordiazepoxide 2.5/5 mg</i>	<i>TABLET</i>	ORAL	<i>A03CA02</i>	<i>Clidinium bromide 2.5mg + Chlordiazepoxide 5mg</i>
484	<i>Clindamycin</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
485	<i>Clindamycin 1%</i>	<i>GEL</i>	TOPICAL	<i>D10AF01</i>	<i>** (as Phosphate) **</i>
486	<i>Clindamycin 10 mg/ml</i>	<i>SOLUTION</i>	TOPICAL	<i>D10AF01</i>	<i>** (as Phosphate) **</i>
487	<i>Clindamycin 100 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>G01AA10</i>	<i>** (as Phosphate) **</i>
488	<i>Clindamycin 150 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01FF01</i>	<i>** (as Hydrochloride) **</i>
489	<i>Clindamycin 150 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01FF01</i>	<i>** (as Phosphate) **</i>
490	<i>Clindamycin 2%</i>	<i>CREAM</i>	VAGINAL	<i>G01AA10</i>	<i>** (as Phosphate) **</i>
491	<i>Clindamycin 75 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>J01FF01</i>	<i>** (as Palmitate Hydrochloride) **</i>
492	<i>Clindamycin 300 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01FF01</i>	<i>** (As Hydrochloride) **</i>
493	<i>Clobazam 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA09</i>	-

494	<i>Clobetazol Propionate 0.05%</i>	<i>CREAM</i>	TOPICAL	<i>D07AD01</i>	-
495	<i>Clobetazol Propionate 0.05%</i>	<i>LOTION</i>	TOPICAL	<i>D07AD01</i>	-
496	<i>Clobetazol Propionate 0.05%</i>	<i>OINTMENT</i>	TOPICAL	<i>D07AD01</i>	-
497	<i>Clobutinol Hydrochloride 10 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R05DB03</i>	-
498	<i>Clobutinol Hydrochloride 40 mg</i>	<i>TABLET</i>	ORAL	<i>R05DB03</i>	-
499	<i>Clobutinol Hydrochloride 60 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>R05DB03</i>	-
500	<i>Clofazimine 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>J04BA01</i>	-
501	<i>Clofazimine 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>J04BA01</i>	-
502	<i>Clofibrate 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>C10AB01</i>	-o
503	<i>Clomiphene Citrate 50 mg</i>	<i>TABLET</i>	ORAL	<i>G03GB02</i>	-
504	<i>Clomipramine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA04</i>	-
505	<i>Clomipramine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA04</i>	-
506	<i>Clomipramine Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA04</i>	-
507	<i>Clomipramine Hydrochloride 75 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA04</i>	-
508	<i>Clonazepam 1 mg</i>	<i>TABLET</i>	ORAL	<i>N03AE01</i>	-
509	<i>Clonazepam 2 mg</i>	<i>TABLET</i>	ORAL	<i>N03AE01</i>	-
510	<i>Clonidine Hydrochloride 0.2 mg</i>	<i>TABLET</i>	ORAL	<i>N02CX02</i>	-

511	<i>Clonidine Hydrochloride 0.2 mg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>N02CX02</i>	-
512	<i>Clopidogrel 75 mg</i>	<i>TABLET</i>	ORAL	<i>B01AC04</i>	<i>** (as Hydrogen Sulfate) **</i>
513	<i>Clotrimazole 1%</i>	<i>CREAM</i>	TOPICAL	<i>D01AC01</i>	-
514	<i>Clotrimazole 1%</i>	<i>SOLUTION</i>	TOPICAL	<i>D01AC01</i>	-
515	<i>Clotrimazole 1%</i>	<i>CREAM</i>	VAGINAL	<i>G01AF02</i>	-
516	<i>Clotrimazole 100 mg</i>	<i>TABLET</i>	VAGINAL	<i>G01AF02</i>	-
517	<i>Clotrimazole 100 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>G01AF02</i>	-
518	<i>Clotrimazole 2%</i>	<i>CREAM</i>	VAGINAL	<i>G01AF02</i>	-
519	<i>Clotrimazole 200 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>G01AF02</i>	-
520	<i>Clotrimazole 500 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>G01AF02</i>	-
521	<i>Clotrimazole 500 mg</i>	<i>TABLET</i>	VAGINAL	<i>G01AF02</i>	-
522	<i>Clotrimazole/Betamethasone Dipropionate 1 / 0.05 %</i>	<i>LOTION</i>	TOPICAL	<i>D07CC</i>	<i>Clotrimazole 1% + Betamethasone Dipropionate 0.05%</i>
523	<i>Cloxacillin 1g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>
524	<i>Cloxacillin 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>
525	<i>Cloxacillin 250 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>
526	<i>Cloxacillin 250 mg</i>	<i>TABLET</i>	ORAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>
527	<i>Cloxacillin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>

528	<i>Cloxacillin 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>
529	<i>Cloxacillin 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01CF02</i>	<i>** (as Sodium) **</i>
530	<i>Clozapine 100 mg</i>	<i>TABLET</i>	ORAL	<i>N05AH02</i>	-
531	<i>Clozapine 25 mg</i>	<i>TABLET</i>	ORAL	<i>N05AH02</i>	-
532	<i>Co-amoxiclav 125/31.25 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CR02</i>	<i>(Amoxicillin(as trihydrate) 125mg+Clavulanic acid(as potassium) 31.25mg)/Sachet</i>
533	<i>Co-amoxiclav 125/31.25 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CR02</i>	<i>(Amoxicillin(as trihydrate) 125mg+Clavulanic acid(as potassium) 31.25mg)/5ml</i>
534	<i>Co-amoxiclav 200/28.5 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CR02</i>	<i>(Amoxicillin(as trihydrate) 200mg+Clavulanic acid(as potassium) 28.5 mg)/5ml</i>
535	<i>Co-amoxiclav 250/125 mg</i>	<i>TABLET</i>	ORAL	<i>J01CR02</i>	<i>Amoxicillin(as trihydrate) 250mg+Clavulanic acid(as potassium) 125mg</i>
536	<i>Co-amoxiclav 250/62.5 mg</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CR02</i>	<i>(Amoxicillin(as trihydrate) 250mg+Clavulanic acid(as potassium) 62.5mg)/Sachet</i>
537	<i>Co-amoxiclav 250/62.5 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CR02</i>	<i>(Amoxicillin(as trihydrate) 250mg+Clavulanic acid(as potassium) 62.5mg)/5ml</i>
538	<i>Co-amoxiclav 400/57 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01CR02</i>	<i>(Amoxicillin(as trihydrate) 400mg+Clavulanic acid(as potassium) 57 mg)/5ml</i>
539	<i>Co-amoxiclav 500/125 mg</i>	<i>TABLET</i>	ORAL	<i>J01CR02</i>	<i>Amoxicillin(as trihydrate) 500mg+Clavulanic acid(as potassium) 125mg</i>
540	<i>Co-trimoxazole 100/20 mg</i>	<i>TABLET</i>	ORAL	<i>J01RA02</i>	<i>Sulfamethoxazole 100mg+Trimethoprim 20mg</i>
541	<i>Co-trimoxazole 200/40 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>J01RA02</i>	<i>(Sulfamethoxazole 200mg+Trimethoprim 40mg)/5ml</i>
542	<i>Co-trimoxazole 400/80 mg/5ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>J01RA02</i>	<i>(Sulfamethoxazole 400mg+Trimethoprim 80mg)/5ml</i>

543	Co-trimoxazole 400/80 mg	TABLET	ORAL	J01RA02	Sulfamethoxazole 400mg+Trimethoprim 80mg
544	Co-trimoxazole 800/160 mg	TABLET	ORAL	J01EE01	Sulfamethoxazole 800mg+Trimethoprim 160mg
545	Coal Tar 5%	LOTION	TOPICAL	D05AA	-
546	Codeine Phosphate 30 mg	TABLET	ORAL	R05DA04	-
547	Colchicine 1 mg	TABLET	ORAL	M04AC01	-
548	Collodion	SOLUTION	TOPICAL	V03	(Pyroxylin 40g + Ether 750 ml + Alcohol 250 ml) / 1000 ml
549	Collodion	UNKNOWN	UNASSIGNED	V03	(Pyroxylin 40g + Ether 750 ml + Alcohol 250 ml) / 1000 ml
550	Conjugated Estrogens 0.625 mg	TABLET	ORAL	G03CA57	-
551	Conjugated Estrogens 0.625 mg/g	CREAM	VAGINAL	G03CA57	-
552	Conjugated Estrogens 1.25 mg	TABLET	ORAL	G03CA57	-
553	Conjugated Estrogens 5 mg/ml, 5ml	INJECTION	PARENTERAL	G03CA57	-
554	Contraceptive DE	TABLET	ORAL	G03AA09	Desogestrel 0.15mg+Ethinylestradiol 30mcg
555	Contraceptive HD	TABLET	ORAL	G03FA04	Norgestrel (or 1/2 amount of levonorgestrel) 0.5mg+Ethinylestradiol 50mcg
556	Contraceptive LD	TABLET	ORAL	G03FA04	Norgestrel (or 1/2 amount of levonorgestrel) 0.3mg+Ethinylestradiol 30mcg
557	Contraceptive LD/Fe	TABLET	ORAL	G03AA06	21 Tab. [Norgestrel (or 1/2 amount of levonorgestrel) 0.3mg+Ethinylestradiol 30mcg] + [7 Tab. of 24.65 mg Iron as Ferrous Sulfate or Fumarate]]
558	Contraceptive Triphasic	TABLET	ORAL	G03FA04	6 Tab: (Levonorgestrel 0.05mg + Ethinylestradiol 30mcg) + 5 Tab: (Levonorgestrel 0.075mg + Ethinylestradiol 40mcg) + 10 Tab: (Levonorgestrel 0.125mg + Ethinylestradiol 30mcg)

559	<i>Copper and Zinc Sulfate</i>	<i>LOTION</i>	TOPICAL	<i>D11</i>	<i>Copper Sulfate 1 g + Zinc Sulfate 1.5 g + Concentrated Comphor Water 2.5 ml + water qs to 100 ml</i>
560	<i>Copper Sulfate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
561	<i>Corticotrophin 40 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01AA01</i>	-
562	<i>Corticotrophin 80 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01AA01</i>	-
563	<i>Cream Base</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
564	<i>Cresol</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
565	<i>Cromolyn Sodium 1 mg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BC01</i>	-
566	<i>Cromolyn Sodium 10 mg/ml</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R03BC01</i>	<i>**nebulisation**</i>
567	<i>Cromolyn Sodium 20 mg/2ml</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R03BC01</i>	-
568	<i>Cromolyn Sodium 20 mg/capsule</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BC01</i>	-
569	<i>Cromolyn Sodium 20 mg/ml</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>R01AC01</i>	-
570	<i>Cromolyn Sodium 20 mg/ml</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01GX01</i>	-
571	<i>Crotamiton 10%</i>	<i>CREAM</i>	TOPICAL	<i>P03AX</i>	-
572	<i>Cumarin 100 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C05CA</i>	-
573	<i>Cyclopentolate Hydrochloride 1%</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01FA04</i>	-
574	<i>Cyclophosphamide 200 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AA01</i>	-
575	<i>Cyclophosphamide 50 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA01</i>	<i>**as Monohydrate**</i>

576	<i>Cyclophosphamide 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AA01</i>	-
577	<i>Cycloserine 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J04AB01</i>	-
578	<i>Cycloserine 250 mg</i>	<i>TABLET</i>	ORAL	<i>J04AB01</i>	-
579	<i>Cyproheptadine Hydrochloride 4 mg</i>	<i>TABLET</i>	ORAL	<i>R06AX02</i>	-
580	<i>Cyproterone Acetate 50 mg</i>	<i>TABLET</i>	ORAL	<i>G03AH01</i>	-
581	<i>Cyproterone Compound</i>	<i>TABLET</i>	ORAL	<i>G03HB01</i>	<i>Cyproterone acetate 2mg+Ethinylestradiol 35mcg</i>
582	<i>Cysteamine Bitartrate 150 mg</i>	<i>CAPSULE</i>	ORAL	<i>A16AA04</i>	-
583	<i>Cysteamine Bitartrate 150 mg</i>	<i>POWDER</i>	ORAL	<i>A16AA04</i>	-
584	<i>Cytarabine 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01BC01</i>	-
585	<i>Cytarabine 100 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01BC01</i>	-
586	<i>Cytarabine 20 mg/ml, 50ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01AX04</i>	-
587	<i>Cytarabine 20 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01AX04</i>	-
588	<i>Dacarbazine 100 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AX04</i>	-
589	<i>Dacarbazine 200 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AX04</i>	-
590	<i>Dacarbazine 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AX04</i>	-
591	<i>Daclizumab 5 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L04AA08</i>	-
592	<i>Dactinomycin 0.5 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DA01</i>	-

593	<i>Dalteparin Sodium 10000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB04</i>	-
594	<i>Dalteparin Sodium 12500 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB04</i>	-
595	<i>Dalteparin Sodium 25000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB04</i>	-
596	<i>Dalteparin Sodium 7500 U/0.3 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB04</i>	-
597	<i>Danaparoid Sodium 1250 U/ml, 0.6ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB09</i>	-
598	<i>Danazol 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>G03XA01</i>	-
599	<i>Danazol 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>G03XA01</i>	-
600	<i>Dantrolene Sodium 20 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>M03CA01</i>	-
601	<i>Dantrolene Sodium 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>M03CA01</i>	-
602	<i>Dapsone 100 mg</i>	<i>TABLET</i>	ORAL	<i>J04BA02</i>	-
603	<i>Dapsone 50 mg</i>	<i>TABLET</i>	ORAL	<i>J04BA02</i>	-
604	<i>Daunorubicin 20 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DB02</i>	<i>** (as Hydrochloride) **</i>
605	<i>Deferasirox 125 mg</i>	<i>TABLET</i>	ORAL	<i>V03AC03</i>	<i>Dispersible</i>
606	<i>Deferasirox 250 mg</i>	<i>TABLET</i>	ORAL	<i>V03AC03</i>	<i>Disperible</i>
607	<i>Deferasirox 500 mg</i>	<i>TABLET</i>	ORAL	<i>V03AC03</i>	<i>Dispersible</i>
608	<i>Deferiprone 500 mg</i>	<i>TABLET</i>	ORAL	<i>V03AC02</i>	-
609	<i>Deferoxamine Mesylate 2 g</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>V03AC01</i>	-

610	<i>Deferoxamine Mesylate 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>V03AC01</i>	-
611	<i>Dehydroemetine Dihydrochloride 30 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N06AA01</i>	-
612	<i>Desipramine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA01</i>	-
613	<i>Desmopressin 120 mcg</i>	<i>TABLET</i>	SUBLINGUAL	<i>H01BA02</i>	<i>** (As Acetate) **</i>
614	<i>Desmopressin 60 mcg</i>	<i>TABLET</i>	SUBLINGUAL	<i>H01BA02</i>	<i>** (As Acetate) **</i>
615	<i>Desmopressin 240 mcg</i>	<i>TABLET</i>	SUBLINGUAL	<i>H01BA02</i>	<i>** (As Acetate) **</i>
616	<i>Desmopressin Acetate 0.1 mg</i>	<i>TABLET</i>	ORAL	<i>H01BA02</i>	-
617	<i>Desmopressin Acetate 0.2 mg</i>	<i>TABLET</i>	ORAL	<i>H01BA02</i>	-
618	<i>Desmopressin Acetate 10 mcg/dose</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>H01BA02</i>	-
619	<i>Desmopressin Acetate 15 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01BA02</i>	-
620	<i>Desmopressin Acetate 4 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01BA02</i>	-
621	<i>Desoxycorticosterone Acetate 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H02AA03</i>	-
622	<i>Dexamethasone 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB02</i>	-
623	<i>Dexamethasone 0.5 mg/5ml</i>	<i>ELIXIR</i>	ORAL	<i>H02AB02</i>	-
624	<i>Dexamethasone Phosphate 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC & OTIC	<i>S03BA01</i>	<i>** (as Disodium) **</i>
625	<i>Dexamethasone Phosphate 4 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H02AB02</i>	<i>** (as Disodium) **</i>
626	<i>Dexpanthenol 5%</i>	<i>CREAM</i>	TOPICAL	<i>D03AX03</i>	-

627	<i>Dextran/ NaCl 500 ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTRAN70 6% NaCl 0.9%</i>
628	<i>Dextroamphetamine Sulfate 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06BA02</i>	-
629	<i>Dextroamphetamine Sulfate 5 mg</i>	<i>TABLET</i>	ORAL	<i>N06BA02</i>	-
630	<i>Dextromethorphan Hydrobromide 15 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R05DA02</i>	-
631	<i>Dextromethorphan Hydrobromide 15 mg</i>	<i>TABLET</i>	ORAL	<i>R05DA09</i>	-
632	<i>Dextromethorphan Hydrobromide 15 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R05DA09</i>	-
633	<i>Dextromethorphan Hydrobromide 4 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>R05DA09</i>	-
634	<i>Dextromethorphan/Pseudoephedrine 15/30 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R05DA20</i>	<i>(Dextromethorphan HBr 15mg+Pseudoephedrine HCl 30mg)/5ml</i>
635	<i>Dextrose</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
636	<i>Dextrose 10%, 1lit</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 10 g Dextrose/100 ml</i>
637	<i>Dextrose 10%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 10 g Dextrose/100 ml</i>
638	<i>Dextrose 20% , 50ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05CX03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 20 g Dextrose/100 ml</i>
639	<i>Dextrose 20%, 1lit</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05CX03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 20 g Dextrose/100 ml</i>
640	<i>Dextrose 20%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05CX03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 20 g Dextrose/100 ml</i>
641	<i>Dextrose 5% , 250ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05</i>	<i>Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/ 100 ml</i>
642	<i>Dextrose 5%, 100ml</i>	<i>SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/ 100 ml</i>
643	<i>Dextrose 5%, 1lit</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/ 100 ml</i>

644	<i>Dextrose 5%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA03</i>	<i>Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/ 100 ml</i>
645	<i>Dextrose 50%, 1lit</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05CX01</i>	<i>Dextrose anhydrous or monohydrate Eq. to 50 g Dextrose/100 ml_ In 2000 ml Container</i>
646	<i>Dextrose 50%, 500ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05CX01</i>	<i>Dextrose anhydrous or monohydrate Eq. to 50 g Dextrose/100 ml_ In 1000 ml Container</i>
647	<i>Dextrose 50%, 50ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05CX01</i>	<i>Dextrose anhydrous or monohydrate Eq. to 50 g Dextrose/100 ml</i>
648	<i>Dextrose 70%, 1lit</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>B05CX01</i>	<i>In 2000 ml Container</i>
649	<i>Dextrose/ Ehtanol 5/5%, 1000ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTROSE 5% + EHTHANOL 5%</i>
650	<i>Dextrose/ NaCl 5/0.45%, 1000ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTROSE 5% NaCl 0.45% Dextrose anhydrous or monohydrate Eq. to 5g Dextrose/100 ml</i>
651	<i>Dextrose/ NaCl 5/0.45%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTROSE 5% NaCl 0.45% Dextrose anhydrous or monohydrate Eq. to 5g Dextrose/100 ml</i>
652	<i>Dextrose/ NaCl 5/0.9%, 1000ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTROSE 5% NaCl 0.9% Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/100 ml</i>
653	<i>Dextrose/ NaCl 5/0.9%, 250ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTROSE 5% NaCl 0.9% Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/100 ml</i>
654	<i>Dextrose/ NaCl 5/0.9%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB</i>	<i>DEXTROSE 5% NaCl 0.9% Dextrose anhydrous or monohydrate Eq. to 5 g Dextrose/100 ml</i>
655	<i>Diazepam 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA01</i>	-
656	<i>Diazepam 10 mg</i>	<i>ENEMA</i>	RECTAL	<i>N05BA01</i>	-
657	<i>Diazepam 10 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>N05BA01</i>	-
658	<i>Diazepam 2 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA01</i>	-
659	<i>Diazepam 2 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>N05BA01</i>	-

660	<i>Diazepam 5 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA01</i>	-
661	<i>Diazepam 5 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>N05BA01</i>	-
662	<i>Diazepam 5 mg</i>	<i>ENEMA</i>	RECTAL	<i>N05BA01</i>	-
663	<i>Diazepam 5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05BA01</i>	-
664	<i>Diazoxide 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>C02DA01</i>	-
665	<i>Diazoxide 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>V03AH01</i>	-
666	<i>Diclofenac Diethylammonium Salt Eq To diclofenac s 1%</i>	<i>GEL</i>	TOPICAL	<i>M02AA15</i>	-
667	<i>Diclofenac Sodium 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BC03</i>	-
668	<i>Diclofenac Sodium 100 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>M01AB05</i>	-
669	<i>Diclofenac Sodium 100 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>M01AB05</i>	-
670	<i>Diclofenac Sodium 100 mg</i>	<i>CAPSULE, EXTENDED RELEASE, PELLETS</i>	ORAL	<i>M01AB05</i>	-
671	<i>Diclofenac Sodium 25 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>M01AB05</i>	-
672	<i>Diclofenac Sodium 25 mg/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01AB05</i>	-
673	<i>Diclofenac Sodium 50 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>M01AB05</i>	-
674	<i>Diclofenac Sodium 50 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>M01AB05</i>	-
675	<i>Dicyclomine Hydrochloride 10 mg/5ml</i>	<i>ELIXIR</i>	ORAL	<i>A03AA07</i>	-
676	<i>Dicyclomine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>A03AA07</i>	-

677	<i>Dicyclomine Hydrochloride 10 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03AA07</i>	-
678	<i>Didanosine 200 mg</i>	<i>TABLET</i>	ORAL	<i>J05AF02</i>	-
679	<i>Didanosine 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>J05AF02</i>	-
680	<i>Dienestrol 0.01%</i>	<i>CREAM</i>	VAGINAL	<i>G03CB01</i>	-
681	<i>Diethylcarbamazine Citrate 50 mg</i>	<i>TABLET</i>	ORAL	<i>P02CB02</i>	-
682	<i>Digestive</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A09AA</i>	<i>Pancreatin+simethicone 40 mg</i>
683	<i>Digoxin 0.05 mg/ml</i>	<i>ELIXIR</i>	ORAL	<i>C01AA05</i>	-
684	<i>Digoxin 0.25 mg</i>	<i>TABLET</i>	ORAL	<i>C01AA05</i>	-
685	<i>Digoxin 0.25 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01AA05</i>	-
686	<i>Digoxin 0.5 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>C01AA05</i>	-
687	<i>Digoxin Specific Antibody 40 mg</i>	<i>INJECTION</i>	PARENTERAL	<i>V03</i>	<i>Special available for Poisoning Center</i>
688	<i>Dihydroergotamine Mesylate 1 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02CA01</i>	-
689	<i>Dihydroergotamine Mesylate 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>N02CA01</i>	-
690	<i>Dihydroergotamine Mesylate 1.5 mg</i>	<i>TABLET</i>	ORAL	<i>N02CA01</i>	-
691	<i>Dihydrotachysterol 0.25 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>A11CC02</i>	-
692	<i>Diloxanide Furoate 500 mg</i>	<i>TABLET</i>	ORAL	<i>P01AC01</i>	-
693	<i>Diltiazem Hydrochloride 100 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>C08DB01</i>	-

694	<i>Diltiazem Hydrochloride 100 mg</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>C08DB01</i>	-
695	<i>Diltiazem Hydrochloride 120 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C08DB01</i>	-
696	<i>Diltiazem Hydrochloride 120 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>C08DB01</i>	-
697	<i>Diltiazem Hydrochloride 60 mg</i>	<i>TABLET</i>	ORAL	<i>C08DB01</i>	-
698	<i>Dimenhydrinate 50 mg</i>	<i>TABLET</i>	ORAL	<i>R06A</i>	-
699	<i>Dimercaprol 100 mg/ml, 3ml</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>V03AB09</i>	-
700	<i>Dimethyl Sulfoxide 50%</i>	<i>SOLUTION</i>	PARENTERAL	<i>G04BX13</i>	-
701	<i>Diphenhydramine Hydrochloride 25 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R06AA02</i>	-
702	<i>Diphenhydramine Hydrochloride 12.5 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>R06AA02</i>	-
703	<i>Diphenhydramine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>R06AA02</i>	-
704	<i>Diphenhydramine Hydrochloride 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R06AA02</i>	-
705	<i>Diphenhydramine/Ammonium chloride 12.5/125 mg</i>	<i>SYRUP</i>	ORAL	<i>R06AA52</i>	<i>(Diphenhydramine HCl 12.5mg + Ammonium chloride 125mg) / 5ml</i>
706	<i>Diphenoxylate</i>	<i>TABLET</i>	ORAL	<i>A07DA01</i>	<i>Diphenoxylate HCl 2.5mg+Atropine sulfate 25mcg</i>
707	<i>Diphtheria & Tetanus toxoids Adsorbed (Dt)(for Pedi</i>	<i>INJECTION</i>	PARENTERAL	<i>J07AM02</i>	-
708	<i>Diphtheria & Tetanus toxoids Adsorbed (Td)(for adul</i>	<i>INJECTION</i>	PARENTERAL	<i>J07AM02</i>	-
709	<i>Diphtheria Antitoxin Equine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07A</i>	-
710	<i>Diphtheria Toxoid/Tetanus Toxoid/Pertussis Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07A</i>	-

711	<i>Dipyridamole 25 mg</i>	<i>TABLET</i>	ORAL	<i>B01AC07</i>	-
712	<i>Dipyridamole 5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AC07</i>	-
713	<i>Dipyridamole 75 mg</i>	<i>TABLET</i>	ORAL	<i>B01AC07</i>	-
714	<i>Disopyramide 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>C01BA03</i>	<i>** (as Phosphate) **</i>
715	<i>Dithranol 0.25%</i>	<i>CREAM</i>	TOPICAL	<i>D05AC01</i>	-
716	<i>Dobutamine 12.5 mg/ml, 20ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>C01CA07</i>	<i>** (as Hydrochloride) **</i>
717	<i>Docetaxel 20 mg</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01CD02</i>	-
718	<i>Docetaxel 80 mg</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01CD02</i>	-
719	<i>Docusate Na & Sorbitol** 0.01/13.4 g</i>	<i>ENEMA</i>	RECTAL	<i>A06AA02</i>	<i>Docusate Na 0.01g+Sorbitol 13.4 g</i>
720	<i>Domperidone (As Maleate) 10 mg</i>	<i>TABLET</i>	ORAL	<i>A03FA03</i>	-
721	<i>Donepezil Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06DA02</i>	-
722	<i>Donepezil Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N06DA02</i>	-
723	<i>Dopamine Hydrochloride 40 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01CA04</i>	-
724	<i>Dorzolamide 2%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01EC03</i>	<i>** (as Hydrochloride) **</i>
725	<i>Dorzolamide/Timolol 2\0.5 %</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01</i>	<i>[Dorzolamide(As Hydrochloride) 2% + Timolol(As Maleate) 0.5%]</i>
726	<i>Doxapram Hydrochloride 20 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R07AB01</i>	-
727	<i>Doxepin 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06AA12</i>	<i>** (as Hydrochloride) **</i>

728	<i>Doxepin 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA12</i>	<i>** (as Hydrochloride) **</i>
729	<i>Doxepin 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA02</i>	<i>** (as Hydrochloride) **</i>
730	<i>Doxepin 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06AA12</i>	<i>** (as Hydrochloride) **</i>
731	<i>Doxorubicin Hydrochloride 10 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DB01</i>	-
732	<i>Doxorubicin Hydrochloride 2 mg/ml, 25ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01DB01</i>	-
733	<i>Doxorubicin Hydrochloride 2 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01DB01</i>	-
734	<i>Doxorubicin Hydrochloride 50 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DB01</i>	-
735	<i>Doxycycline 100 mg</i>	<i>TABLET</i>	ORAL	<i>J01AA02</i>	<i>** (as Hyclate) **</i>
736	<i>Doxycycline 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01AA02</i>	<i>** (as Monohydrate) **</i>
737	<i>Doxycycline 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01AA02</i>	<i>** (As Monohydrate) **</i>
738	<i>Droperidol 2.5 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AD</i>	-
739	<i>Droperidol Compound</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AD</i>	<i>(Droperidol 25mg+Fentanyl(as citrate) 0.5mg)/10ml</i>
740	<i>Drospirenone/Ethinyl Estradiol 3 / 0.03 mg</i>	<i>TABLET</i>	ORAL	<i>G03FA</i>	<i>(Drospirenone 3 mg + Ethinyl Estradiol 0.03 mg)</i>
741	<i>Dydrogesterone 10 mg</i>	<i>TABLET</i>	ORAL	<i>G03DB01</i>	-
742	<i>Dydrogesterone 5 mg</i>	<i>TABLET</i>	ORAL	<i>G03DB01</i>	-
743	<i>Echothiophate Iodide 0.06%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01EB03</i>	-
744	<i>Echothiophate Iodide 0.125%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01EB03</i>	-

745	<i>Echothiophate Iodide 0.25%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01EB03</i>	-
746	<i>Edetate Calcium Disodium 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB03</i>	-
747	<i>Edetate Dicobalt 15 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB03</i>	-
748	<i>Edetate Disodium 150 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB03</i>	-
749	<i>Edetate Sodium</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01XA</i>	-
750	<i>Edrophonium Chloride 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V04CX</i>	-
751	<i>Efavirenz 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>J05AG03</i>	-
752	<i>Efavirenz 150 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>J05AG03</i>	-
753	<i>Efavirenz 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>J05AG03</i>	-
754	<i>Efavirenz 200 mg</i>	<i>TABLET</i>	ORAL	<i>J05AG03</i>	-
755	<i>Efavirenz 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>J05AG03</i>	-
756	<i>Efavirenz 600 mg</i>	<i>TABLET</i>	ORAL	<i>J05AG03</i>	-
757	<i>Enalapril Maleate 10 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA02</i>	-
758	<i>Enalapril Maleate 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA02</i>	-
759	<i>Enalapril Maleate 20 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA02</i>	-
760	<i>Enalapril Maleate 5 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA02</i>	-
761	<i>Enflurane</i>	<i>INHALER</i>	RESPIRATORY	<i>N01AB04</i>	-

762	<i>Enoxaparin Sodium 100 mg/ml, 0.2 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB05</i>	-
763	<i>Enoxaparin Sodium 100 mg/ml, 0.4 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB05</i>	-
764	<i>Enoxaparin Sodium 100 mg/ml, 0.6 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB05</i>	-
765	<i>Enoxaparin Sodium 100 mg/ml, 0.8 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB05</i>	-
766	<i>Enoxaparin Sodium 100 mg/ml, 1 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB05</i>	-
767	<i>Eosin</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
768	<i>Ephedrine Hydrochloride 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CA02</i>	-
769	<i>Ephedrine Hydrochloride 20 mg</i>	<i>TABLET</i>	ORAL	<i>R03CA02</i>	-
770	<i>Ephedrine Sulfate 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CA02</i>	-
771	<i>Epinephrine 1 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01CA24</i>	<i>** (as Acid Tartrate) or (As Hydrochloride) **</i>
772	<i>Epinephrine 1 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01CA24</i>	<i>** Disposable Injector **</i>
773	<i>Epinephrine 1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01EA01</i>	<i>** (as Acid Tartrate) or (as Hydrochloride) **</i>
774	<i>Epirubicin Hydrochloride 2mg/ml, 25ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01DB03</i>	-
775	<i>Epirubicin Hydrochloride 2mg/ml, 5ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01DB03</i>	-
776	<i>Epirubicin Hydrochloride 10 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DB03</i>	-
777	<i>Epirubicin Hydrochloride 50 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DB03</i>	-
778	<i>Ergotamine Compound</i>	<i>TABLET</i>	ORAL	<i>N02CA7</i>	<i>Ergotamine tartrate 2 mg + Caffeine 100mg + Cyclizine Hcl 50 mg</i>

779	<i>Ergotamine Tartarate/Caffeine 1/100 mg</i>	<i>TABLET</i>	ORAL	<i>N02CA72</i>	<i>Ergotamine tartrate 1mg+Caffeine 100mg</i>
780	<i>Ergotamine Tartrate 2 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>L01DB</i>	-
781	<i>Erythromycin</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
782	<i>Erythromycin 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01FA01</i>	<i>** (as Lactobionate) **</i>
783	<i>Erythromycin 200 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>J01FA01</i>	<i>** (as Ethylsuccinate) **</i>
784	<i>Erythromycin 200 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA01</i>	<i>** (as Ethylsuccinate) **</i>
785	<i>Erythromycin 200 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01FA01</i>	<i>** (as Ethylsuccinate) **</i>
786	<i>Erythromycin 400 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA01</i>	<i>** (as Ethylsuccinate) **</i>
787	<i>Erythromycin 0.5%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01AA17</i>	-
788	<i>Erythromycin 2%</i>	<i>GEL</i>	TOPICAL	<i>D10AF02</i>	-
789	<i>Erythromycin 2%</i>	<i>SOLUTION</i>	TOPICAL	<i>D10AF02</i>	-
790	<i>Erythromycin 4%</i>	<i>GEL</i>	TOPICAL	<i>D10AF02</i>	-
791	<i>Erythromycin 4%</i>	<i>SOLUTION</i>	TOPICAL	<i>D10AF02</i>	-
792	<i>Erythromycin/Benzoyl 3/5 %</i>	<i>GEL</i>	TOPICAL	<i>D10AF52</i>	<i>ERYTHROMYCIN 3% + BENZOYL PEROXIDE 5%</i>
793	<i>Erythropoetin 2000 U/0.3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	<i>prefilled disposable syringe</i>
794	<i>Erythropoietin 40,000 U/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	-
795	<i>Erythropoietin 10,000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	-

796	<i>Erythropoietin 1000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	-
797	<i>Erythropoietin 20,000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	-
798	<i>Erythropoietin 2000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	-
799	<i>Erythropoietin 4000 U/0.3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	<i>prefilled disposable syringe</i>
800	<i>Erythropoietin 4000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03XA01</i>	-
801	<i>Esmolol Hydrochloride 250 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C07AB09</i>	-
802	<i>Estradiol 0.06%</i>	<i>GEL</i>	TOPICAL	<i>G03CA03</i>	-
803	<i>Estradiol 100 mcg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>G03CA03</i>	-
804	<i>Estradiol 25 mcg</i>	<i>TABLET</i>	VAGINAL	<i>G03CA03</i>	-
805	<i>Estradiol 25 mcg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>G03CA03</i>	-
806	<i>Estradiol 50 mcg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>G03CA03</i>	-
807	<i>Estradiol 500 mcg</i>	<i>GEL</i>	TOPICAL	<i>G03CA03</i>	<i>** (as Hemihydrate) **</i>
808	<i>Estradiol Hemihydrate 100 mcg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>G03CA03</i>	-
809	<i>Estradiol Hemihydrate 25 mcg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>G03CA03</i>	-
810	<i>Estradiol Hemihydrate 50 mcg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>G03CA03</i>	-
811	<i>Estradiol Valerate 1 mg</i>	<i>TABLET</i>	ORAL	<i>G03CA03</i>	-
812	<i>Estradiol Valerate 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03CA03</i>	-

813	<i>Estradiol Valerate 2 mg</i>	<i>TABLET</i>	ORAL	<i>G03CA03</i>	-
814	<i>Estramustine Sodium Phosphate 140 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XX11</i>	-
815	<i>Etanercept 25 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L04AA11</i>	-
816	<i>Ethacridine Lactate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	**<i>(Rivanol)</i>**
817	<i>Ethacrynic Acid 50 mg</i>	<i>TABLET</i>	ORAL	<i>C03CC01</i>	-
818	<i>Ethambutol Hydrochloride 400 mg</i>	<i>TABLET</i>	ORAL	<i>J04AK02</i>	-
819	<i>Ethambutol/Isoniazid/Pirazinamide/Rifampin</i>	<i>TABLET</i>	ORAL	<i>J04AK</i>	<i>(Ethambutol 275mg+Isoniazid 75mg+Pirazinamide 400mg +Rifampin 150mg)</i>
820	<i>Ethambutol/Isoniazid/Rifampin</i>	<i>TABLET</i>	ORAL	<i>J04AK</i>	<i>(Ethambutol 275mg+Isoniazid 75mg+Rifampin 150mg)</i>
821	<i>Ethanol *</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	**<i>(Denaturated For medical use)</i>**
822	<i>Ether</i>	<i>INHALER</i>	RESPIRATORY	<i>N01A</i>	-
823	<i>Etherified Starch</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05AA</i>	-
824	<i>Ethinylestradiol 0.05 mg</i>	<i>TABLET</i>	ORAL	<i>G03CA01</i>	-
825	<i>Ethinylestradiol 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>L02AA03</i>	-
826	<i>Ethiodized Oil</i>	<i>INJECTION</i>	PARENTERAL	<i>V09</i>	**<i>10ml</i>**
827	<i>Ethionamide 250 mg</i>	<i>TABLET</i>	ORAL	<i>J04AD03</i>	-
828	<i>Ethosuximide 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>N03AD01</i>	-
829	<i>Ethosuximide 250 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>M05BA01</i>	-

830	<i>Etidronate Disodium 200 mg</i>	<i>TABLET</i>	ORAL	<i>M05BA01</i>	-
831	<i>Etomidate 2 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AX07</i>	-
832	<i>Etoposide 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01CB01</i>	-
833	<i>Etoposide 20 mg/ml, 10ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>L01CB01</i>	-
834	<i>Etoposide 20 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>L01CB01</i>	-
835	<i>Etoposide 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01CB01</i>	-
836	<i>Exemestane 25 mg</i>	<i>TABLET</i>	ORAL	<i>L02BG06</i>	-
837	<i>Expectorant</i>	<i>SYRUP</i>	ORAL	<i>R05C</i>	<i>(Guaiifenesin 100mg + Chlorpheniramine maleate 2mg + Pseudoephedrine HCl 30 mg) / 5ml</i>
838	<i>Expectorant Codeine</i>	<i>SYRUP</i>	ORAL	<i>R05C</i>	<i>(Guaiifenesin 100mg + Pseudoephedrine HCl 30 mg + Codeine phosphate 10mg)/5ml</i>
839	<i>Ezetimibe 10 mg</i>	<i>TABLET</i>	ORAL	<i>C10AX</i>	-
840	<i>Factor IX Complex 1,000 IU</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD09</i>	-
841	<i>Factor IX Complex 250 IU</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD09</i>	-
842	<i>Factor IX Complex 500 IU</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD09</i>	-
843	<i>Factor VIIa 1.2 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD</i>	-
844	<i>Factor VIIa 2.4 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD</i>	-
845	<i>Factor VIIa 4.8 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD</i>	-
846	<i>Factor VIII 250 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD</i>	-

847	<i>Factor VIII 500 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B02BD</i>	-
848	<i>Famotidine 20 mg</i>	<i>TABLET</i>	ORAL	<i>A02BA03</i>	-
849	<i>Famotidine 40 mg</i>	<i>TABLET</i>	ORAL	<i>A02BA03</i>	-
850	<i>Fenofibrate 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>C10AB05</i>	-
851	<i>Fenofibrate 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>C10AB05</i>	-
852	<i>Fentanyl 50 mcg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH01</i>	<i>** (as Citrate) **</i>
853	<i>Fentanyl 50 mcg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH01</i>	<i>** (as Citrate) **</i>
854	<i>Fentanyl 50 mcg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH01</i>	<i>** (as Citrate) **</i>
855	<i>Fentanyl 25 mcg/h</i>	<i>PATCH</i>	TRANSDERMAL	<i>N02AB03</i>	-
856	<i>Fentanyl 50 mcg/h</i>	<i>PATCH</i>	TRANSDERMAL	<i>N02AB03</i>	-
857	<i>Fentanyl 50 mcg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH01</i>	<i>** (As Citrate) **</i>
858	<i>Fentanyl 100 mcg/h</i>	<i>PATCH</i>	TOPICAL	<i>N02AB03</i>	-
859	<i>Fentanyl 75 mcg/h</i>	<i>PATCH</i>	TOPICAL	<i>N02AB03</i>	-
860	<i>Ferric Oxide Saccharated 20 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03AC06</i>	-
861	<i>Ferrous-glycine-sulfate 567.66 mg</i>	<i>CAPSULE</i>	ORAL	<i>B03AA02</i>	<i>100 mg Fe 2+</i>
862	<i>Ferrous-glycine-sulfate/Folic Acid 0</i>	<i>CAPSULE</i>	ORAL	<i>B03AA02</i>	-
863	<i>Fexofenadine Hydrochloride 120 mg</i>	<i>TABLET</i>	ORAL	<i>R06AX26</i>	-

864	<i>Fexofenadine Hydrochloride 180 mg</i>	<i>TABLET</i>	ORAL	<i>R06AX26</i>	-
865	<i>Fexofenadine Hydrochloride 60 mg</i>	<i>TABLET</i>	ORAL	<i>R06AX26</i>	-
866	<i>Fibrinogen 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>B02BC10</i>	-
867	<i>Fibrinolysin</i>	<i>OINTMENT</i>	TOPICAL	<i>B01AD05</i>	<i>(Fibrinolysin 30U+Desoxyribonuclease 20,000U)/30g **(Human)**</i>
868	<i>Filgrastim 300 mcg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AA02</i>	<i>**(Gcsf)**</i>
869	<i>Filgrastim 600 mcg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AA02</i>	<i>**(Gcsf) prefilled disposable syringe**</i>
870	<i>Finasteride 1 mg</i>	<i>TABLET</i>	ORAL	<i>G04CB01</i>	-
871	<i>Finasteride 5 mg</i>	<i>TABLET</i>	ORAL	<i>G04CB01</i>	-
872	<i>Flecainide Acetate 100 mg</i>	<i>TABLET</i>	ORAL	<i>C01BC04</i>	-
873	<i>Fluconazole 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>J02AC01</i>	-
874	<i>Fluconazole 100 mg</i>	<i>TABLET</i>	ORAL	<i>J02AC01</i>	-
875	<i>Fluconazole 150 mg</i>	<i>TABLET</i>	ORAL	<i>J02AC01</i>	-
876	<i>Fluconazole 150 mg</i>	<i>CAPSULE</i>	ORAL	<i>J02AC01</i>	-
877	<i>Fluconazole 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>J02AC01</i>	-
878	<i>Fluconazole 200 mg</i>	<i>TABLET</i>	ORAL	<i>J02AC01</i>	-
879	<i>Fluconazole 200 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>J02AC01</i>	-
880	<i>Fluconazole 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>J02AC01</i>	-

881	<i>Fluconazole 50 mg</i>	<i>TABLET</i>	ORAL	<i>J02AC01</i>	-
882	<i>Flucytosine 500 mg</i>	<i>TABLET</i>	ORAL	<i>J02AX01</i>	-
883	<i>Fludarabine Phosphate 50 mg</i>	<i>INJECTION, POWDER</i>	INTRAVENOUS DRIP	<i>L01BB05</i>	-
884	<i>Fludrocortisone Acetate 0.1 mg</i>	<i>TABLET</i>	ORAL	<i>H02AA02</i>	-
885	<i>Flumazenil 0.1 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB25</i>	-
886	<i>Fluocinolone Acetonide 0.025%</i>	<i>CREAM</i>	TOPICAL	<i>D07AC04</i>	-
887	<i>Fluocinolone Acetonide 0.025%</i>	<i>OINTMENT</i>	TOPICAL	<i>D07AC04</i>	-
888	<i>Fluorescein Sodium 1 mg</i>	<i>STRIP</i>	OPHTHALMIC	<i>S01JA01</i>	**1 mg/strip**
889	<i>Fluorescein Sodium 10%</i>	<i>INJECTION</i>	PARENTERAL	<i>S01JA01</i>	-
890	<i>Fluoride 0.25 mg</i>	<i>TABLET</i>	ORAL	<i>A01AA01</i>	**(as Sodium)**
891	<i>Fluoride 1 mg</i>	<i>TABLET</i>	ORAL	<i>A01AA01</i>	**(as Sodium)**
892	<i>Fluoride 1.23%</i>	<i>GEL</i>	DENTAL	<i>A01AA01</i>	**(as Acidulated Phosphate)**
893	<i>Fluoride Sodium 0.2%</i>	<i>MOUTHWASH</i>	DENTAL	<i>A01AA01</i>	-
894	<i>Fluoride Sodium 1.1 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>A01AA01</i>	-
895	<i>Fluoride Sodium 20 mg</i>	<i>TABLET</i>	ORAL	<i>A12CD51</i>	-
896	<i>Fluoride Sodium 550 mcg/0.15ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>A01AA01</i>	-
897	<i>Fluorometholone 0.1%</i>	<i>DROPS, SUSPENSION</i>	OPHTHALMIC	<i>S01BA07</i>	-

898	<i>Fluorouracil 5%</i>	<i>CREAM</i>	TOPICAL	<i>L01BC02</i>	-
899	<i>Fluorouracil 5%</i>	<i>OINTMENT</i>	TOPICAL	<i>L01BC02</i>	-
900	<i>Fluorouracil 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01BC02</i>	-
901	<i>Fluoxetine 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06AB03</i>	<i>**as Hydrochloride**</i>
902	<i>Fluoxetine 20 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06AB03</i>	<i>**as Hydrochloride**</i>
903	<i>Fluoxetine 20 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>N06AB03</i>	<i>**as Hydrochloride**</i>
904	<i>Flupenthixol 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>N05AF01</i>	<i>**as 2HCl**</i>
905	<i>Flupenthixol 3 mg</i>	<i>TABLET</i>	ORAL	<i>N05AF01</i>	<i>**as 2HCl**</i>
906	<i>Flupenthixol Decanoate 20 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AF01</i>	-
907	<i>Fluphenazine 1 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB02</i>	<i>**2HCL**</i>
908	<i>Fluphenazine 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB02</i>	<i>**2HCL**</i>
909	<i>Fluphenazine Decanoate 25 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AB02</i>	-
910	<i>Flurazepam 15 mg</i>	<i>CAPSULE</i>	ORAL	<i>N05CD01</i>	<i>**as Hydrochloride**</i>
911	<i>Flutamide 250 mg</i>	<i>TABLET</i>	ORAL	<i>L02BB01</i>	-
912	<i>Fluticasone Propionate 125 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BA05</i>	-
913	<i>Fluticasone Propionate 250 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BA05</i>	-
914	<i>Fluticasone Propionate 50 mcg/ dose</i>	<i>INHALER</i>	NASAL	<i>R03BA</i>	-

915	<i>Fluticasone Propionate 50 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BA05</i>	-
916	<i>Fluvoxamine Maleate 50 mg</i>	<i>TABLET</i>	ORAL	<i>N06AB08</i>	-
917	<i>Fluvoxamine Maleate 100 mg</i>	<i>TABLET</i>	ORAL	<i>N06AB08</i>	**Iyear**
918	<i>Folic Acid 5 mg</i>	<i>TABLET</i>	ORAL	<i>B03BB01</i>	-
919	<i>Folic Acid 5 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03BB01</i>	-
920	<i>Follitropin Alfa 600 IU/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03GA05</i>	<i>Recombinant- Prefilled Pen</i>
921	<i>Follitropin Alfa 600 U/ml, 0.75ml</i>	<i>INJECTION</i>	ORAL	<i>G03GA05</i>	<i>Recombinant- Prefilled Pen</i>
922	<i>Follitropin Alfa 600 U/ml, 1.5ml</i>	<i>INJECTION</i>	ORAL	<i>G03GA05</i>	<i>Recombinant- Prefilled Pen</i>
923	<i>Follitropin Alfa 75 IU</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>G03GA05</i>	-
924	<i>Follitropin Beta 75 IU</i>	<i>INJECTION</i>	PARENTERAL	<i>G03GA06</i>	<i>Recombinant- Prefilled Pen</i>
925	<i>Fomepizole 1 g/ml, 1.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB34</i>	-
926	<i>Formoterol Fumarate 12 mcg</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC13</i>	-
927	<i>Formoterol Fumarate 4.5 mcg</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC13</i>	-
928	<i>Formoterol Fumarate 9 mcg</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC13</i>	-
929	<i>Formoterol Fumarate 12 mcg/capsule</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC13</i>	-
930	<i>Fosfestrol 120 mg</i>	<i>TABLET</i>	ORAL	<i>L02AA04</i>	**as Tetra Sodium**
931	<i>Fosfestrol 50 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L02AA04</i>	**as Tetra Sodium**

932	<i>Furazolidone 100 mg</i>	<i>TABLET</i>	ORAL	<i>G01AX06</i>	-
933	<i>Furazolidone 50 mg/15ml</i>	<i>SUSPENSION</i>	ORAL	<i>G01AX06</i>	-
934	<i>Furosemide 10 mg/ml, 25ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>C03CA01</i>	-
935	<i>Furosemide 10 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C03CA01</i>	-
936	<i>Furosemide 10 mg/ml, 4ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C03CA01</i>	-
937	<i>Furosemide 40 mg</i>	<i>TABLET</i>	ORAL	<i>C03CA01</i>	-
938	<i>Gabapentin 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>N03AX12</i>	-
939	<i>Gabapentin 300 mg</i>	<i>CAPSULE</i>	ORAL	<i>N03AX12</i>	-
940	<i>Gabapentin 400 mg</i>	<i>CAPSULE</i>	ORAL	<i>N03AX12</i>	-
941	<i>Gadodiamide 287 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08CA03</i>	-
942	<i>Gadopentetate Dimeglumine 469 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08CA01</i>	-
943	<i>Galantamine 20 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>N06DA04</i>	<i>** (as Hydrobromide) 4 mg/ml**</i>
944	<i>Galantamine 4 mg</i>	<i>TABLET</i>	ORAL	<i>N06DA04</i>	<i>** (as Hydrobromide)**</i>
945	<i>Galantamine 8 mg</i>	<i>TABLET</i>	ORAL	<i>N06DA04</i>	<i>** (as Hydrobromide)**</i>
946	<i>Galantamine 12 mg</i>	<i>TABLET</i>	ORAL	<i>N06DA04</i>	<i>** (as Hydrobromide)**</i>
947	<i>Gallium[67ga]citrate 10 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09HX01</i>	-
948	<i>Gallium[67ga]citrate 5 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09HX01</i>	-

949	<i>Ganciclovir 500 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>J05AB06</i>	-
950	<i>Ganirelix 500 mcg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01CC01</i>	<i>** (as Acetate) ** Prefilled Disposable Syringe</i>
951	<i>Gaseous Gangrene Antitoxin</i>	<i>INJECTION</i>	PARENTERAL	<i>J06AA05</i>	-
952	<i>Gelatin Modified</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05AA06</i>	<i>(Gelatin Succinylate 30g + NaCl 4.51g + CaCl₂·2H₂O 0.21g) / 1000 ml</i>
953	<i>Gelatin Modified 4%</i>	<i>INJECTION</i>	PARENTERAL	<i>B05AA06</i>	<i>(Gelatin Succinylated 40g (4%) + Na+ 154 mmol + Cl- 120 mmol)/lit</i>
954	<i>Gemcitabine Hydrochloride 1 g</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01BC05</i>	-
955	<i>Gemcitabine Hydrochloride 200 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01BC05</i>	-
956	<i>Gemfibrozil 300 mg</i>	<i>CAPSULE</i>	ORAL	<i>C10AB04</i>	-
957	<i>Gemfibrozil 450 mg</i>	<i>TABLET</i>	ORAL	<i>C10AB04</i>	-
958	<i>Gentamicin 3 mg/g</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01AA11</i>	<i>** (as Sulfate) **</i>
959	<i>Gentamicin 3 mg/ml</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S03AA06</i>	<i>** (as Sulfate) **</i>
960	<i>Gentamicin 40 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB03</i>	<i>** (as Sulfate) **</i>
961	<i>Gentamicin 40 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB03</i>	<i>** (as Sulfate) **</i>
962	<i>Gentamicin 10 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB03</i>	<i>** (as Sulfate) **</i>
963	<i>Gentian Violet</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
964	<i>Gentian Violet 1%</i>	<i>SOLUTION</i>	TOPICAL	<i>D01AE02</i>	<i>Crystal Violet 1 g + Ethanol 96% (8-10)ml + water qs to 100 ml</i>
965	<i>Gestonorone Caproate 100 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L02AB03</i>	-

966	<i>Glibenclamide 5 mg</i>	<i>TABLET</i>	ORAL	<i>A10BB01</i>	-
967	<i>Gliclazide 30 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>A10BB09</i>	-
968	<i>Gliclazide 80 mg</i>	<i>TABLET</i>	ORAL	<i>A10BB09</i>	-
969	<i>Glucagon 1 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H04AA01</i>	<i>** (as Hydrochloride) **</i>
970	<i>Glycerin</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
971	<i>Glycerin 1 g</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A06AG0</i>	-
972	<i>Glycerin 2 g</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A06AG0</i>	-
973	<i>Glycine 1.5%</i>	<i>SOLUTION</i>	IRRIGATION	<i>B05CX03</i>	<i>** (Aminoacetic Acid) **</i>
974	<i>Glycopyrronium Bromide 200 mcg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>v</i>	-
975	<i>Glycopyrronium Bromide 200 mcg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>v</i>	-
976	<i>Gold Sodium Thiomalate 100 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
977	<i>Gold Sodium Thiomalate 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
978	<i>Gold Sodium Thiomalate 100 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
979	<i>Gold Sodium Thiomalate 20 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
980	<i>Gold Sodium Thiomalate 20 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
981	<i>Gold Sodium Thiomalate 20 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
982	<i>Gold Sodium Thiomalate 40 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-

983	<i>Gold Sodium Thiomalate 40 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
984	<i>Gold Sodium Thiomalate 40 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
985	<i>Gold Sodium Thiomalate 50 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B10AX06</i>	-
986	<i>Gold Sodium Thiomalate 50 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
987	<i>Gold Sodium Thiomalate 50 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01CB01</i>	-
988	<i>Gonadorelin 100 mcg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>V04CM01</i>	-
989	<i>Gonadorelin Acetate 0.8 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H01CA01</i>	-
990	<i>Gonadorelin Acetate 3.2 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H01CA01</i>	-
991	<i>Granisetron 1 mg</i>	<i>TABLET</i>	ORAL	<i>A04AA02</i>	<i>** (as Hydrochloride) **</i>
992	<i>Granisetron 1 mg/ml, 3ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>A04AA02</i>	<i>** (as Hydrochloride) **</i>
993	<i>Granisetron 1mg/ml, 1ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>A04AA02</i>	<i>** (as Hydrochloride) **</i>
994	<i>Griseofulvin 125 mg</i>	<i>TABLET</i>	ORAL	<i>D01AA08</i>	-
995	<i>Griseofulvin 500 mg</i>	<i>TABLET</i>	ORAL	<i>D01AA08</i>	-
996	<i>Guaiifenesin 100 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R05CA03</i>	-
997	<i>Haloperidol 2 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>N05AD01</i>	<i>** (as Lactate) **</i>
998	<i>Haloperidol 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AD01</i>	<i>** (as Lactate) **</i>
999	<i>Haloperidol 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AD01</i>	<i>** (as Decanoate) **</i>

1,000	<i>Haloperidol 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>N05AD01</i>	-
1,001	<i>Haloperidol 2 mg</i>	<i>TABLET</i>	ORAL	<i>N05AD01</i>	-
1,002	<i>Haloperidol 5 mg</i>	<i>TABLET</i>	ORAL	<i>N05AD01</i>	-
1,003	<i>Halothane 250 ml/bottle</i>	<i>INHALER</i>	RESPIRATORY	<i>N01AB01</i>	-
1,004	<i>Hematinic</i>	<i>CAPSULE</i>	ORAL	<i>B03AD02</i>	<i>VIT. B12 15mcg+Ferrous Fumarate 350 mg+VIT.C 150mg+Folic Acid 1mg</i>
1,005	<i>Hematinic</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>B03AD</i>	<i>VIT. B12 15mcg+Ferrous Fumarate 350 mg+VIT.C 150mg+Folic Acid 1mg</i>
1,006	<i>Hemodialysis Concentrated I</i>	<i>SOLUTION, CONCENTRATE</i>	UNASSIGNED	<i>B05ZA</i>	<i>(Na+4725mEq + Mg++35mEq + K+ 35mEq + Ca++ 87.5mEq + Cl- 3657.5mEq + Acetate 1225 mEq + Dextrose 70 g)/L Dextrose anhydrous or monohydrate Eq. to 70 g Dextrose/1000 ml</i>
1,007	<i>Hemodialysis Concentrated I,without Dextrose</i>	<i>SOLUTION, CONCENTRATE</i>	UNASSIGNED	<i>B05ZA</i>	<i>(Na+ 4725 mEq + Mg ++35 mEq + K+ 35mEq + Ca++ 87.5 mEq + Cl- 3657.5 mEq + Acetate 1225mEq)/L</i>
1,008	<i>Hemodialysis Concentrated II</i>	<i>SOLUTION, CONCENTRATE</i>	UNASSIGNED	<i>B05ZA</i>	<i>(Na+ 4725 mEq+MG++ 35mEq + K+ 70mEq+Ca++ 87.5mEq+ Cl- 3692.5 mEq + Acetate 1225mEq + Dextrose 70 g) /L Dextrose anhydrous or monohydrate Eq. to 70 g Dextrose/1000 ml</i>
1,009	<i>Hemodialysis Concentrated II ,Acidic</i>	<i>SOLUTION, CONCENTRATE</i>	UNASSIGNED	<i>B05ZA</i>	<i>(Na+3710mEq + Mg++35mEq + K+ 70mEq + Ca++ 87.5mEq + Cl- 3902.5 mEq + CH3Coo- 122.5 mEq + Dextrose 70 g)/L Dextrose anhydrous or monohydrate Eq. to 70 g Dextrose/1000 ml</i>
1,010	<i>Hemodialysis Concentrated III</i>	<i>SOLUTION, CONCENTRATE</i>	UNASSIGNED	<i>B05ZA</i>	<i>(Na+4725mEq + Mg++35mEq + K+ 105mEq + Ca++ 87.5mEq + Cl- 3745 mEq + Acetate 1225 mEq + Dextrose 70 g)/L Dextrose anhydrous or monohydrate Eq. to 70 g Dextrose/1000 ml</i>
1,011	<i>Heparin Sodium 10,000 U/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB01</i>	-
1,012	<i>Heparin Sodium 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB01</i>	-
1,013	<i>Heparin Sodium 5000 U/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB01</i>	-

1,014	<i>Heparin Sodium 5000 U/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B01AB01</i>	-
1,015	<i>Hepatitis B immune globulin At least 200 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BB04</i>	-
1,016	<i>Hepatitis B Virus</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BC01</i>	**Vaccine**
1,017	<i>Hexamethylmelamine 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XX</i>	-
1,018	<i>Homatropine Hydrobromide 2%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01FA05</i>	-
1,019	<i>Hydralazine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>C02DB02</i>	-
1,020	<i>Hydralazine Hydrochloride 20 mg</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>C02DB02</i>	-
1,021	<i>Hydralazine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>C02DB02</i>	-
1,022	<i>Hydralazine Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>C02DB02</i>	-
1,023	<i>Hydrochloric Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,024	<i>Hydrochlorothiazide 50 mg</i>	<i>TABLET</i>	ORAL	<i>C03AA03</i>	-
1,025	<i>Hydrocortisone 100 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H02AB09</i>	**as Sodium Phosphate**
1,026	<i>Hydrocortisone 50 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H02AB09</i>	**as Sodium Phosphate**
1,027	<i>Hydrocortisone 10 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB09</i>	-
1,028	<i>Hydrocortisone 100 mg/60ml</i>	<i>ENEMA</i>	RECTAL	<i>A07EA02</i>	-
1,029	<i>Hydrocortisone * 100 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H02AB09</i>	**as Sodium succinate**
1,030	<i>Hydrocortisone * 50 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H02AB09</i>	**as Sodium succinate**

1,031	<i>Hydrocortisone Acetate 1%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01BA02</i>	-
1,032	<i>Hydrocortisone Acetate 1%</i>	<i>CREAM</i>	TOPICAL	<i>D07AA02</i>	-
1,033	<i>Hydrocortisone Acetate 1%</i>	<i>OINTMENT</i>	TOPICAL	<i>D07AA02</i>	-
1,034	<i>Hydrogen Peroxide Concentrate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>** (30% w/W H2O2) **</i>
1,035	<i>Hydroquinone 2%</i>	<i>CREAM</i>	TOPICAL	<i>D11AX11</i>	-
1,036	<i>Hydroquinone 4%</i>	<i>CREAM</i>	TOPICAL	<i>D11AX11</i>	-
1,037	<i>Hydroxychloroquine Sulfate 200 mg</i>	<i>TABLET</i>	ORAL	<i>P01BA02</i>	-
1,038	<i>Hydroxyprogesteron Caproate 250 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03DA03</i>	-
1,039	<i>Hydroxyurea 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XX05</i>	-
1,040	<i>Hydroxyurea 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XX05</i>	-
1,041	<i>Hydroxyzine Hydrochloride 10 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>N05BB01</i>	-
1,042	<i>Hydroxyzine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05BB01</i>	-
1,043	<i>Hydroxyzine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N05BB01</i>	-
1,044	<i>Hyoscine-n-butyl Bromide 10 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A03BB</i>	-
1,045	<i>Hyoscine-n-butyl Bromide 10 mg</i>	<i>TABLET</i>	ORAL	<i>A03BB</i>	-
1,046	<i>Hyoscine-n-butyl Bromide 20 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03BB</i>	-
1,047	<i>Hyoscine-n-butyl Bromide 7.5 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A03BB</i>	-

1,048	<i>Ibuprofen 100 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>M01AE01</i>	-
1,049	<i>Ibuprofen 200 mg</i>	<i>TABLET</i>	ORAL	<i>M01AE01</i>	-
1,050	<i>Ibuprofen 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AE01</i>	-
1,051	<i>Ibuprofen 400 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AE01</i>	-
1,052	<i>Ibuprofen 400 mg</i>	<i>TABLET</i>	ORAL	<i>M01AE01</i>	-
1,053	<i>Ichthyol</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>**(Ichthammol)**</i>
1,054	<i>Ichthyol 10%</i>	<i>OINTMENT</i>	TOPICAL	<i>D10A</i>	<i>**(Ichthammol)**</i>
1,055	<i>Idarubicin Hydrochloride 10 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01DB06</i>	-
1,056	<i>Idarubicin Hydrochloride 5 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01DB06</i>	-
1,057	<i>Idoxuridine 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AD01</i>	-
1,058	<i>Ifosfamide 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AA06</i>	-
1,059	<i>Ifosfamide 2 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AA06</i>	-
1,060	<i>Igm-enriched Human (Immune globulin)*</i>	<i>INJECTION</i>	PARENTERAL	<i>J06B</i>	-
1,061	<i>Imatinib 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XX28</i>	<i>**(as Mesylate)**</i>
1,062	<i>Imatinib 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XX28</i>	<i>**(as Mesylate)**</i>
1,063	<i>Imatinib 100 mg</i>	<i>TABLET</i>	ORAL	<i>L01XX28</i>	<i>**(as Mesylate)**</i>
1,064	<i>Imiglucerase 200 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>A16AB02</i>	-

1,065	<i>Imiglucerase 400 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>A16AB02</i>	-
1,066	<i>Imipenem /Cilastatin 250/250 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DH</i>	<i>Imipenem(as Monohydrate) 250 mg + Cilastatin(as Sodium) 250 mg</i>
1,067	<i>Imipenem /Cilastatin 500/500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DH</i>	<i>Imipenem(as Monohydrate) 500 mg + Cilastatin(as Sodium) 500 mg</i>
1,068	<i>Imipenem /Cilastatin 750/750 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DH</i>	<i>Imipenem(as Monohydrate) 750 mg + Cilastatin(as Sodium) 750 mg</i>
1,069	<i>Imipramine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA02</i>	-
1,070	<i>Imipramine Hydrochloride 12.5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N06AA02</i>	-
1,071	<i>Imipramine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA02</i>	-
1,072	<i>Imipramine Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA02</i>	-
1,073	<i>Imiquimod 5%</i>	<i>CREAM</i>	TOPICAL	<i>D06BB10</i>	-
1,074	<i>Immune Globulin</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>J06BA02</i>	-
1,075	<i>Immune Globulin 100 mg/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BA02</i>	10%
1,076	<i>Immune Globulin 100 mg/ml, 25ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BA02</i>	10%
1,077	<i>Immune Globulin 100 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BA02</i>	10%
1,078	<i>Immune Globulin 120 mg/ml, 50ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>J05BA02</i>	-
1,079	<i>Immune Globulin 50 mg/ml, 200ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>J06BA02</i>	5%
1,080	<i>Immune Globulin 50mg/ml, 100ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>J06BA02</i>	5%
1,081	<i>Immune Globulin 50mg/ml, 10ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>J06BA01</i>	5%

1,082	<i>Immune Globulin 50mg/ml, 50ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>J06BA02</i>	5%
1,083	<i>Indapamide 1.5 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C03BA11</i>	-
1,084	<i>Indocyanine Green 25 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	v	-
1,085	<i>Indomethacin 100 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>M01AB01</i>	-
1,086	<i>Indomethacin 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AB01</i>	-
1,087	<i>Indomethacin 50 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>M01AB01</i>	-
1,088	<i>Indomethacin 75 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>M01AB01</i>	-
1,089	<i>Indomethacin 75 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>M01AB01</i>	-
1,090	<i>Indomethacin 80 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>M01AB01</i>	-
1,091	<i>Infliximab 100 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L04AA12</i>	-
1,092	<i>Influenza Virus</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BB01</i>	**Killed**
1,093	<i>Insulin (Regular)* 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10AB01</i>	-
1,094	<i>Insulin Aspart 100 U/ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>A10AB05</i>	<i>recombinant in 3 ml prefilled pen</i>
1,095	<i>Insulin Aspart 100 U/ml</i>	<i>INJECTION, SUSPENSION</i>	PARENTERAL	<i>A10AB</i>	<i>recombinant in 3 ml prefilled pen (30% soluble Insulin Aspart + 70% Insulin Aspart crystallised with Protamine)</i>
1,096	<i>Insulin Biphasic Isophane 100 IU/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10A</i>	<i>(Isophane Insulin 70% + Insulin Reg 30%) in Cartridge for PEN</i>
1,097	<i>Insulin Biphasic Isophane 100 IU/ml, 3ml</i>	<i>INJECTION, SUSPENSION</i>	PARENTERAL	<i>A10A</i>	<i>(Isophane Insulin 75% + Insulin Regular 25%) in Cartridge for PEN</i>
1,098	<i>Insulin Biphasic isophane 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10A</i>	<i>Isophane Insulin 70% + Insulin Reg 30%</i>

1,099	<i>Insulin Glargine 100 IU/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10AB</i>	<i>Recombinant</i>
1,100	<i>Insulin Glargine 100 IU/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10AB</i>	<i>Cartridge for Pen</i>
1,101	<i>Insulin Isophane 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10AE01</i>	<i>** (NPH) **</i>
1,102	<i>Insulin Zinc 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A10A</i>	-
1,103	<i>Interferon Alfa-2a 6 Million U/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB</i>	-
1,104	<i>Interferon Alfa-2a 9 Million U/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB</i>	-
1,105	<i>Interferon Alfa-2b 10 Million U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L03AB</i>	-
1,106	<i>Interferon Alfa-2b 10 Million U/ml, 2.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB</i>	-
1,107	<i>Interferon Beta-1a 12 Million U</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB</i>	<i>44 mcg</i>
1,108	<i>Interferon Beta-1a 12 Million U/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB</i>	<i>30 mcg</i>
1,109	<i>Interferon Beta-1a 6 Million U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L03AB</i>	<i>30 mcg</i>
1,110	<i>Interferon Beta-1b 9.6 Million U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L03AB</i>	<i>300 mcg</i>
1,111	<i>Iodide [125I] (0.281-0.878) mCi</i>	<i>CAPSULE</i>	TRANSDERMAL	<i>V03</i>	<i>IMPLANT</i>
1,112	<i>Iodine</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,113	<i>Iodine Glycerin 5%</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,114	<i>Iodixanol 150 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB09</i>	<i>**305 mg/ml**</i>
1,115	<i>Iodixanol 270 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB09</i>	<i>**550 mg/ml**</i>

1,116	<i>Iodixanol 320 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB09</i>	**652 mg/ml**
1,117	<i>Iodoquinol 210 mg</i>	<i>TABLET</i>	ORAL	<i>G01AC01</i>	**<i>(Di,iodohydroxyquinoline)</i>**
1,118	<i>Iohexol 240 mg/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,119	<i>Iohexol 240 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,120	<i>Iohexol 240 mg/ml, 200ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,121	<i>Iohexol 240 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,122	<i>Iohexol 240 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,123	<i>Iohexol 300 mg/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,124	<i>Iohexol 300 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,125	<i>Iohexol 300 mg/ml, 200ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,126	<i>Iohexol 300 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,127	<i>Iohexol 300 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,128	<i>Iohexol 350 mg/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,129	<i>Iohexol 350 mg/ml, 200ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,130	<i>Iohexol 350 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,131	<i>Iohexol 350 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB02</i>	-
1,132	<i>Iopamidol 300 mg/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB04</i>	**612mg/ml**

1,133	<i>Iopamidol 300 mgI/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB04</i>	**612 mg/ml**
1,134	<i>Iopamidol 300 mgI/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB04</i>	**612mg/ml**
1,135	<i>Iopamidol 300mgI/ml</i>	<i>SOLUTION</i>	ORAL	<i>V08AB04</i>	-
1,136	<i>Iopamidol 370 mgI/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB04</i>	**755 mg/ml**
1,137	<i>Iopamidol 370 mgI/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB04</i>	**755mg/ml**
1,138	<i>Iopamidol 370 mgI/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB04</i>	**755 mg/ml**
1,139	<i>Iopanoic Acid 500 mg</i>	<i>TABLET</i>	ORAL	<i>V08AC06</i>	-
1,140	<i>Iopromide 240 mgI/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,141	<i>Iopromide 240 mgI/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,142	<i>Iopromide 300 mgI/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,143	<i>Iopromide 300 mgI/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,144	<i>Iopromide 300 mgI/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,145	<i>Iopromide 370 mgI/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,146	<i>Iopromide 370 mgI/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB05</i>	-
1,147	<i>Iotroxate Meglumine 50 mgI/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08A__</i>	-
1,148	<i>Ipecac 0.14%</i>	<i>SYRUP</i>	ORAL	<i>V03AB01</i>	<i>0.14%Total Alkaloids</i>
1,149	<i>Ipratropium Bromide 20 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R01AX03</i>	-

1,150	<i>Ipratropium Bromide 250 mcg/ml, 1ml</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R01AX03</i>	<i>**nebulisation**</i>
1,151	<i>Ipratropium Bromide 250 mcg/ml, 2ml</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R01AX03</i>	<i>**nebulisation**</i>
1,152	<i>Ipratropium Bromide 40 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R01AX03</i>	-
1,153	<i>Ipratropium bromide / Salbutamol 20/100 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03B</i>	<i>{Ipratropium bromide 20 mcg + Salbutamol (As sulfate) 100 mcg}/dose</i>
1,154	<i>Irinotecan Hydrochloride 20 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01XX19</i>	-
1,155	<i>Irinotecan Hydrochloride 100MG, 5ML</i>	<i>INJECTION, POWDER FOR RECONSTITUTION</i>	INTRAVENOUS DRIP	<i>L01XX19</i>	-
1,156	<i>Irinotecan Hydrochloride 40mg, 2ML</i>	<i>INJECTION, POWDER FOR RECONSTITUTION</i>	INTRAVENOUS DRIP	<i>L01XX19</i>	-
1,157	<i>Irinotecan Hydrochloride 20 mg/ml, 2ml</i>	<i>INJECTION</i>	RESPIRATORY	<i>L01XX19</i>	-
1,158	<i>Iron 50 mg/ml, 5ml</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>B03AC03</i>	<i>** (as Sorbitol)**</i>
1,159	<i>Iron 20 mg/ml, 5ml</i>	<i>INJECTION</i>	INTRAVENOUS	<i>B03AC03</i>	<i>** (As Sucrose)**</i>
1,160	<i>Iron 25 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>B03AA02</i>	-
1,161	<i>Isocarboxazid 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AF01</i>	-
1,162	<i>Isoflurane</i>	<i>INHALER</i>	RESPIRATORY	<i>N01AB06</i>	-
1,163	<i>Isoniazid 100 mg</i>	<i>TABLET</i>	ORAL	<i>J04AC01</i>	-
1,164	<i>Isoniazid 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J04AC01</i>	-
1,165	<i>Isoniazid 300 mg</i>	<i>TABLET</i>	ORAL	<i>J04AC01</i>	-
1,166	<i>Isoniazid/Prazinamide/Rifampin</i>	<i>TABLET</i>	ORAL	<i>J04AC</i>	<i>Isoniazid 50 mg + Prazinamide 300 mg + Rifampin 120 mg</i>

1,167	<i>Isoniazid/Rifampin 75/150 mg</i>	<i>TABLET</i>	ORAL	<i>J04AC</i>	<i>(Isoniazid 75mg+Rifampin 150mg)</i>
1,168	<i>Isopropyl Alcohol</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,169	<i>Isoproterenol Hydrochloride 0.2 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CB01</i>	-
1,170	<i>Isoproterenol Hydrochloride 1 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CB01</i>	-
1,171	<i>Isosorbide Dinitrate 10 mg</i>	<i>TABLET</i>	ORAL	<i>C01DA08</i>	-
1,172	<i>Isosorbide Dinitrate 40 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA08</i>	-
1,173	<i>Isosorbide Dinitrate 5 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>C01DA08</i>	-
1,174	<i>Isosorbide Mononitrate 50 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA08</i>	<i>Modified(30/70)</i>
1,175	<i>Isosorbide Mononitrate 60 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA08</i>	-
1,176	<i>Isotretinoin 0.05%</i>	<i>GEL</i>	TOPICAL	<i>D10AD04</i>	-
1,177	<i>Isotretinoin 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>D10BA01</i>	-
1,178	<i>Isotretinoin 20 mg</i>	<i>CAPSULE</i>	ORAL	<i>D10BA01</i>	-
1,179	<i>Isoxsuprine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>C04AA01</i>	-
1,180	<i>Itraconazole 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>J02AC02</i>	-
1,181	<i>Ketamine 50 mg/ml, 10 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AX03</i>	<i>** (as Hydrochloride)**</i>
1,182	<i>Ketoconazole 2%</i>	<i>SHAMPOO</i>	TOPICAL	<i>D01AC08</i>	-
1,183	<i>Ketoconazole 2%</i>	<i>CREAM</i>	TOPICAL	<i>D01AC08</i>	-

1,184	<i>Ketoconazole 200 mg</i>	<i>TABLET</i>	ORAL	<i>J02AB02</i>	-
1,185	<i>Ketotifen 1 mg</i>	<i>TABLET</i>	ORAL	<i>R06AX17</i>	** <i>(As Fumarate)</i> **
1,186	<i>Ketotifen 1 mg/5 ml</i>	<i>SYRUP</i>	ORAL	<i>R06AX17</i>	** <i>(As Fumarate)</i> **
1,187	<i>Ketotifen 0.025%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01</i>	** <i>(As Fumarate)</i> **
1,188	<i>Krypton [81mKr] Gas 4 mCi</i>	<i>INHALER</i>	RESPIRATORY	<i>V09EX01</i>	** <i>(generator)</i> **
1,189	<i>Krypton [81mKr] Gas 8 mCi</i>	<i>INHALER</i>	RESPIRATORY	<i>V09EX01</i>	** <i>(generator)</i> **
1,190	<i>L-Carnitine 1 g</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>A16AA</i>	-
1,191	<i>L-Carnitine 1000 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>A16AA</i>	-
1,192	<i>L-Carnitine 200 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A16AA</i>	-
1,193	<i>L-Carnitine 250 mg</i>	<i>TABLET</i>	ORAL	<i>A16AA</i>	-
1,194	<i>L-Carnitine 500 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>A16AA</i>	-
1,195	<i>Lactic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,196	<i>Lactose</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,197	<i>Lactulose 10 g</i>	<i>POWDER, FOR SOLUTION</i>	ORAL	<i>A06AD11</i>	-
1,198	<i>Lactulose 10 g/15 ml</i>	<i>SYRUP</i>	ORAL	<i>A06AD11</i>	-
1,199	<i>Lamivudine 10 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>J05AF05</i>	-
1,200	<i>Lamivudine 100 mg</i>	<i>TABLET</i>	ORAL	<i>J05AF05</i>	-

1,201	<i>Lamivudine 150 mg</i>	<i>TABLET</i>	ORAL	<i>J05AF05</i>	-
1,202	<i>Lamotrigine 10 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>N03AX09</i>	-
1,203	<i>Lamotrigine 100 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX09</i>	-
1,204	<i>Lamotrigine 25 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX09</i>	-
1,205	<i>Lamotrigine 50 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX09</i>	-
1,206	<i>Lanolin</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,207	<i>Latanoprost 50 mcg/ml</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01EX03</i>	-
1,208	<i>Letrozole 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>L02BG04</i>	-
1,209	<i>Leucovorin 10 mg/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AF03</i>	** (as Calcium) **
1,210	<i>Leucovorin 15 mg</i>	<i>TABLET</i>	ORAL	<i>V03AF03</i>	** (as Calcium) **
1,211	<i>Leucovorin 25 mg</i>	<i>TABLET</i>	ORAL	<i>V03AF03</i>	** (as Calcium) **
1,212	<i>Leucovorin 3 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AF03</i>	** (as Calcium) **
1,213	<i>Leucovorin 30 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>V03AF03</i>	** (as Calcium) **
1,214	<i>Leucovorin 5 mg</i>	<i>TABLET</i>	ORAL	<i>V03AF03</i>	** (as Calcium) **
1,215	<i>Leucovorin 125/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AF03</i>	** (as Calcium) **
1,216	<i>Leuprorelin Acetate 3.75 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L02AE02</i>	-
1,217	<i>Levamisole 50 mg</i>	<i>TABLET</i>	ORAL	<i>P02CE01</i>	** (as Hydrochloride) **

1,218	<i>Levamisole 40 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>P02CE01</i>	<i>** (as Hydrochloride)*</i>
1,219	<i>Levocetirizine Dihydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>R06AE07</i>	-
1,220	<i>Levodopa 500 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA01</i>	-
1,221	<i>Levodopa/Benserazide 100/25 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA02</i>	<i>Levodopa 100 mg+Benserazide (as Hydrochloride) 25</i>
1,222	<i>Levodopa/Benserazide Forte 200/50 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA02</i>	<i>Levodopa 200 mg+Benserazide (as Hydrochloride) 50</i>
1,223	<i>Levodopa/Beserazide 50/12.5 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA02</i>	<i>Levodopa 50 mg+Benserazide (as Hydrochloride) 12.5</i>
1,224	<i>Levodopa/Carbidopa 100/10 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA02</i>	<i>Levodopa 100 mg+Carbidopa 10 mg</i>
1,225	<i>Levodopa/Carbidopa 100/25 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA02</i>	<i>Levodopa 100 mg+Carbidopa 25 mg</i>
1,226	<i>Levodopa/Carbidopa Forte 250/25 mg</i>	<i>TABLET</i>	ORAL	<i>N04BA02</i>	<i>Levodopa 250 mg+Carbidopa (as Monohydrate) 25 mg</i>
1,227	<i>Levonorgestrel 30 mcg</i>	<i>TABLET</i>	ORAL	<i>G03AC03</i>	-
1,228	<i>Levonorgestrel 6X36 mg</i>	<i>IMPLANT</i>	TRANSDERMAL	<i>G03AC03</i>	-
1,229	<i>Levonorgestrel 750 mcg</i>	<i>TABLET</i>	ORAL	<i>G03AC03</i>	-
1,230	<i>Levothyroxine Sodium 100 mcg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>H03AA01</i>	-
1,231	<i>Levothyroxine Sodium 100 mcg</i>	<i>TABLET</i>	ORAL	<i>H03AA01</i>	-
1,232	<i>Levothyroxine Sodium 50 mcg</i>	<i>TABLET</i>	ORAL	<i>H03AA01</i>	-
1,233	<i>Levothyroxine Sodium 50 mcg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>H03AA01</i>	-
1,234	<i>Levothyroxine Sodium 75 mcg</i>	<i>TABLET</i>	ORAL	<i>H03AA00</i>	-

1,235	<i>Lidocaine 10 mg/dose</i>	<i>SPRAY, SOLUTION</i>	TOPICAL	<i>D04AB01</i>	-
1,236	<i>Lidocaine Dextrose 5/7.5 %</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB52</i>	<i>LIDOCAINE5%+Dextrose 7.5%</i>
1,237	<i>Lidocaine Epinephrine</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB52</i>	<i>(Lidocaine HCl 10mg+Epinephrine (As Bitartrate) 5mcg/ml</i>
1,238	<i>Lidocaine Epinephrine 2%</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB52</i>	<i>(Lidocaine HCl 20mg+Epinephrine (As Bitartrate) 12.5 mcg)/ ml</i>
1,239	<i>Lidocaine Hydrochloride 6.5%</i>	<i>SPRAY, SOLUTION</i>	TOPICAL	<i>N01</i>	-
1,240	<i>Lidocaine Hydrochloride 2%, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01BB01</i>	<i>**IV use**</i>
1,241	<i>Lidocaine Hydrochloride 1%, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01BB01</i>	<i>**IV use**</i>
1,242	<i>Lidocaine Hydrochloride 1%, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01BB01</i>	-
1,243	<i>Lidocaine Hydrochloride 2%</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB52</i>	<i>**Cartridge (carpool)**</i>
1,244	<i>Lidocaine Hydrochloride 2%</i>	<i>GEL</i>	TOPICAL	<i>D04AB01</i>	-
1,245	<i>Lidocaine Hydrochloride 2%, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01BB01</i>	-
1,246	<i>Lidocaine Hydrochloride 20%</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>C01B</i>	-
1,247	<i>Lidocaine Hydrochloride 4%</i>	<i>SOLUTION</i>	TOPICAL	<i>D04AB01</i>	-
1,248	<i>Lidocaine Hydrochloride 4%, 50ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>N01BB52</i>	-
1,249	<i>Lidocaine/Chlorhexidine</i>	<i>GEL</i>	TOPICAL	<i>N01</i>	<i>Lidocaine Hydrochloride 2%+Chlorhexidine Dihydrochloride 0.05%</i>
1,250	<i>Lidocaine/Hydrocortisone Acetate 5/0.5 %</i>	<i>OINTMENT</i>	RECTAL	<i>C05A</i>	<i>Lidocaine 5%+Hydrocortisone Acetate 0.5%</i>
1,251	<i>Lidocaine/Prilocaine 2.5%/2.5%</i>	<i>CREAM</i>	TOPICAL	<i>D04AB</i>	<i>Lidocaine 2.5% + Prilocaine 2.5%</i>

1,252	<i>Lindane 1%</i>	<i>SHAMPOO</i>	TOPICAL	<i>P03AB02</i>	-
1,253	<i>Lindane 1%</i>	<i>LOTION</i>	TOPICAL	<i>P03AB02</i>	-
1,254	<i>Liothyronine Sodium 25 mcg</i>	<i>TABLET</i>	ORAL	<i>H03AA02</i>	-
1,255	<i>Lipid Infusion 10%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA02</i>	-
1,256	<i>Lipid Infusion 20%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BA02</i>	-
1,257	<i>Lisinopril 10 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA03</i>	-
1,258	<i>Lisinopril 20 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA03</i>	-
1,259	<i>Lisinopril 5 mg</i>	<i>TABLET</i>	ORAL	<i>C09AA03</i>	-
1,260	<i>Lithium Carbonate 300 mg</i>	<i>TABLET</i>	ORAL	<i>N05AN01</i>	-
1,261	<i>Lithium Carbonate 400 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N05AN01</i>	-
1,262	<i>Lithium Carbonate 400 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>N05AN01</i>	-
1,263	<i>Lomustine 40 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01AD02</i>	-
1,264	<i>Loperamide Hydrochloride 1 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>A07DA03</i>	-
1,265	<i>Loperamide Hydrochloride 2 mg</i>	<i>CAPSULE</i>	ORAL	<i>A07DA03</i>	-
1,266	<i>Loperamide Hydrochloride 2 mg</i>	<i>TABLET</i>	ORAL	<i>A07DA03</i>	-
1,267	<i>Lopinavir/Ritonavir 133.3/33.3 mg</i>	<i>CAPSULE, LIQUID FILLED</i>	ORAL	<i>J05AE</i>	** (Lopinavir 133.3mg+Ritonavir 33.3mg)**
1,268	<i>Lopinavir/Ritonavir 200/50 mg</i>	<i>TABLET</i>	ORAL	<i>J05AAE</i>	** (Lopinavir 200mg+Ritonavir 50mg)**

1,269	<i>Lopinavir/Ritonavir 400/100 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>J05AE</i>	<i>** (Lopinavir 400mg+Ritonavir 100mg)/5ml**</i>
1,270	<i>Loratadine 10 mg</i>	<i>TABLET, ORODISPERSIBLE</i>	ORAL	<i>R06AX13</i>	-
1,271	<i>Loratadine 10 mg</i>	<i>TABLET</i>	ORAL	<i>R06AX13</i>	-
1,272	<i>Loratadine 5 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R06AX13</i>	-
1,273	<i>Lorazepam 1 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA06</i>	-
1,274	<i>Lorazepam 2 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA06</i>	-
1,275	<i>Lorazepam 2 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05BA06</i>	-
1,276	<i>Lorazepam 4 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05BA06</i>	-
1,277	<i>Losartan Potassium 25 mg</i>	<i>TABLET</i>	ORAL	<i>C09CA01</i>	-
1,278	<i>Losartan Potassium 50 mg</i>	<i>TABLET</i>	ORAL	<i>C09CA01</i>	-
1,279	<i>Lovastatin 20 mg</i>	<i>TABLET</i>	ORAL	<i>C10AA02</i>	-
1,280	<i>Low Sodium Salt 5 g/sachet</i>	<i>POWDER</i>	ORAL	<i>V03</i>	<i>[Kcl(670 mg-700 mg) + Nacl(300 mg-330 mg) + Mgco3 (4 mg-5 mg)] / g</i>
1,281	<i>Lutropin Alfa 75 IU</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>G03GA07</i>	-
1,282	<i>Lynestrenol 0.5 mg</i>	<i>TABLET</i>	ORAL	<i>G03AC02</i>	-
1,283	<i>Mafenide Acetate 112 mg/g</i>	<i>CREAM</i>	TOPICAL	<i>D06BA03</i>	<i>** eq to 85 mg (Base)/g**</i>
1,284	<i>Magnesium Hydroxide 8%</i>	<i>SUSPENSION</i>	ORAL	<i>A02AA04</i>	-
1,285	<i>Magnesium Oxide 400 mg</i>	<i>TABLET</i>	ORAL	<i>A02AA04</i>	<i>**250 mg elemental**</i>

1,286	<i>Magnesium Sulfate 10%, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A12CC02</i>	**7H2O**
1,287	<i>Magnesium Sulfate 10%, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A12CC02</i>	**7H2O**
1,288	<i>Magnesium Sulfate 20%, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A12CC02</i>	**7H2O**
1,289	<i>Magnesium Sulfate 20%, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A12CC02</i>	**7H2O**
1,290	<i>Magnesium Sulfate 50%, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A12CC02</i>	**7H2O**
1,291	<i>Magnesium Sulfate 50%, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A12CC02</i>	**7H2O**
1,292	<i>Mannitol 10%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BC01</i>	-
1,293	<i>Mannitol 20%</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BC01</i>	-
1,294	<i>Maprotiline Hydrochloride 75 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA21</i>	-
1,295	<i>Maprotiline Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA21</i>	-
1,296	<i>Measles Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BD01</i>	**(Rubeola) Virus live Attenuated**
1,297	<i>Measles and rubella Vaccine</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>J07BD53</i>	**(m.R.) Virus alive**
1,298	<i>Measles Immune globulin 200 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BB14</i>	-
1,299	<i>Measles, Mumps, and rubella Vaccine</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>J07BD</i>	**(m.M.r.)**
1,300	<i>Mebendazole 100 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>P02CA01</i>	-
1,301	<i>Mebeverine Hydrochloride 200 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>A03AA04</i>	-
1,302	<i>Mebeverine Hydrochloride 135 mg</i>	<i>TABLET</i>	ORAL	<i>A03AA04</i>	-

1,303	<i>Medroxyprogesterone Acetate 100 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L02AB02</i>	-
1,304	<i>Medroxyprogesterone Acetate 150 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03AC06</i>	-
1,305	<i>Medroxyprogesterone Acetate 250 mg</i>	<i>TABLET</i>	ORAL	<i>G03AC06</i>	-
1,306	<i>Medroxyprogesterone Acetate 5 mg</i>	<i>TABLET</i>	ORAL	<i>G03DA02</i>	-
1,307	<i>Medroxyprogesterone Acetate/Estradiol Cypionate 50/10 mg/ml, 0.5 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03AA08</i>	<i>Depot Medroxyprogesterone Acetate 25mg + Estradiol Cypionate 5mg/0.5ml</i>
1,308	<i>Mefenamic Acid 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AG01</i>	-
1,309	<i>Mefloquine 250 mg</i>	<i>TABLET</i>	ORAL	<i>D07AD01</i>	-
1,310	<i>Megestrol Acetate 15 mg</i>	<i>TABLET</i>	ORAL	<i>L02AB01</i>	-
1,311	<i>Megestrol Acetate 20 mg</i>	<i>TABLET</i>	ORAL	<i>L02AB01</i>	-
1,312	<i>Megestrol Acetate 40 mg</i>	<i>TABLET</i>	ORAL	<i>L02AB01</i>	-
1,313	<i>Megestrol Acetate 40 mg/ml</i>	<i>SOLUTION</i>	ORAL	<i>L02AB01</i>	-
1,314	<i>Meglumine Antimonate 300 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01CB01</i>	-
1,315	<i>Meglumine Compound 60%, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AA01</i>	<i>Meglumine Diatrizoate 52.1%+Sodium Diatrizoate 7.9%</i>
1,316	<i>Meglumine Compound 76%</i>	<i>SOLUTION</i>	ORAL	<i>V08AA01</i>	<i>Meglumine Diatrizoate 66%+Sodium Diatrizoate 10%</i>
1,317	<i>Meglumine Compound 76%, 100 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AA01</i>	<i>Meglumine Diatrizoate 66%+Sodium Diatrizoate 10%</i>
1,318	<i>Meglumine Compound 76%, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AA01</i>	<i>Meglumine Diatrizoate 66%+Sodium Diatrizoate 10%</i>
1,319	<i>Meglumine Gadoterate 377 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08CA</i>	-

1,320	<i>Meglumine Gadoterate 377 mg/ml, 15ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08CA</i>	-
1,321	<i>Meglumine Gadoterate 377 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08CA</i>	-
1,322	<i>Meglumine/ Sodium ioxaglate 320 10 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB</i>	<i>Meglumine Ioxaglate 393 mg/ml + Sodium Ioxaglate 196.5 mg/ml</i>
1,323	<i>Meglumine/ Sodium ioxaglate 320 20 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB</i>	<i>Meglumine Ioxaglate 393 mg/ml + Sodium Ioxaglate 196.5 mg/ml</i>
1,324	<i>Meglumine/Sodium Ioxaglate 320 100 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB</i>	<i>Meglumine Ioxaglate 393 mg/ml + Sodium Ioxaglate 196.5 mg/ml</i>
1,325	<i>Meglumine/Sodium Ioxaglate 320 200 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB</i>	<i>Meglumine Ioxaglate 393 mg/ml + Sodium Ioxaglate 196.5 mg/ml</i>
1,326	<i>Meglumine/Sodium Ioxaglate 320 50 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08AB</i>	<i>Meglumine Ioxaglate 393 mg/ml + Sodium Ioxaglate 196.5 mg/ml</i>
1,327	<i>Melphalan</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AA03</i>	-
1,328	<i>Melphalan 2 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA03</i>	-
1,329	<i>Memantine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06D</i>	-
1,330	<i>Memantine Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N06D</i>	-
1,331	<i>Meningococcal Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07AH</i>	<i>** (A+c)**</i>
1,332	<i>Menotropins</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>G03GA02</i>	<i>75 IU FSH+75 IU LH</i>
1,333	<i>Menthol</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,334	<i>Menthol Salicylate</i>	<i>OINTMENT</i>	TOPICAL	<i>M02A</i>	<i>Methyl Salicylate 15%+Menthol 10%</i>
1,335	<i>Mepivacaine Hydrochloride 2%, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB03</i>	-
1,336	<i>Mepivacaine Hydrochloride 3%, 1.7ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB03</i>	-

1,337	<i>Mepivacaine Hydrochloride 3%, 1.8ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB03</i>	-
1,338	<i>Mequinol 10%</i>	<i>OINTMENT</i>	TOPICAL	<i>D11AX06</i>	-
1,339	<i>Mequinol/Tretinoin 10/0.01%</i>	<i>LOTION</i>	TOPICAL	<i>D11AX</i>	<i>Mequinol 10% +Tretinoin 0.01%</i>
1,340	<i>Mercaptopurine 50 mg</i>	<i>TABLET</i>	ORAL	<i>L01BB02</i>	-
1,341	<i>Meropenem 1g</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DH02</i>	<i>** (as Trihydrate)**</i>
1,342	<i>Meropenem 500 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01DH02</i>	<i>**as Trihydrate**</i>
1,343	<i>Mesalazine 1000 mg</i>	<i>SUPPOSITORY, EXTENDED RELEASE</i>	RECTAL	<i>A07EC02</i>	-
1,344	<i>Mesalazine 1g/sachet</i>	<i>GRANULE</i>	ORAL	<i>A07EC02</i>	-
1,345	<i>Mesalazine 250 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>A07EC02</i>	-
1,346	<i>Mesalazine 250 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A07EC02</i>	-
1,347	<i>Mesalazine 4 g/100ml</i>	<i>ENEMA</i>	RECTAL	<i>A07EC02</i>	-
1,348	<i>Mesalazine 400 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A07EC02</i>	-
1,349	<i>Mesalazine 500 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>A07EC02</i>	-
1,350	<i>Mesalazine 500 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>A07EC02</i>	-
1,351	<i>Mesalazine 500 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A07EC02</i>	-
1,352	<i>Mesalazine 800 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A07EC02</i>	-
1,353	<i>Mesna 100 mg/ml, 4ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AF01</i>	-

1,354	<i>Metaproterenol Sulfate 0.5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CB03</i>	-
1,355	<i>Metaproterenol Sulfate 20 mg</i>	<i>TABLET</i>	ORAL	<i>R03CB03</i>	-
1,356	<i>Metformin Hydrochloride 1000 mg</i>	<i>TABLET</i>	ORAL	<i>A10BA02</i>	-
1,357	<i>Metformin Hydrochloride 500 mg</i>	<i>TABLET</i>	ORAL	<i>A10BA02</i>	-
1,358	<i>Methadone Hydrochloride 1g/ SUCHET</i>	<i>POWDER</i>	ORAL	<i>N07BC02</i>	-
1,359	<i>Methadone Hydrochloride 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N07BC02</i>	-
1,360	<i>Methadone Hydrochloride 20 mg</i>	<i>TABLET</i>	ORAL	<i>N07BC02</i>	-
1,361	<i>Methadone Hydrochloride 25 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>N07BC02</i>	-
1,362	<i>Methadone Hydrochloride 40 mg</i>	<i>TABLET</i>	ORAL	<i>N07BC02</i>	-
1,363	<i>Methadone Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N07BC02</i>	-
1,364	<i>Methadone Hydrochloride 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N07BC02</i>	-
1,365	<i>Methadone Hydrochloride 5mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>N07BC02</i>	-
1,366	<i>Methimazole 5 mg</i>	<i>TABLET</i>	ORAL	<i>H03BB02</i>	-
1,367	<i>Methocarbamol 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03EA03</i>	-
1,368	<i>Methocarbamol 500 mg</i>	<i>TABLET</i>	ORAL	<i>M03EA03</i>	-
1,369	<i>Methotrexate 100 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,370	<i>Methotrexate 5 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>

1,371	<i>Methotrexate 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,372	<i>Methotrexate 50 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,373	<i>Methotrexate 1 g</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,374	<i>Methotrexate 10 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,375	<i>Methotrexate 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>L01BA01</i>	-
1,376	<i>Methotrexate 2.5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,377	<i>Methotrexate 25 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01BA01</i>	<i>** (as Sodium) with and without preservative**</i>
1,378	<i>Methotrexate 5 mg</i>	<i>TABLET</i>	ORAL	<i>L01BA01</i>	-
1,379	<i>Methoxsalen 1%</i>	<i>SOLUTION</i>	TOPICAL	<i>D05</i>	-
1,380	<i>Methoxsalen 10 mg</i>	<i>TABLET</i>	ORAL	<i>D05</i>	-
1,381	<i>Methyl Salicylate 30%</i>	<i>OINTMENT</i>	TOPICAL	<i>M02A</i>	-
1,382	<i>Methylcellulose</i>	<i>GRANULE</i>	ORAL	<i>A06AC06</i>	-
1,383	<i>Methyldopa 250 mg</i>	<i>TABLET</i>	ORAL	<i>C02AB02</i>	-
1,384	<i>Methylene Blue 10 mg/ml, 10 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB</i>	-
1,385	<i>Methylergonovine Maleate 0.125 mg</i>	<i>TABLET</i>	ORAL	<i>G02AB01</i>	-
1,386	<i>Methylergonovine Maleate 0.2 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G02AB01</i>	-
1,387	<i>Methylphenidate Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06BA04</i>	-

1,388	<i>Methylphenidate Hydrochloride 20 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N06BA04</i>	-
1,389	<i>Methylprednisolone 1000 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H02AB04</i>	<i>** (as Sodium Succinate)**</i>
1,390	<i>Methylprednisolone 250 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H02AB04</i>	<i>** (as Sodium Succinate)**</i>
1,391	<i>Methylprednisolone 40 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>H02AB04</i>	<i>** (As Sodium Succinate)**</i>
1,392	<i>Methylprednisolone 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H02AB04</i>	<i>** (as Sodium succinate)**</i>
1,393	<i>Methylprednisolone Acetate 40 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H02AB04</i>	-
1,394	<i>Methyltestosterone 25 mg</i>	<i>TABLET</i>	ORAL	<i>G03BA02</i>	-
1,395	<i>Metoclopramide 5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A03FA01</i>	<i>** (as Hydrochloride) or (as 2Hydrochloride)**</i>
1,396	<i>Metoclopramide Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>A03FA01</i>	-
1,397	<i>Metoclopramide Hydrochloride 10 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>A03FA01</i>	-
1,398	<i>Metoclopramide Hydrochloride 4 mg/ml, 15ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>A03FA01</i>	-
1,399	<i>Metoprolol Succinate 190 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C07AB02</i>	-
1,400	<i>Metoprolol Succinate 23.75 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C07AB02</i>	-
1,401	<i>Metoprolol Succinate 47.5 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C07AB02</i>	-
1,402	<i>Metoprolol Succinate 95 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C07AB02</i>	-
1,403	<i>Metoprolol Tartrate 100 mg</i>	<i>TABLET</i>	ORAL	<i>C07AB02</i>	-
1,404	<i>Metoprolol Tartrate 1mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C07AB02</i>	-

1,405	<i>Metoprolol Tartrate 50 mg</i>	<i>TABLET</i>	ORAL	<i>C07AB02</i>	-
1,406	<i>Metronidazole 125 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>P01AB01</i>	<i>** (as Benzoate)**</i>
1,407	<i>Metronidazole 0.75%</i>	<i>GEL</i>	TOPICAL	<i>D06BX01</i>	-
1,408	<i>Metronidazole 0.75%</i>	<i>GEL</i>	VAGINAL	<i>G01AF01</i>	-
1,409	<i>Metronidazole 250 mg</i>	<i>TABLET</i>	ORAL	<i>P01AB01</i>	-
1,410	<i>Metronidazole 5 mg/ml, 100ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>J01XD01</i>	-
1,411	<i>Metronidazole 500 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>G01AF01</i>	-
1,412	<i>Metronidazole 500 mg</i>	<i>TABLET</i>	VAGINAL	<i>G01AF01</i>	-
1,413	<i>Metyrapone 250 mg</i>	<i>TABLET</i>	ORAL	<i>V04CD01</i>	-
1,414	<i>Mexiletine 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>C01BB02</i>	-
1,415	<i>Miconazole Nitrate 100 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>G01AF0</i>	-
1,416	<i>Miconazole Nitrate 2%</i>	<i>CREAM</i>	TOPICAL	<i>D01AC02</i>	-
1,417	<i>Miconazole Nitrate 2%</i>	<i>CREAM</i>	VAGINAL	<i>G01AF04</i>	-
1,418	<i>Microfibrillar Collagen Hemostat 14.8 mg/cm³</i>	<i>TAMPON</i>	TOPICAL	<i>B02BC07</i>	<i>**0.15 cm thikness - Registered as ANTEMA**</i>
1,419	<i>Microfibrillar Collagen Hemostat 15.5 mg/cm³</i>	<i>TAMPON</i>	TOPICAL	<i>B02BC07</i>	<i>** Cillender 8 cm x 3 cm diameter - Registered as ANTEMA**</i>
1,420	<i>Microfibrillar Collagen Hemostat 22.3mg/cm³</i>	<i>TAMPON</i>	TOPICAL	<i>B02BC07</i>	<i>**0.5 cm thickness - Registered as ANTEMA**</i>
1,421	<i>Midazolam 5 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05CD08</i>	<i>** (as Hydrochloride)**</i>

1,422	<i>Midazolam 5 mg/ml, 2 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05CD08</i>	<i>** (as Hydrochloride)**</i>
1,423	<i>Midazolam 5 mg/ml, 3 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05CD08</i>	<i>** (as Hydrochloride)**</i>
1,424	<i>Midazolam 1 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05CD08</i>	<i>** (As Hydrochoride)**</i>
1,425	<i>Midazolam Hydrochloride 2 mg/ml</i>	<i>SYRUP</i>	ORAL	<i>N05CD08</i>	-
1,426	<i>Milrinone 1 mg/ml, 10ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>C01CE02</i>	-
1,427	<i>Milrinone 1 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01CE02</i>	-
1,428	<i>Minoxidil 10 mg</i>	<i>TABLET</i>	ORAL	<i>C02DC01</i>	-
1,429	<i>Minoxidil 20 mg/ml</i>	<i>SOLUTION</i>	TOPICAL	<i>D11AX01</i>	-
1,430	<i>Minoxidil 50 mg/ml</i>	<i>SOLUTION</i>	TOPICAL	<i>D11AX01</i>	-
1,431	<i>Misoprostol 100 mcg</i>	<i>TABLET</i>	ORAL	<i>A02BB01</i>	-
1,432	<i>Mitomycin 10 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DC03</i>	-
1,433	<i>Mitomycin 2 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DC03</i>	-
1,434	<i>Mitomycin 5 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01DC03</i>	-
1,435	<i>Mitotane 500 mg</i>	<i>TABLET</i>	ORAL	<i>L01XX23</i>	-
1,436	<i>Mitoxantrone 2 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01DB07</i>	<i>* (as Hydrochloride)**</i>
1,437	<i>Mivacurium Chloride 2 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC10</i>	-
1,438	<i>Moclobemide 150 mg</i>	<i>TABLET</i>	ORAL	<i>N06AG02</i>	-

1,439	<i>Molgramostim 0.15 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L03AA03</i>	<i>** (Gmcsf) **</i>
1,440	<i>Molgramostim 0.4 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L03AA03</i>	<i>* (Gmcsf) **</i>
1,441	<i>Mono-di-tri-chloroacetic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,442	<i>Monobenzene 20%</i>	<i>CREAM</i>	TOPICAL	<i>D11AX13</i>	-
1,443	<i>Montelukast 10 mg</i>	<i>TABLET</i>	ORAL	<i>R03DC03</i>	<i>** (As Sodium Salt) **</i>
1,444	<i>Montelukast 4 mg/Sachet</i>	<i>GRANULE</i>	ORAL	<i>R03DC03</i>	<i>** (As Sodium) **</i>
1,445	<i>Montelukast 5 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>R03DC03</i>	<i>** (As Sodium Salt) **</i>
1,446	<i>Morphine Sulfate 10 mg</i>	<i>TABLET</i>	ORAL	<i>N02AA01</i>	-
1,447	<i>Morphine Sulfate 10 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>N02AA01</i>	-
1,448	<i>Morphine Sulfate 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AA01</i>	-
1,449	<i>Moxifloxacin (As Hydrochloride) 400 mg</i>	<i>TABLET</i>	ORAL	<i>J01MA14</i>	-
1,450	<i>Multivitamin Pediatric</i>	<i>INJECTION</i>	INTRAVENOUS	<i>A11AE</i>	<i>(Vit.B1 2.5mg + Vit.B2 3.6mg + Vit. B6 4mg + Vit. B12 5mcg + Niacin 40mg + Pantothenic Acid 15mg + Biotin 60mcg + Vit.C 100mg+Folic Acid 400mcg)/10ml</i>
1,451	<i>Multivitamin Therapeutic</i>	<i>CAPSULE</i>	ORAL	<i>A11AA</i>	<i>Vit.A 25000 IU+Vit.B1 20 mg+Vit.B2 5mg+Nicotinamide50 mg+Vit.B6 10mg+Vit.B12 5mcg+Vit.C 150mg+Biotin 0.25mg+Vit.D 1000IU+ Vit.E 10mg(IU)+Folic Acid 1mg+Calcium Pantothenate 11.6mg+Ca 100mg +Mg(As MgO) 5mg +Mn 0.5mg+Mo 0.1mg+Iron 10mg+Zn 0.5mg+P 77.27mg+Cu</i>
1,452	<i>Multivitamin Therapeutic</i>	<i>TABLET</i>	ORAL	<i>A11AA</i>	<i>Vit.A25000 IU+Vit.B1 20mg+Vit.B2 5mg+Nicotinamide 50mg+Vit. B6 10mg+Vit. B12 5mcg+ Vit.C 150mg+Biotin 0.25mg+Vit.D 500IU+Vit.E 10mg(IU)+Folic Acid 1mg+Calcium Pantothenate 11.6mg +Ca HPO4,2H2O129mg +MnSO4,4H2O 2.05mg+MgO 30mg+CuSO4,5H2O 3.9mg+Sodium molib</i>
1,453	<i>Mumps Mirus Vaccine</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J07BX</i>	<i>** live **</i>

1,454	<i>Mupirocin 2%</i>	<i>OINTMENT</i>	TOPICAL	<i>D06AX09</i>	-
1,455	<i>Mupirocin 2%</i>	<i>OINTMENT</i>	NASAL	<i>R01AX06</i>	** (as Calcium)**
1,456	<i>Mycophenolate Mofetil 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA06</i>	-
1,457	<i>Mycophenolate Mofetil 500 mg</i>	<i>TABLET</i>	ORAL	<i>L04AA06</i>	-
1,458	<i>Mycophenolic acid 360 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>L04AA06</i>	** (as mycophenolate sodium)**
1,459	<i>Mycophenolic acid 180 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>L04AA06</i>	** (as mycophenolate sodium)**
1,460	<i>Nafcillin Sodium 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CF</i>	-
1,461	<i>Nafcillin Sodium 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CF</i>	-
1,462	<i>Nalidixic Acid 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01MB02</i>	-
1,463	<i>Nalidixic Acid 60 mg/ml</i>	<i>SUSPENSION</i>	ORAL	<i>J01MB02</i>	-
1,464	<i>Naloxone Hydrochloride 0.4 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB15</i>	-
1,465	<i>Naltrexone Hydrochloride 25 mg</i>	<i>CAPSULE</i>	ORAL	<i>N07BB04</i>	-
1,466	<i>Naltrexone Hydrochloride 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>N07BB04</i>	-
1,467	<i>Nandrolone Decanoate 25 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A14AB01</i>	-
1,468	<i>Nandrolone Phenpropionate 25 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A14AB01</i>	-
1,469	<i>Naphazoline Hydrochloride 0.05%</i>	<i>DROPS, SOLUTION</i>	NASAL	<i>R01A</i>	-
1,470	<i>Naphazoline Hydrochloride 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01GA01</i>	-

1,471	<i>Naphazoline Hydrochloride 0.05%</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>R01AA08</i>	-
1,472	<i>Naphazoline Hydrochloride/Antazoline Phosphate 0.05/0.5 %</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01GA51</i>	<i>Naphazoline HCl 0.05%+Antazoline Phosphate 0.5%</i>
1,473	<i>Naphazoline Nitrate 0.05%</i>	<i>DROPS, SOLUTION</i>	NASAL	<i>R01A</i>	-
1,474	<i>Naphazoline Nitrate 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01GA01</i>	-
1,475	<i>Naproxen 250 mg</i>	<i>TABLET</i>	ORAL	<i>M01AE02</i>	-
1,476	<i>Naproxen 500 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>M01AE02</i>	-
1,477	<i>Naproxen 500 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>M01AE02</i>	-
1,478	<i>Natamycin 5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AA10</i>	-
1,479	<i>Nelfinavir 250 mg</i>	<i>TABLET</i>	ORAL	<i>J05AE04</i>	<i>** (as Mesylate)**</i>
1,480	<i>Nelfinavir 625 mg</i>	<i>TABLET</i>	ORAL	<i>J05AE04</i>	<i>** (as Mesylate)**</i>
1,481	<i>Nelfinavir 50 mg/g</i>	<i>POWDER</i>	ORAL	<i>J05AE04</i>	<i>** (As Mesylate)**</i>
1,482	<i>Neomycin Sulfate 125 mg/5ml</i>	<i>SOLUTION</i>	ORAL	<i>J01GB05</i>	-
1,483	<i>Neomycin Sulfate 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01GB05</i>	-
1,484	<i>Neostigmine Methylsulfate 2.5 mg/mL, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N07AA01</i>	-
1,485	<i>Neostigmine Bromide 15 mg</i>	<i>TABLET</i>	ORAL	<i>N07AA01</i>	-
1,486	<i>Neostigmine Methylsulfate 0.5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N07AA01</i>	-
1,487	<i>Neostigmine Methylsulfate 2.5 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N07AA01</i>	-

1,488	<i>Nevirapine 200 mg</i>	<i>TABLET</i>	ORAL	<i>J05AG01</i>	-
1,489	<i>Nevirapine 50 mg/ml</i>	<i>SUSPENSION</i>	ORAL	<i>J05AG01</i>	-
1,490	<i>Niacinamide 500 mg</i>	<i>TABLET</i>	ORAL	<i>A11HA01</i>	-
1,491	<i>Niclosamide 500 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>P02DA01</i>	-
1,492	<i>Nicotine 10 mg/ml, 10ml</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>N07BA01</i>	-
1,493	<i>Nicotine 14mg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>N07BA01</i>	-
1,494	<i>Nicotine 15 mg/16h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>N07BA01</i>	-
1,495	<i>Nicotine 2 mg</i>	<i>GUM</i>	ORAL	<i>N07BA01</i>	-
1,496	<i>Nicotine 2 mg</i>	<i>TABLET</i>	SUBLINGUAL	<i>N07BA01</i>	-
1,497	<i>Nicotine 21mg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>N01BA01</i>	-
1,498	<i>Nicotine 7mg/24h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>N01BA01</i>	-
1,499	<i>Nicotinic Acid 100 mg</i>	<i>TABLET</i>	ORAL	<i>C10AD02</i>	-
1,500	<i>Nicotinic Acid 25 mg</i>	<i>TABLET</i>	ORAL	<i>C04AC01</i>	-
1,501	<i>Nicotinic Acid 500 mg</i>	<i>TABLET</i>	ORAL	<i>C10AD02</i>	-
1,502	<i>Nifedipine 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>C08CA05</i>	-
1,503	<i>Nifedipine 10 mg</i>	<i>TABLET</i>	ORAL	<i>C08CA05</i>	-
1,504	<i>Nifedipine 20 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>C08CA05</i>	**1 YEAR**

1,505	<i>Nifedipine 20 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C08CA05</i>	-
1,506	<i>Nifedipine 30 mg</i>	<i>TABLET</i>	ORAL	<i>C08CA05</i>	-
1,507	<i>Nifedipine 30 mg</i>	<i>CAPSULE</i>	ORAL	<i>C08CA05</i>	-
1,508	<i>Nimodipine 0.2 mg/ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>C08CA06</i>	-
1,509	<i>Nimodipine 30 mg</i>	<i>TABLET</i>	ORAL	<i>C08CA06</i>	-
1,510	<i>Nitrazepam 5 mg</i>	<i>TABLET</i>	ORAL	<i>N05CD02</i>	-
1,511	<i>Nitrofurantoin 100 mg</i>	<i>TABLET</i>	ORAL	<i>J01XB01</i>	-
1,512	<i>Nitrofurantoin 25 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>J01XE01</i>	-
1,513	<i>Nitrofurazone 0.2%</i>	<i>CREAM</i>	TOPICAL	<i>D09AA03</i>	-
1,514	<i>Nitroglycerin 0.4 mg</i>	<i>CAPSULE</i>	ORAL	<i>C01DA02</i>	-
1,515	<i>Nitroglycerin 0.4 mg</i>	<i>TABLET</i>	ORAL	<i>C01DA02</i>	-
1,516	<i>Nitroglycerin 1 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,517	<i>Nitroglycerin 1 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,518	<i>Nitroglycerin 1 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,519	<i>Nitroglycerin 10 mg/24h</i>	<i>PLASTER</i>	TRANSDERMAL	<i>C01DA02</i>	-
1,520	<i>Nitroglycerin 2%</i>	<i>OINTMENT</i>	TOPICAL	<i>C01DA02</i>	-
1,521	<i>Nitroglycerin 2.5 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-

1,522	<i>Nitroglycerin 2.5 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,523	<i>Nitroglycerin 2.6 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,524	<i>Nitroglycerin 400 mcg/dose</i>	<i>SPRAY, SOLUTION</i>	RESPIRATORY	<i>C01DA02</i>	-
1,525	<i>Nitroglycerin 5 mg/24h</i>	<i>PLASTER</i>	TRANSDERMAL	<i>C01DA02</i>	-
1,526	<i>Nitroglycerin 5 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,527	<i>Nitroglycerin 5 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,528	<i>Nitroglycerin 5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,529	<i>Nitroglycerin 6.4 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,530	<i>Nitroglycerin 6.4 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,531	<i>Nitroglycerin 6.5 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,532	<i>Nitroglycerin 6.5 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,533	<i>Nitroglycerin fg</i>	<i>INJECTION</i>	PARENTERAL	<i>C01DA02</i>	-
1,534	<i>Nitroglycerin 2.6 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>C01DA02</i>	-
1,535	<i>Nitroprusside Sodium 50 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>C02DD01</i>	-
1,536	<i>Nitrous Oxide</i>	<i>INHALER</i>	RESPIRATORY	<i>N01AX13</i>	-
1,537	<i>Nonoxynol-9 5%</i>	<i>CREAM</i>	VAGINAL	<i>G02BB</i>	-
1,538	<i>Norepinephrine Bitartrate 0.1%</i>	<i>INJECTION</i>	PARENTERAL	<i>C01CA03</i>	-

1,539	<i>Nortriptyline 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA10</i>	<i>** (as Hydrochloride) **</i>
1,540	<i>Nortriptyline 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA10</i>	<i>** (as Hydrochloride) **</i>
1,541	<i>Nystatin 100,000 U</i>	<i>TABLET</i>	VAGINAL	<i>G01AA01</i>	-
1,542	<i>Nystatin 100,000 U/g</i>	<i>OINTMENT</i>	TOPICAL	<i>D01AA01</i>	-
1,543	<i>Nystatin 100,000 U/ml</i>	<i>POWDER, FOR SUSPENSION</i>	LOCAL ORAL	<i>A07AA03</i>	-
1,544	<i>Nystatin 500,000 U</i>	<i>TABLET</i>	ORAL	<i>A03AA03</i>	-
1,545	<i>Obidoxime Chloride 250 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB13</i>	-
1,546	<i>Obidoxime Chloride 275 mg/ml, 0.8ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB13</i>	<i>**in prefilled disposable syringe(1ml)**</i>
1,547	<i>Octreotide 100 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01CB02</i>	<i>** (As Acetate) **</i>
1,548	<i>Octreotide 20 mg</i>	<i>INJECTION, POWDER, EXTENDED RELEASE</i>	PARENTERAL	<i>H01CB02</i>	<i>** (As Acetate) **</i>
1,549	<i>Octreotide 200 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01CB02</i>	<i>** (As Acetate) **</i>
1,550	<i>Octreotide 50 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01CB02</i>	<i>** (As Acetate) **</i>
1,551	<i>Ofloxacin 0.30%</i>	<i>DROPS, SOLUTION</i>	OTIC	<i>S01AX11</i>	-
1,552	<i>Ofloxacin 200 mg</i>	<i>TABLET</i>	ORAL	<i>J01MA01</i>	-
1,553	<i>Ofloxacin 300 mg</i>	<i>TABLET</i>	ORAL	<i>J01MA01</i>	-
1,554	<i>Ofloxacin 400 mg</i>	<i>TABLET</i>	PARENTERAL	<i>J01MA01</i>	-
1,555	<i>Olanzapine 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05AH03</i>	-

1,556	Olanzapine 15 mg	TABLET	ORAL	N05AH03	-
1,557	Olanzapine 2.5 mg	TABLET	ORAL	N05AH03	-
1,558	Olanzapine 5 mg	TABLET	ORAL	N05AH03	-
1,559	Omeprazole 20 mg	CAPSULE, DELAYED RELEASE PELLETS	ORAL	A02BC01	-
1,560	Omeprazole 20 mg	POWDER, FOR SUSPENSION	ORAL	A02BC01	-
1,561	Ondansetron 2 mg/ml, 2ml	INJECTION	PARENTERAL	A04AA01	** <i>(as Hydrochloride)</i> **
1,562	Ondansetron 2 mg/ml, 4ml	INJECTION	PARENTERAL	A04AA01	** <i>(as Hydrochloride)</i> **
1,563	Ondansetron 4 mg	TABLET	ORAL	A04AA01	** <i>(as Hydrochloride)</i> **
1,564	Ondansetron 4 mg/5ml	SOLUTION	ORAL	A04AA01	** <i>(as Hydrochloride)</i> **
1,565	Ophthalmic Bath Solution	SOLUTION	OPHTHALMIC	S01AX07	<i>Boric Acid 1610 mg/100 ml</i>
1,566	Orlistat 120 mg	CAPSULE	ORAL	A08AB01	-
1,567	ORS	TABLET, EFFERVESCENT	ORAL	A07CA	<i>(Na 75 mmol + K 20 mmol + Cl 65 mmol + citrate 10 mmol + Dextrose 75 mmol)/4 tablet</i>
1,568	ORS	SOLUTION	ORAL	A07CA	<i>(Na 75 mmol + K 20 mmol + Cl 65 mmol + citrate 10 mmol + Dextrose 75 mmol) / L</i>
1,569	ORS	POWDER, FOR SOLUTION	ORAL	A07CA	<i>(Na 75 mmol + K 20 mmol + Cl 65 mmol + citrate 10 mmol + Dextrose 75 mmol) / L</i>
1,570	Oseltamivir 60 mg/5ml	POWDER, FOR SOLUTION	ORAL	J05AH02	** <i>(As phosphate)</i> **
1,571	Oseltamivir 75 mg	CAPSULE	ORAL	J05AH02	** <i>(as phosphate)</i> **
1,572	Oxaliplatin 100 mg	INJECTION, POWDER, LYOPHILIZED	PARENTERAL	L01XA03	-

1,573	<i>Oxaliplatin 5 mg/ml, 10ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01XA03</i>	-
1,574	<i>Oxaliplatin 5 mg/ml, 20ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01XA03</i>	-
1,575	<i>Oxaliplatin 50 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L01XA03</i>	-
1,576	<i>Oxandrolone 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>A14AA08</i>	-
1,577	<i>Oxazepam 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05BA04</i>	-
1,578	<i>Oxcarbazepine 150 mg</i>	<i>TABLET</i>	ORAL	<i>N03AF02</i>	-
1,579	<i>Oxcarbazepine 300 mg</i>	<i>TABLET</i>	ORAL	<i>N03AF02</i>	-
1,580	<i>Oxcarbazepine 600 mg</i>	<i>TABLET</i>	ORAL	<i>N03AF02</i>	-
1,581	<i>Oxybutynin Chloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>G04BD04</i>	-
1,582	<i>Oxycodone Hydrochloride 15 mg</i>	<i>TABLET</i>	ORAL	<i>N02AA05</i>	-
1,583	<i>Oxycodone Hydrochloride 30 mg</i>	<i>TABLET</i>	ORAL	<i>N02AA05</i>	-
1,584	<i>Oxycodone Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N02AA05</i>	-
1,585	<i>Oxymetholone 50 mg</i>	<i>TABLET</i>	ORAL	<i>A14AA05</i>	-
1,586	<i>Oxytocin 10 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01BB02</i>	-
1,587	<i>Oxytocin 5 U/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01BB02</i>	-
1,588	<i>Paclitaxel 6 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01CD01</i>	-
1,589	<i>Paclitaxel 6 mg/ml, 16.7ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01CD01</i>	-

1,590	<i>Paclitaxel 6 mg/ml, 25ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01CD01</i>	-
1,591	<i>Paclitaxel 6 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01CD01</i>	**1 YEAR**
1,592	<i>Pamidronate Disodium 15 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M05BA03</i>	-
1,593	<i>Pamidronate Disodium 15 mg/ml, 4ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M05BA03</i>	-
1,594	<i>Pamidronate Disodium 15 mg/ml, 6ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M05BA03</i>	-
1,595	<i>Pamidronate Disodium 3 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M05BA03</i>	-
1,596	<i>Pamidronate Disodium 30 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>M05BA03</i>	-
1,597	<i>Pamidronate Disodium 90 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>M05BA03</i>	-
1,598	<i>Pamidronate Disodium 9mg/ml, 10ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>M05BA03</i>	-
1,599	<i>Pancreatin</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A09AA</i>	-
1,600	<i>Pancreatin Forte</i>	<i>CAPSULE</i>	ORAL	<i>A09AA</i>	-
1,601	<i>Pancuronium Bromide 2 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AC01</i>	-
1,602	<i>Pantoprazole 20 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A02BC02</i>	** (as Sodium sesquihydrate) **
1,603	<i>Pantoprazole 40 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A02BC02</i>	** (as Sodium sesquihydrate) **
1,604	<i>Pantoprazole 40 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED,</i>	INTRAVENOUS DRIP	<i>A02BC02</i>	** (as Sodium) **
1,605	<i>Pantoprazole 15 mg</i>	<i>CAPSULE, DELAYED RELEASE</i>	ORAL	<i>A02BC02</i>	** (As Sodium Sequihydrate) **
1,606	<i>Pantoprazole 20 mg</i>	<i>CAPSULE, DELAYED RELEASE</i>	ORAL	<i>A02BC02</i>	** (As Sodium Sequihydrate) **

1,607	<i>Pantoprazole 40 mg</i>	<i>CAPSULE, DELAYED RELEASE</i>	ORAL	<i>A02BC02</i>	<i>** (As Sodium Sequihydrate) **</i>
1,608	<i>Papaverine Hydrochloride 40 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G04BE02</i>	-
1,609	<i>Para aminosalicic acid 4 g</i>	<i>GRANULE</i>	UNKNOWN	<i>V03</i>	<i>**SA**</i>
1,610	<i>Parathormon 100 uspU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H05A</i>	-
1,611	<i>Paromomycin 125 mg/ 5ml</i>	<i>SYRUP</i>	ORAL	<i>A07AA06</i>	<i>** (as Sulfate) **</i>
1,612	<i>Paromomycin 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>A07AA06</i>	<i>** (as Sulfate) **</i>
1,613	<i>Paromomycin/Urea</i>	<i>OINTMENT</i>	TOPICAL	<i>A07AA</i>	<i>(Paromomycin 15 g + Urea 10 g) / 100 g</i>
1,614	<i>Patent Blue V 2.5%, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V08</i>	-
1,615	<i>Pediatric Grippe</i>	<i>SYRUP</i>	ORAL	<i>R05X</i>	<i>(Chlorpheniramine Maleate 0.67mg + Pseudoephedrine HCl 10 mg)/5ml</i>
1,616	<i>Pegaspargase 3750 IU</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>L01XX24</i>	-
1,617	<i>Peginterferon Alfa-2a 180 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB11</i>	-
1,618	<i>Peginterferon alfa-2a 270 mcg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB11</i>	<i>**in prefilled disposable syringe**</i>
1,619	<i>Peginterferon Alfa-2a 360 mcg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L03AB11</i>	<i>**in prefilled disposable syringe**</i>
1,620	<i>Peginterferon Alfa-2b 100 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L03AB10</i>	-
1,621	<i>Peginterferon Alfa-2b 120 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L03AB10</i>	-
1,622	<i>Peginterferon Alfa-2b 150 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L03AB10</i>	-
1,623	<i>Peginterferon Alfa-2b 50 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L03AB10</i>	-

1,624	<i>Peginterferon Alfa-2b 80 mcg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>L03AB10</i>	-
1,625	<i>Penicillamine 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01CC01</i>	-
1,626	<i>Penicillamine 250 mg</i>	<i>TABLET</i>	ORAL	<i>M01CC01</i>	-
1,627	<i>Penicillin 6.3.3</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01RA01</i>	<i>Benzathine penicillin G 600,000U+Potassium Penicillin G 300,000U+Procaine Penicillin G 300,000U</i>
1,628	<i>Penicillin G Benzathin 1,200,000 U</i>	<i>INJECTION,POWDER,EXTENDED RELEASE</i>	PARENTERAL	<i>J01RA01</i>	-
1,629	<i>Penicillin G Benzathine 600,000 U</i>	<i>INJECTION,POWDER,EXTENDED RELEASE</i>	PARENTERAL	<i>J01RA01</i>	-
1,630	<i>Penicillin G Potassium 1,000,000 U</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CE01</i>	-
1,631	<i>Penicillin G Potassium 5000000 U</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01CE01</i>	-
1,632	<i>Penicillin G Procaine 400,000 U</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01RA01</i>	<i>Potassium Penicillin G 100,000U+Procaine Penicillin G 300,000U</i>
1,633	<i>Penicillin G procaine 800,000 U</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01RA01</i>	<i>Potassium Penicillin G 200,000U+ Procaine Penicillin G 600,000U</i>
1,634	<i>Penicillin G Sodium 5,000,000 U</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01RA01</i>	-
1,635	<i>Penicillin V 125 mg/5ml</i>	<i>POWDER, FOR SOLUTION</i>	ORAL	<i>J01RA01</i>	<i>** (as potassium) 200,000 U**</i>
1,636	<i>Penicillin V 250 mg/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01RA01</i>	<i>** (as Potassium)**</i>
1,637	<i>Penicillin V 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01RA01</i>	<i>** (as Potassium) 800,000 U**</i>
1,638	<i>Penicillin V Benzathine 200,000 IU/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01RA01</i>	-
1,639	<i>Penicillin V Benzathine 400,000 IU/5ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>J01RA01</i>	-
1,640	<i>Pentagastrin 0.25 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V04CG04</i>	-

1,641	<i>Pentamidine Isoethionate 300 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>P01CX01</i>	-
1,642	<i>Pentazocine 30 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AD01</i>	<i>**as Lactate**</i>
1,643	<i>Pentazocine Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>N02AD01</i>	-
1,644	<i>Pentoxifylline 400 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C04AD03</i>	-
1,645	<i>Peritoneal Dialysis 1</i>	<i>SOLUTION</i>	PARENTERAL	<i>B05D</i>	<i>Na+ 132 mEq/L + Ca++ 3.5 mEq/L + Mg++ 1.5 mEq/L + Cl- 102 mEq/L + Lactate 35 mEq/L+ Dextrose,H2O 15g/L+Water For Inj. Q.S.To 1000ml</i>
1,646	<i>Peritoneal Dialysis 2</i>	<i>SOLUTION</i>	PARENTERAL	<i>B05D</i>	<i>Na+ 132 mEq/L + Ca++ 3.5 mEq/L + Mg++ 1.5 mEq/L + Cl- 102 mEq/L + Lactate 35 mEq/L+ Dextrose,H2O 25g/L+Water For Inj. Q.S.To 1000ml</i>
1,647	<i>Peritoneal Dialysis 3</i>	<i>SOLUTION</i>	PARENTERAL	<i>B05D</i>	<i>Na+ 132 mEq/L + Ca++ 3.5 mEq/L + Mg++ 1.5 mEq/L + Cl- 102 mEq/L + Lactate 35 mEq/L+ Dextrose,H2O 42.5g/L+Water For Inj. Q.S.To 1000ml</i>
1,648	<i>Permethrin 1%</i>	<i>CREAM</i>	TOPICAL	<i>P03AC04</i>	<i>**Rinse--1% W/W**</i>
1,649	<i>Permethrin 1%</i>	<i>SHAMPOO</i>	TOPICAL	<i>P03AC04</i>	-
1,650	<i>Permethrin 5%</i>	<i>CREAM</i>	TOPICAL	<i>P03AC04</i>	-
1,651	<i>Perphenazine 2 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB03</i>	-
1,652	<i>Perphenazine 4 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB03</i>	-
1,653	<i>Perphenazine 5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N05AB03</i>	-
1,654	<i>Perphenazine 8 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB03</i>	-
1,655	<i>Pethidine Hydrochloride 50 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AB02</i>	-
1,656	<i>Pethidine Hydrochloride 25 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AB02</i>	-
1,657	<i>Pethidine Hydrochloride 50 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AB02</i>	-

1,658	<i>Phenazopyridine Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>G04BX06</i>	-
1,659	<i>Phenobarbital 100 mg</i>	<i>TABLET</i>	ORAL	<i>N03AA02</i>	-
1,660	<i>Phenobarbital 15 mg</i>	<i>TABLET</i>	ORAL	<i>N03AA02</i>	-
1,661	<i>Phenobarbital 60 mg</i>	<i>TABLET</i>	ORAL	<i>N03AA02</i>	-
1,662	<i>Phenobarbital (As Sodium) 200 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AA02</i>	-
1,663	<i>Phenobarbital Sodium 100 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AA02</i>	-
1,664	<i>Phenobarbital Sodium 200 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AA02</i>	-
1,665	<i>Phenol</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,666	<i>Phenol Glycerin 6.4%</i>	<i>DROPS, SOLUTION</i>	OTIC	<i>D08AE03</i>	<i>Phenol 6.4 g + Glycerin qs 100 g</i>
1,667	<i>Phenolsulphonphthalein 6 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V04CH03</i>	-
1,668	<i>Phenoxybenzamine Hydrochloride 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>C04AX02</i>	-
1,669	<i>Phentolamine Mesylate 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C04AB01</i>	-
1,670	<i>Phenylephrine Hydrochloride 0.25%</i>	<i>DROPS, SOLUTION</i>	NASAL	<i>R01A</i>	-
1,671	<i>Phenylephrine Hydrochloride 0.50%</i>	<i>DROPS, SOLUTION</i>	NASAL	<i>R01A</i>	-
1,672	<i>Phenylephrine Hydrochloride 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01CA06</i>	-
1,673	<i>Phenylephrine Hydrochloride 5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01GA55</i>	-
1,674	<i>Phenylephrine Hydrochloride 0.25%</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>R01AA04</i>	-

1,675	<i>Phenylephrine Hydrochloride 0.5%</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>R01AA04</i>	-
1,676	<i>Phenylephrine Zinc</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01GA55</i>	<i>Phenylephrine HCl 0.12%+ Zinc Sulfate 0.25%</i>
1,677	<i>Phenytoin 30 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>N03AB02</i>	-
1,678	<i>Phenytoin Sodium 1%</i>	<i>CREAM</i>	TOPICAL	<i>D03</i>	-
1,679	<i>Phenytoin Sodium 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>N03AB02</i>	-
1,680	<i>Phenytoin Sodium 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>N03AB02</i>	-
1,681	<i>Phenytoin Sodium 50 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AB02</i>	-
1,682	<i>Phenytoin/Phenobarbital 100/50 mg</i>	<i>TABLET</i>	ORAL	<i>N03AB</i>	<i>Phenytoin Sodium 100mg+ Phenobarbital 50mg</i>
1,683	<i>Phosphate (Organic) 0</i>	<i>INJECTION</i>	PARENTERAL	<i>B05AX</i>	<i>(Sodium Glycerophosphate anhydrose 216mg)/ml</i>
1,684	<i>Phosphate [32p] Sodium 5 mCi</i>	<i>SOLUTION</i>	ORAL	<i>V10XX01</i>	-
1,685	<i>Phosphate, Potassium</i>	<i>INJECTION</i>	PARENTERAL	<i>B05XA</i>	<i>(KH2PO4 225mg+ K2HPO4 236mg) / ml</i>
1,686	<i>Phosphate, Potassium Monobasic *</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>**(KH2po4)**</i>
1,687	<i>Phosphate, Potassium Monobasic* 500 mg</i>	<i>TABLET</i>	ORAL	<i>A12CX</i>	-
1,688	<i>Phosphate, Sodium Dibasic *</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>**(Na2hpo4)**</i>
1,689	<i>Phosphate, Sodium monobasic *</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>**(Nah2po4)**</i>
1,690	<i>Phosphate, Sodium*</i>	<i>TABLET, EFFERVESCENT</i>	ORAL	<i>A12CX</i>	<i>NaH2PO4 1936 mg+ NaHCO3 350 mg+KHCO3 315 mg</i>
1,691	<i>Phosphocysteamine 150 mg</i>	<i>CAPSULE</i>	ORAL	<i>A16AA04</i>	-

1,692	<i>Phosphocysteamine 150 mg</i>	<i>POWDER</i>	ORAL	<i>A16AA04</i>	-
1,693	<i>Phosphorous [32P] Chromic Phosphate Colloid 5 mCi</i>	<i>INJECTION</i>	INTRACAVITARY	<i>V10AX01</i>	-
1,694	<i>Pilocarpine Hydrochloride 1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BB01</i>	-
1,695	<i>Pilocarpine Hydrochloride 2%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BB01</i>	-
1,696	<i>Pilocarpine Nitrate 1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BB01</i>	-
1,697	<i>Pilocarpine Nitrate 2%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BB01</i>	-
1,698	<i>Pilocarpine Nitrate 4%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BB01</i>	-
1,699	<i>Pilocarpine Hydrochloride 4%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01BB01</i>	-
1,700	<i>Pimozide 4 mg</i>	<i>TABLET</i>	ORAL	<i>N05AG02</i>	-
1,701	<i>Pioglitazone 15 mg</i>	<i>TABLET</i>	ORAL	<i>A10BG03</i>	<i>** (as hydrochloride) **</i>
1,702	<i>Pioglitazone 30 mg</i>	<i>TABLET</i>	ORAL	<i>A10BG03</i>	<i>** (as hydrochloride) **</i>
1,703	<i>Pioglitazone 45 mg</i>	<i>TABLET</i>	ORAL	<i>A10BG03</i>	<i>** (as hydrochloride) **</i>
1,704	<i>Pipecuronium Bromide 4 mg</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>M03AC06</i>	-
1,705	<i>Piperacillin 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CA12</i>	<i>** (as Sodium) **</i>
1,706	<i>Piperacillin 2 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CA12</i>	<i>** (as Sodium) **</i>
1,707	<i>Piperacillin Sodium/Tazobactam Sodium 2g/250mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01CR05</i>	<i>Piperacillin (as Sodium) 2g + Tazobactam (as Sodium) 250mg</i>
1,708	<i>Piperacillin Sodium/Tazobactam Sodium 3g/375mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01CR05</i>	<i>Piperacillin (as Sodium) 3g + Tazobactam (as Sodium) 375mg</i>

1,709	<i>Piperacillin Sodium/Tazobactam Sodium 4g/500mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>J01CR05</i>	<i>Piperacillin (as Sodium) 4g + Tazobactam (as Sodium) 500mg</i>
1,710	<i>Piperazine Hexahydrate 500 mg</i>	<i>TABLET</i>	ORAL	<i>P02CB01</i>	<i>** (as Citrate or Phosphate) **</i>
1,711	<i>Piperazine Hexahydrate 750 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>P02CB01</i>	<i>** (as Citrate) **</i>
1,712	<i>Piracetam 33.33%</i>	<i>LIQUID</i>	ORAL	<i>N06BX03</i>	-
1,713	<i>Piracetam 800 mg</i>	<i>TABLET</i>	ORAL	<i>N06BX03</i>	-
1,714	<i>Piroxicam 0.5%</i>	<i>GEL</i>	TOPICAL	<i>M02AA07</i>	-
1,715	<i>Piroxicam 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>M01AC01</i>	-
1,716	<i>Piroxicam 20 mg</i>	<i>SUPPOSITORY</i>	RECTAL	<i>M01AC01</i>	-
1,717	<i>Piroxicam 20 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M01AC01</i>	-
1,718	<i>Pneumococcal Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07AL</i>	<i>**Polyvalent**</i>
1,719	<i>Podophyllin</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,720	<i>Poliomyelitis Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BF</i>	<i>** Trivalent Killed (Salk) **</i>
1,721	<i>Poliovirus Vaccine</i>	<i>SOLUTION</i>	ORAL	<i>J07BF</i>	<i>**live**</i>
1,722	<i>Poly Ethylene Glycol 0</i>	<i>POWDER</i>	ORAL	<i>v03</i>	<i>Macrogol 4000 / Lit.</i>
1,723	<i>Poly Ethylenglycol - electrolyte 1*</i>	<i>POWDER, FOR SOLUTION</i>	ORAL	<i>A06AX</i>	<i>(Macrogol 3350, 3.9 mmol, Sodium 65 mmol, Chloride 53 mmol, Bicarbonate 17 mmol, potassium 5.4 mmol) / Lit.</i>
1,724	<i>Poly Ethylenglycol - electrolyte 2*</i>	<i>POWDER, FOR SOLUTION</i>	ORAL	<i>A06AX</i>	<i>(Macrogol 3350, 17.6 mmol, Sodium 125 mmol, Sulfate 40 mmol, Chloride 35 mmol, Bicarbonate 20 mmol, potassium 10 mmol) / Lit.</i>
1,725	<i>Polymyxin B Sulfate 500,000 U</i>	<i>INJECTION</i>	PARENTERAL	<i>S01AA18</i>	<i>**INJECTION/OPHTHALMIC DROPS**</i>

1,726	<i>Polymyxin B Sulfate/Neomycin Sulfate/Hydrocortison</i>	<i>DROPS, SOLUTION</i>	OTIC	<i>S02AA11</i>	<i>(Polymyxin B sulfate 10,000 U + Neomycin Sulfate 5 mg + Hydrocortisone 10 mg)/1 ml</i>
1,727	<i>Polymyxin B Sulfate/Neomycin Sulfate/Hydrocortison</i>	<i>DROPS, SUSPENSION</i>	OTIC	<i>S02AA11</i>	<i>(Polymyxin B sulfate 10,000 U + Neomycin Sulfate 5 mg + Hydrocortisone 10 mg)/1 ml</i>
1,728	<i>Polysorbate 80</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,729	<i>Poractant Alfa 80 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R07A</i>	-
1,730	<i>Potassium Aminobenzoic Acid 3 g/sachet</i>	<i>POWDER</i>	ORAL	<i>D11</i>	**Paba-k**
1,731	<i>Potassium Aminobenzoic Acid 500 mg</i>	<i>TABLET</i>	ORAL	<i>D11</i>	**Paba-k**
1,732	<i>Potassium Chloride 20 mEq/sachet</i>	<i>POWDER</i>	ORAL	<i>A12CC</i>	-
1,733	<i>Potassium Chloride 500 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>A12BA01</i>	-
1,734	<i>Potassium Chloride 600 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>A12BA01</i>	-
1,735	<i>Potassium Chloride Concentrated 1 mEq/ml, 10ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05XA01</i>	-
1,736	<i>Potassium Chloride Concentrated 2 mEq/ml, 10ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05XA01</i>	-
1,737	<i>Potassium Chloride Concentrated 2 mEq/ml, 50ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	INTRAVENOUS DRIP	<i>B05XA01</i>	-
1,738	<i>Potassium Citrate 10 mEq</i>	<i>TABLET</i>	ORAL	<i>A12BA02</i>	-
1,739	<i>Potassium Citrate 10 mEq/Sachet</i>	<i>POWDER</i>	ORAL	<i>A12BA02</i>	-
1,740	<i>Potassium Citrate 5 mEq</i>	<i>TABLET</i>	ORAL	<i>A12BA02</i>	-
1,741	<i>Potassium Iodide</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,742	<i>Potassium Permanganate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-

1,743	<i>Povidone Iodine 10%</i>	<i>SPRAY, SOLUTION</i>	TOPICAL	<i>D08AG02</i>	<i>1 YEAR</i>
1,744	<i>Povidone Iodine 10%</i>	<i>SOLUTION</i>	TOPICAL	<i>D08AG02</i>	-
1,745	<i>Povidone Iodine 10%</i>	<i>OINTMENT</i>	TOPICAL	<i>D09AA09</i>	-
1,746	<i>Povidone Iodine 10%</i>	<i>DOUCHE</i>	VAGINAL	<i>G01AX11</i>	-
1,747	<i>Povidone Iodine 10%</i>	<i>GEL</i>	VAGINAL	<i>G01AX11</i>	-
1,748	<i>Povidone Iodine 2.5%</i>	<i>SPRAY, SOLUTION</i>	TOPICAL	<i>D09AA09</i>	-
1,749	<i>Povidone Iodine 200 mg</i>	<i>SUPPOSITORY</i>	VAGINAL	<i>D09AA09</i>	-
1,750	<i>Povidone Iodine 3 mg/cm2</i>	<i>TISSUE</i>	TOPICAL	<i>D09AA09</i>	-
1,751	<i>Povidone Iodine 7.5%</i>	<i>SPONGE</i>	TOPICAL	<i>D09AA09</i>	-
1,752	<i>Povidone Iodine 7.5%</i>	<i>SHAMPOO</i>	TOPICAL	<i>D09AA09</i>	-
1,753	<i>Povidone Iodine 7.5%</i>	<i>SOLUTION</i>	TOPICAL	<i>D09AA09</i>	**Surgical Scrub**
1,754	<i>Pralidoxime Chloride 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>V03AB04</i>	-
1,755	<i>Pramipexole (As Hydrochloride) 0.088 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC05</i>	-
1,756	<i>Pramipexole (As Hydrochloride) 0.18 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC05</i>	-
1,757	<i>Pramipexole (As Hydrochloride) 0.35 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC05</i>	-
1,758	<i>Pramipexole (As Hydrochloride) 0.7 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC05</i>	-
1,759	<i>Praziquantel 600 mg</i>	<i>TABLET</i>	ORAL	<i>P02BA01</i>	-

1,760	<i>Prazosin 1 mg</i>	<i>TABLET</i>	ORAL	<i>C02CA01</i>	<i>** (as HCl) **</i>
1,761	<i>Prazosin 5 mg</i>	<i>TABLET</i>	ORAL	<i>C02CA01</i>	<i>** (as HCl) **</i>
1,762	<i>Prednimustine 10 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01AA08</i>	-
1,763	<i>Prednimustine 10 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA08</i>	-
1,764	<i>Prednimustine 100 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA08</i>	-
1,765	<i>Prednimustine 20 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA08</i>	-
1,766	<i>Prednimustine 50 mg</i>	<i>TABLET</i>	ORAL	<i>L01AA08</i>	-
1,767	<i>Prednimustine 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01AA08</i>	-
1,768	<i>Prednisolone 5 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB06</i>	-
1,769	<i>Prednisolone Acetate 1%</i>	<i>DROPS, SUSPENSION</i>	OPHTHALMIC	<i>S01BA04</i>	<i>** microfine **</i>
1,770	<i>Prednisolone Forte 50 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB06</i>	-
1,771	<i>Prednisone 1 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB07</i>	-
1,772	<i>Prednisone 50 mg</i>	<i>TABLET</i>	ORAL	<i>H02AB0</i>	-
1,773	<i>Prilocaine/ Felypressin</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BB</i>	<i>Cartridge__ (Prilocaine HCl 30mg+Felypressin (0.03 IU.) 0.54 mcg)/ ml</i>
1,774	<i>Primaquine 15 mg</i>	<i>TABLET</i>	ORAL	<i>P01BA03</i>	<i>** (as Phosphate) **</i>
1,775	<i>Primaquine 7.5 mg</i>	<i>TABLET</i>	ORAL	<i>P01BA03</i>	<i>** (as Phosphate) **</i>
1,776	<i>Primidone 125 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>N03AA03</i>	-

1,777	<i>Primidone 250 mg</i>	<i>TABLET</i>	ORAL	<i>N03AA03</i>	-
1,778	<i>Primidone 250 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>N03AA03</i>	-
1,779	<i>Procainamide Hydrochloride 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01BA02</i>	-
1,780	<i>Procainamide Hydrochloride 500 mg</i>	<i>CAPSULE</i>	ORAL	<i>C01BA02</i>	-
1,781	<i>Procarbazine 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>L01XB01</i>	<i>** (as Hydrochloride) **</i>
1,782	<i>Progesterone 200 mg</i>	<i>SUPPOSITORY</i>	VAGINAL or RECTAL	<i>G03DA04</i>	-
1,783	<i>Progesterone 25 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03DA04</i>	-
1,784	<i>Progesterone 400 mg</i>	<i>SUPPOSITORY</i>	VAGINAL or RECTAL	<i>G03DA04</i>	-
1,785	<i>Progesterone 50 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03DA04</i>	-
1,786	<i>Promethazine 5 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R06AD02</i>	<i>** (as Hydrochloride) **</i>
1,787	<i>Promethazine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>R06AD02</i>	-
1,788	<i>Promethazine Hydrochloride 25 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R06AD02</i>	-
1,789	<i>Promethazine Hydrochloride 25 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R06AD02</i>	-
1,790	<i>Propafenone Hydrochloride 150 mg</i>	<i>TABLET</i>	ORAL	<i>C01BC03</i>	-
1,791	<i>Propafenone Hydrochloride 300 mg</i>	<i>TABLET</i>	ORAL	<i>C01BC03</i>	-
1,792	<i>Propamidine Isethionate 0.1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AX15</i>	-
1,793	<i>Propantheline Bromide 15 mg</i>	<i>TABLET</i>	ORAL	<i>A03AB05</i>	-

1,794	<i>propofol 10 mg/ml, 100ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AX10</i>	-
1,795	<i>Propofol 10 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AX10</i>	-
1,796	<i>propofol 10 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AX10</i>	-
1,797	<i>propofol 20mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AX10</i>	-
1,798	<i>Propranolol Hydrochloride 20 mg</i>	<i>TABLET</i>	ORAL	<i>C07AA05</i>	-
1,799	<i>Propranolol Hydrochloride 1 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C07AA05</i>	-
1,800	<i>Propranolol Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>C07AA05</i>	-
1,801	<i>Propranolol Hydrochloride 160 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C07AA05</i>	-
1,802	<i>Propranolol Hydrochloride 40 mg</i>	<i>TABLET</i>	ORAL	<i>C07AA05</i>	-
1,803	<i>Propranolol Hydrochloride 80 mg</i>	<i>TABLET</i>	ORAL	<i>C07AA05</i>	-
1,804	<i>Propranolol Hydrochloride 80 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C07AA05</i>	-
1,805	<i>Propylene Glycol</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,806	<i>Propylthiouracil 50 mg</i>	<i>TABLET</i>	ORAL	<i>H03BA02</i>	-
1,807	<i>Prostaglandin E1 0.5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C01EA01</i>	<i>**(AlprostadiI)**</i>
1,808	<i>Prostaglandin E1 20 mcg</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>C01EA01</i>	-
1,809	<i>Prostaglandin E1 20 mcg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>C01EA01</i>	<i>**(AlprostadiI)**</i>
1,810	<i>Prostaglandin E2</i>	<i>GEL</i>	VAGINAL	<i>G02AB02</i>	<i>**(Dinoprostone)**</i>

1,811	<i>Prostaglandin E2 10 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G02AB02</i>	<i>**(Dinoprostone)**</i>
1,812	<i>Prostaglandin E2 3 mg</i>	<i>TABLET</i>	VAGINAL	<i>G02AB02</i>	<i>**(Dinoprostone)**</i>
1,813	<i>Protamine Sulfate 1000 UAH/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB14</i>	-
1,814	<i>Prothionamide 125 mg</i>	<i>TABLET</i>	ORAL	<i>J04AD01</i>	-
1,815	<i>Prothionamide 250 mg</i>	<i>TABLET</i>	ORAL	<i>J04AD01</i>	-
1,816	<i>Protirelin 0.2 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V04CJ02</i>	-
1,817	<i>Pseudoephedrine Hydrochloride 30 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>R01BA02</i>	-
1,818	<i>Pseudoephedrine Hydrochloride 30 mg</i>	<i>TABLET</i>	ORAL	<i>R01BA02</i>	-
1,819	<i>Pseudoephedrine Hydrochloride 30 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R01BA02</i>	-
1,820	<i>Pyrantel 250 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>P02CC01</i>	<i>**(as Pamoate)**</i>
1,821	<i>Pyrantel 125 mg</i>	<i>TABLET</i>	ORAL	<i>P02CC01</i>	<i>**(as Pamoate)**</i>
1,822	<i>Pyrazinamide 500 mg</i>	<i>TABLET</i>	ORAL	<i>J04AK01</i>	-
1,823	<i>Pyridostigmine Bromide 10 mg</i>	<i>TABLET</i>	ORAL	<i>N07AA02</i>	-
1,824	<i>Pyridostigmine Bromide 60 mg</i>	<i>TABLET</i>	ORAL	<i>N07AA02</i>	-
1,825	<i>Pyridostigmine Bromide 60 mg</i>	<i>TABLET</i>	ORAL	<i>N07AA02</i>	-
1,826	<i>Pyrimethamine 25 mg</i>	<i>TABLET</i>	ORAL	<i>P01BD01</i>	-
1,827	<i>Pyrvinium 50 mg</i>	<i>TABLET</i>	ORAL	<i>P02CX01</i>	<i>**(as Pamoate)**</i>

1,828	<i>Pyruvium 50 mg/5ml</i>	<i>SUSPENSION</i>	ORAL	<i>P02CX01</i>	<i>** (as Pamoate) **</i>
1,829	<i>Quinacrine Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>P01AX05</i>	<i>** (2 Hcl) **</i>
1,830	<i>Quinidine Bisulfate 250 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C01BA01</i>	<i>**EQ. TO 200 mg SULFATE**</i>
1,831	<i>Quinidine Sulfate 200 mg</i>	<i>TABLET</i>	ORAL	<i>C01BA01</i>	-
1,832	<i>Quinidine Sulfate 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>P01BC01</i>	-
1,833	<i>Quinine 250 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01BC01</i>	-
1,834	<i>Quinine Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>P01BC01</i>	-
1,835	<i>Quinine Hydrochloride 250 mg</i>	<i>TABLET</i>	ORAL	<i>P01BC01</i>	-
1,836	<i>Quinine Sulfate 200 mg</i>	<i>TABLET</i>	ORAL	<i>P01BC01</i>	-
1,837	<i>Rabeprazole Sodium 20 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A02BC04</i>	<i>1 YEAR</i>
1,838	<i>Rabies Immune globulin</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BB05</i>	<i>** (Human) **</i>
1,839	<i>Rabies Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BG</i>	<i>**HDC (Freeze-dried Killed Virus) **</i>
1,840	<i>Rabies Vero Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BG</i>	-
1,841	<i>Raloxifene Hydrochloride 60 mg</i>	<i>TABLET</i>	ORAL	<i>G03XC01</i>	<i>** 1 year **</i>
1,842	<i>Ranitidine 150 mg</i>	<i>TABLET, EFFERVESCENT</i>	ORAL	<i>A02BA02</i>	<i>** (as Hydrochloride) **</i>
1,843	<i>Ranitidine 150 mg</i>	<i>TABLET</i>	ORAL	<i>A02BA02</i>	<i>** As Hydrochloride **</i>
1,844	<i>Ranitidine 25 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A02BA02</i>	<i>** As Hydrochloride **</i>

1,845	Ranitidine 300 mg	<i>TABLET, EFFERVESCENT</i>	ORAL	A02BA02	** <i>(as Hydrochloride)</i> **
1,846	Ranitidine 150 mg	<i>CAPSULE, GELATIN COATED</i>	ORAL	A02BA02	** <i>As Hydrochlorid</i> **
1,847	Ranitidine 75mg/5ml	<i>SYRUP</i>	ORAL	A02BA02	** <i>(As Hydrochloride)</i> **
1,848	Remifentanyl 1 mg	<i>INJECTION, POWDER,</i>	PARENTERAL	N01AH06	** <i>Hydrochloride</i> **
1,849	Remifentanyl 2 mg	<i>INJECTION, POWDER,</i>	PARENTERAL	N01AH06	** <i>Hydrochloride</i> **
1,850	Remifentanyl 5 mg	<i>INJECTION, POWDER,</i>	PARENTERAL	N01AH06	-
1,851	Repaglinide 0.5 mg	<i>TABLET</i>	ORAL	A10BX02	-
1,852	Repaglinide 1 mg	<i>TABLET</i>	ORAL	A10BX02	-
1,853	Repaglinide 2 mg	<i>TABLET</i>	ORAL	A10BX02	-
1,854	Reserpine 0.1 mg	<i>TABLET</i>	ORAL	C02AA02	-
1,855	Resorcinol	<i>UNKNOWN</i>	UNASSIGNED	V03	** <i>(Resorcin)</i> **
1,856	Reteplase 10.4 U	<i>INJECTION, POWDER</i>	PARENTERAL	B01AD07	-
1,857	Ribaverin 100 mg	<i>INJECTION</i>	PARENTERAL	J05AB04	-
1,858	Ribavirin 200 mg	<i>TABLET</i>	ORAL	J05AB04	-
1,859	Ribavirin 200 mg	<i>CAPSULE</i>	ORAL	J05AB04	-
1,860	Rifabutin 300 mg	<i>TABLET</i>	ORAL	J04AB02	-
1,861	Rifabutin 150 mg	<i>CAPSULE</i>	ORAL	J04AB04	-

1,862	<i>Rifampicin 150 mg</i>	<i>CAPSULE</i>	ORAL	<i>J04AB02</i>	-
1,863	<i>Rifampicin 153 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>J04AB02</i>	-
1,864	<i>Rifampicin 300 mg</i>	<i>CAPSULE</i>	ORAL	<i>J04AB02</i>	-
1,865	<i>Rifampicin 600 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J04AB02</i>	-
1,866	<i>Riluzole 50 mg</i>	<i>TABLET</i>	ORAL	<i>N07XX02</i>	-
1,867	<i>Ringer Lactate 1000 ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB01</i>	<i>(Na+130mEq + Ca+++3mEq + K +4mEq + Cl-109mEq + Lactate 28mEq)/L</i>
1,868	<i>Ringer Lactate 500 ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB01</i>	<i>(Na+130mEq + Ca+++3mEq + K +4mEq + Cl-109mEq + Lactate 28mEq)/L</i>
1,869	<i>Ringers 1000 ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB01</i>	<i>(Na+147mEq + Ca+++ 4.5mEq + K+4mEq +Cl-156mEq)/L</i>
1,870	<i>Ringers 250 ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05</i>	<i>(Na+147mEq + Ca+++ 4.5mEq + K+4mEq +Cl-156mEq)/L</i>
1,871	<i>Ringers 500 ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05BB01</i>	<i>(Na+147mEq + Ca+++ 4.5mEq + K+4mEq +Cl-156mEq)/L</i>
1,872	<i>Risperidone 1 mg</i>	<i>TABLET</i>	ORAL	<i>N05AX08</i>	-
1,873	<i>Risperidone 2 mg</i>	<i>TABLET</i>	ORAL	<i>N05AX08</i>	-
1,874	<i>Risperidone 3 mg</i>	<i>TABLET</i>	ORAL	<i>N05AX08</i>	-
1,875	<i>Risperidone 4 mg</i>	<i>TABLET</i>	ORAL	<i>N05AX08</i>	-
1,876	<i>Ritodrine 10 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G02CA01</i>	<i>**Hydrochloride**</i>
1,877	<i>Ritodrine 10 mg</i>	<i>TABLET</i>	ORAL	<i>G02CA01</i>	<i>**Hydrochloride**</i>
1,878	<i>Rituximab 10 mg/lm, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01XC02</i>	-

1,879	<i>Rituximab 10mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01XC02</i>	-
1,880	<i>Rivastigmine 1.5 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06DA03</i>	<i>** (as Hydrogen Tartrate) **</i>
1,881	<i>Rivastigmine 4.5 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06DA03</i>	<i>** (as Hydrogen Tartrate) **</i>
1,882	<i>Rivastigmine 6 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06DA03</i>	<i>** (as Hydrogen Tartrate) **</i>
1,883	<i>Rivastigmine 3 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06DA03</i>	<i>** (as Hydrogen Tartrate) **</i>
1,884	<i>Rizatriptan 10 mg</i>	<i>TABLET</i>	ORAL	<i>N02CC04</i>	-
1,885	<i>Rizatriptan 5 mg</i>	<i>TABLET</i>	ORAL	<i>N02CC04</i>	-
1,886	<i>Ropinirole 5 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC04</i>	<i>** (as Hydrochloride) **</i>
1,887	<i>Ropinirole 0.25 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC04</i>	<i>** (as Hydrochloride) **</i>
1,888	<i>Ropinirole 1 mg</i>	<i>TABLET</i>	ORAL	<i>N04BC04</i>	<i>** (as Hydrochloride) **</i>
1,889	<i>Rubella Rirus Vaccine</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J07BJ01</i>	<i>**live**</i>
1,890	<i>Saccharin 13-16 mg</i>	<i>PELLET</i>	ORAL	<i>V07AY</i>	<i>** (As Sodium) **</i>
1,891	<i>Salbutamol 0.5 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CC02</i>	<i>** (as Sulfate) **</i>
1,892	<i>Salbutamol 2 mg</i>	<i>TABLET</i>	ORAL	<i>R03CC02</i>	<i>** (as Sulfate) **</i>
1,893	<i>Salbutamol 2 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R03CC02</i>	<i>** (as Sulfate) **</i>
1,894	<i>Salbutamol 5 mg/ml</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC02</i>	<i>** (as Sulfate) **</i>
1,895	<i>Salbutamol 100 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC02</i>	<i>**200 dose**</i>

1,896	<i>Salbutamol 2.5 mg/2.5ml</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC02</i>	<i>** (As Sulfate)**</i>
1,897	<i>Salbutamol/Beclomethasone Dipropionate 100/50 mcg</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AK</i>	-
1,898	<i>Salicylic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>D01AE12</i>	-
1,899	<i>Salicylic Acid 40 mg</i>	<i>PLASTER</i>	TOPICAL	<i>D01AE12</i>	-
1,900	<i>Salicylic Acid Compound</i>	<i>SOLUTION</i>	TOPICAL	<i>D01AE12</i>	<i>Salicylic Acid 16.7g+Lactic Acid 16.7g + Collodion qs to 100g</i>
1,901	<i>Salmeterol 25 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC12</i>	<i>** (as Xinafoate)**</i>
1,902	<i>Salmeterol 50 mcg/dose</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AC12</i>	<i>** (as Xinafoate)**</i>
1,903	<i>Salmeterol / Fluticasone Propionate 25/125</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AK04</i>	<i>Salmeterol (as Xinafoate) 25mcg + Fluticasone Propionate 125mcg</i>
1,904	<i>Salmeterol / Fluticasone Propionate 25/250</i>	<i>INHALER</i>	RESPIRATORY	<i>A03AK04</i>	<i>Salmeterol (as Xinafoate) 25mcg + Fluticasone Propionate 250mcg</i>
1,905	<i>Salmeterol / Fluticasone Propionate 25/50</i>	<i>INHALER</i>	RESPIRATORY	<i>R03AK04</i>	<i>Salmeterol (as Xinafoate) 25mcg + Fluticasone Propionate 50mcg</i>
1,906	<i>Sarcoidosis Test</i>	<i>INJECTION</i>	PARENTERAL	<i>V04</i>	<i>** (Kveim) Diagnostic**</i>
1,907	<i>Schick Test</i>	<i>INJECTION</i>	PARENTERAL	<i>V04</i>	<i>** Diagnostic**</i>
1,908	<i>Scopolamine 1 mg/72h</i>	<i>PATCH, EXTENDED RELEASE</i>	TRANSDERMAL	<i>N05CM05</i>	-
1,909	<i>Secretin 100 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>V04CK01</i>	-
1,910	<i>Selegiline Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N04BD01</i>	-
1,911	<i>Sertaconazole Nitrate 2%</i>	<i>CREAM</i>	TOPICAL	<i>D01AC14</i>	-
1,912	<i>Sertaconazole Nitrate 500 mg</i>	<i>TABLET</i>	VAGINAL	<i>G01AF</i>	-

1,913	<i>Sertralin 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06AE06</i>	<i>** (as Hydrochloride) **</i>
1,914	<i>Sertralin 100 mg</i>	<i>TABLET</i>	ORAL	<i>N06AE06</i>	<i>** (as Hydrochloride) **</i>
1,915	<i>Sertralin 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AE06</i>	<i>** (As Hydrochloride) **</i>
1,916	<i>Sertralin 50 mg</i>	<i>TABLET</i>	ORAL	<i>N06AE06</i>	<i>** (as Hydrochloride) **</i>
1,917	<i>Sertralin 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>N06AE06</i>	<i>** (as Hydrochloride) **</i>
1,918	<i>Sevoflurane 250 mg</i>	<i>INHALER</i>	RESPIRATORY	<i>N01AB08</i>	<i>** 250ml/flacon **</i>
1,919	<i>Sildenafil 100 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE03</i>	<i>** (as Citrate) **</i>
1,920	<i>Sildenafil 25 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE03</i>	<i>** (as Citrate) **</i>
1,921	<i>Sildenafil 50 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE03</i>	<i>** (as Citrate) **</i>
1,922	<i>Silver Nitrate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,923	<i>Silver Sulfadiazine 10 mg/g</i>	<i>CREAM</i>	TOPICAL	<i>D06BA01</i>	-
1,924	<i>Silver Sulfadiazine/EGF 1%</i>	<i>CREAM</i>	TOPICAL	<i>D06BA</i>	<i>** (Silver Sulfadiazine 1% + Epidermal Growth Factor 0.92) **</i>
1,925	<i>Simethicone (Dimethicone Activated) 125 mg</i>	<i>CAPSULE, GELATIN COATED</i>	ORAL	<i>A07D</i>	-
1,926	<i>Simethicone (Dimethicone Activated) 40 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>A07D</i>	-
1,927	<i>Simethicone (Dimethicone Activated) 40 mg/ml</i>	<i>DROPS, SUSPENSION</i>	ORAL	<i>A07D</i>	-
1,928	<i>Simethicone (Dimethicone Activated) 41.2 mg/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>A07D</i>	-
1,929	<i>Simple Eye Oint*</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01XA</i>	<i>Yellow soft paraffin 80 g + Wool fat 10 g + Liquid paraffin q.s. 100 g</i>

1,930	<i>Simvastatin 10 mg</i>	<i>TABLET</i>	ORAL	<i>C10AA01</i>	-
1,931	<i>Simvastatin 20 mg</i>	<i>TABLET</i>	ORAL	<i>C10AA01</i>	-
1,932	<i>Sirolimus 1 mg</i>	<i>TABLET</i>	ORAL	<i>L04AA10</i>	-
1,933	<i>Sodium Aminosalicylate 500 mg</i>	<i>TABLET</i>	ORAL	<i>J04AA02</i>	-
1,934	<i>Sodium Bicarbonate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,935	<i>Sodium Bicarbonate 8.4%, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B05</i>	-
1,936	<i>Sodium Bicarbonate 8.4%, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B05</i>	-
1,937	<i>Sodium Cellulose Phosphate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,938	<i>Sodium Chloride</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,939	<i>Sodium Chloride 0.225%, 1000ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05XA03</i>	**Quarter Saline**
1,940	<i>Sodium Chloride 0.225%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05XA03</i>	**Quarter Saline**
1,941	<i>Sodium Chloride 0.45%, 1000ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05XA03</i>	**Half Saline**
1,942	<i>Sodium Chloride 0.45%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05XA03</i>	**Half Saline**
1,943	<i>Sodium Chloride 0.65%</i>	<i>DROPS, SOLUTION</i>	NASAL	<i>B05CB01</i>	-
1,944	<i>Sodium Chloride 0.9%</i>	<i>SOLUTION</i>	IRRIGATION	<i>V03</i>	-
1,945	<i>Sodium Chloride 0.9%, 1000ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05</i>	-
1,946	<i>Sodium Chloride 0.9%, 100ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05</i>	-

1,947	<i>Sodium Chloride 0.9%, 10ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05xa</i>	-
1,948	<i>Sodium Chloride 0.9%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05</i>	-
1,949	<i>Sodium Chloride 0.9%, 5ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05</i>	-
1,950	<i>Sodium Chloride 0.90% , 250ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B05</i>	-
1,951	<i>Sodium Chloride 5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01XA03</i>	-
1,952	<i>Sodium Chloride 5%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01XA03</i>	-
1,953	<i>Sodium Chloride 5%, 500ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05</i>	-
1,954	<i>Sodium Chloride 5%, 50ml</i>	<i>INJECTION, SOLUTION</i>	INTRAVENOUS DRIP	<i>B05</i>	-
1,955	<i>Sodium Chloride 0.65%</i>	<i>SPRAY, SOLUTION</i>	NASAL	<i>B05CB01</i>	-
1,956	<i>Sodium Citrate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,957	<i>Sodium Hypochlorite 0.55% (AVAILABLE Cl)</i>	<i>SOLUTION</i>	NOT APPLICABLE	<i>D08AX07</i>	-
1,958	<i>Sodium Lactate 1/6 molar</i>	<i>INJECTION</i>	PARENTERAL	<i>B05CB</i>	-
1,959	<i>Sodium Nitrite 30 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB08</i>	-
1,960	<i>Sodium Polystyrene Sulfonate 454 g</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>V03AE01</i>	-
1,961	<i>Sodium Salicylate 300 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N02BA04</i>	-
1,962	<i>Sodium Tetradecyl Sulfate 1%, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C05BB04</i>	-
1,963	<i>Sodium Tetradecyl Sulfate 3%, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C05BB04</i>	-

1,964	<i>Sodium Thiosulfate</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>**(Sodium Hyposulfite)**</i>
1,965	<i>Sodium Thiosulfate 250 mg/ml, 50ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V03AB06</i>	<i>**(Sodium Hyposulfite)**</i>
1,966	<i>Somatostatin 0.25 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H01CB01</i>	-
1,967	<i>Somatropin 4 U</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>H01CB02</i>	<i>**(Biosynthesis)**</i>
1,968	<i>Somatropin 12 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>H01CB02</i>	<i>**(Biosynthesis)**</i>
1,969	<i>Somatropin 15 U/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01CB02</i>	-
1,970	<i>Sorbitol 5 g/sachet</i>	<i>POWDER</i>	ORAL	<i>A06AD18</i>	-
1,971	<i>Sorbitol 70%</i>	<i>SOLUTION</i>	ORAL	<i>A06AD18</i>	-
1,972	<i>Sotalol Hydrochloride 40 mg</i>	<i>TABLET</i>	ORAL	<i>C07AA07</i>	-
1,973	<i>Sotalol Hydrochloride 80 mg</i>	<i>TABLET</i>	ORAL	<i>C07AA07</i>	-
1,974	<i>Spectinomycin 2 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01XX04</i>	<i>**(as 2HCl)**</i>
1,975	<i>Spiramycin 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01FA02</i>	-
1,976	<i>Spirolactone 100 mg</i>	<i>TABLET</i>	ORAL	<i>C03DA01</i>	-
1,977	<i>Spirolactone 25 mg</i>	<i>TABLET</i>	ORAL	<i>C03DA01</i>	-
1,978	<i>Starch</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,979	<i>Stavudine 40 mg</i>	<i>TABLET</i>	ORAL	<i>J05AF04</i>	-
1,980	<i>Stavudine 5 mg/5ml</i>	<i>POWDER, FOR SOLUTION</i>	ORAL	<i>J05AF04</i>	-

1,981	<i>Stavudine 40 mg</i>	<i>CAPSULE</i>	ORAL	<i>J05AF04</i>	-
1,982	<i>Stearic Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
1,983	<i>Stibogluconate Sodium 100 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>P01CB02</i>	<i>**(Eq. To Pentavalent Antimony)**</i>
1,984	<i>Streptokinase 250,000 IU</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B01AD01</i>	-
1,985	<i>Streptokinase 750,000 IU</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>B01AD01</i>	-
1,986	<i>Streptomycin 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01GA01</i>	<i>**(as Sulfate)**</i>
1,987	<i>Streptozocin 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01AD04</i>	-
1,988	<i>Succimer 100 mg</i>	<i>CAPSULE</i>	ORAL	<i>V03AB</i>	-
1,989	<i>Succimer 200 mg</i>	<i>CAPSULE</i>	ORAL	<i>V03AB</i>	-
1,990	<i>Succinylcholine Chloride 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>M03AB01</i>	-
1,991	<i>Succinylcholine Chloride 100 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>M03AB01</i>	-
1,992	<i>Succinylcholine Chloride 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AB01</i>	-
1,993	<i>Succinylcholine Chloride 20 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AB01</i>	-
1,994	<i>Succinylcholine Chloride 50 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AB01</i>	-
1,995	<i>Succinylcholine Chloride 50 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>M03AB01</i>	-
1,996	<i>Succinylcholine Chloride 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>M03AB01</i>	-
1,997	<i>Sucralfate 1 g</i>	<i>TABLET</i>	ORAL	<i>A02BX02</i>	-

1,998	<i>Sucralfate 1 g/sachet</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>A02BX02</i>	-
1,999	<i>Sucralfate 500 mg</i>	<i>TABLET</i>	ORAL	<i>A02BX02</i>	-
2,000	<i>Sufentanil 50 mcg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH03</i>	<i>** (as Citrate) **</i>
2,001	<i>Sufentanil 50 mcg/m, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH03</i>	<i>** (as Citrate) **</i>
2,002	<i>Sufentanil 50 mcg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AH03</i>	<i>** (As Citrate) **</i>
2,003	<i>Sulfacetamide Sodium 10%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AB04</i>	-
2,004	<i>Sulfacetamide Sodium 20%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AB04</i>	-
2,005	<i>Sulfadiazine 500 mg</i>	<i>TABLET</i>	ORAL	<i>J01BC02</i>	-
2,006	<i>Sulfadoxine/Pyrimethamine 500/25 mg</i>	<i>TABLET</i>	ORAL	<i>J01EB</i>	<i>Sulfadoxine 500 mg+Pyrimethamine 25 mg</i>
2,007	<i>Sulfasalazine 30 mg/ml, 100ml</i>	<i>ENEMA</i>	RECTAL	<i>A07EC01</i>	-
2,008	<i>Sulfasalazine 500 mg</i>	<i>TABLET</i>	ORAL	<i>A07EC01</i>	-
2,009	<i>Sulfasalazine 500 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>A07EC01</i>	-
2,010	<i>Sulfur</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	<i>** (Precipitated) **</i>
2,011	<i>Sumatriptan 100 mg</i>	<i>TABLET</i>	ORAL	<i>N02CC01</i>	<i>** (as Succinate) **</i>
2,012	<i>Sumatriptan 50 mg</i>	<i>TABLET</i>	ORAL	<i>N02CC01</i>	<i>** (as Succinate) **</i>
2,013	<i>Sumatriptan 12 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02CC01</i>	<i>** (as Succinate) **</i>
2,014	<i>Tacrolimus 0.03%</i>	<i>OINTMENT</i>	TOPICAL	<i>V03</i>	<i>** (As Monohydrate) **</i>

2,015	<i>Tacrolimus 0.5 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA05</i>	-
2,016	<i>Tacrolimus 1 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA05</i>	-
2,017	<i>Tacrolimus 5 mg</i>	<i>CAPSULE</i>	ORAL	<i>L04AA05</i>	-
2,018	<i>Tacrolimus 5 mg/ml, 1ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L04AA05</i>	-
2,019	<i>Tadalafil 10 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE</i>	-
2,020	<i>Tadalafil 20 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE</i>	-
2,021	<i>Tamoxifen 20 mg</i>	<i>TABLET</i>	ORAL	<i>L02BA01</i>	**as Citrate**
2,022	<i>Tamoxifen 10 mg</i>	<i>TABLET</i>	ORAL	<i>L02BA01</i>	**as Citrate**
2,023	<i>Tamsulosin Hydrochloride 0.4 mg</i>	<i>CAPSULE, EXTENDED RELEASE, PELLETS</i>	ORAL	<i>G04CA02</i>	-
2,024	<i>Tartaric Acid</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
2,025	<i>Technetium [99mTc] Pertechnetate 100 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09FX01</i>	**generator**
2,026	<i>Technetium [99mTc] Pertechnetate 200 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09FX01</i>	**generator**
2,027	<i>Technetium [99mTc] Pertechnetate 300 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09FX01</i>	**Generator**
2,028	<i>Technetium [99mTc] Pertechnetate 400 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09FX01</i>	**Generator**
2,029	<i>Technetium [99mTc]ethylenedicystein (10 - 100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09CA</i>	-
2,030	<i>Technetium [99mTc]antimony Sulfur Colloid (5 - 50) mCi</i>	<i>INJECTION</i>	SUBCUTANEOUS	<i>V09DB</i>	-
2,031	<i>Technetium [99mTc]bicisate (10 - 100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09AA02</i>	-

2,032	<i>Technetium [99mTc]etidronate (up to 150) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09BA</i>	-
2,033	<i>Technetium [99mTc]exametazine (10 - 30) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09AA01</i>	-
2,034	<i>Technetium [99mTc]glucoheptonate (up to 150) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09CA04</i>	-
2,035	<i>Technetium [99mTc]macrosalb (5 - 30) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09EB01</i>	-
2,036	<i>Technetium [99mTc]mebrofenin (up to 100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09DA04</i>	-
2,037	<i>Technetium [99mTc]medronate (up to 300) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09BA02</i>	-
2,038	<i>Technetium [99mTc]mertiatide (10 - 100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09CA03</i>	-
2,039	<i>Technetium [99mTc]pentate (up to 300) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09CA01</i>	-
2,040	<i>Technetium [99mTc]phytate (up to 100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED,</i>	INTRAVENOUS BOLUS	<i>V09DB07</i>	-
2,041	<i>Technetium [99mTc]pyrophosphate (up to 80) mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09BA03</i>	-
2,042	<i>Technetium [99mTc]sestamibi (20-100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED,</i>	INTRAVENOUS BOLUS	<i>V09GA03</i>	-
2,043	<i>Technetium [99mTc]stannous Agent labelled Cells (10-100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED,</i>	INTRAVENOUS BOLUS	<i>V09GA06</i>	-
2,044	<i>Technetium [99mTc]succimer (up to 40) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED,</i>	INTRAVENOUS BOLUS	<i>V09CA02</i>	-
2,045	<i>Technetium [99mTc]sulfur Colloid (10-100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED,</i>	INTRAVENOUS BOLUS	<i>V09DB05</i>	-
2,046	<i>Technetium [99mTc]tin Colloid (up to 100) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09DB04</i>	-
2,047	<i>Technetium[99mTc]pentavalent Succimer (20-80) mCi</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	INTRAVENOUS BOLUS	<i>V09IA03</i>	-
2,048	<i>Teicoplanin 200 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01XA02</i>	-

2,049	<i>Teicoplanin 400 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>J01XA02</i>	-
2,050	<i>Teniposide 10 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01CB02</i>	-
2,051	<i>Tenofovir 300 mg</i>	<i>TABLET</i>	ORAL	<i>J05AF07</i>	-
2,052	<i>Terazosin 10 mg</i>	<i>TABLET</i>	ORAL	<i>G04CA03</i>	<i>** (As Hydrochloride) **</i>
2,053	<i>Terazosin 2 mg</i>	<i>TABLET</i>	ORAL	<i>G04CA03</i>	<i>** (as Hydrochloride) **</i>
2,054	<i>Terazosin 5 mg</i>	<i>TABLET</i>	ORAL	<i>G04CA03</i>	<i>** (as Hydrochloride) **</i>
2,055	<i>Terbinafine 250 mg</i>	<i>TABLET</i>	ORAL	<i>D01BA02</i>	<i>** (as Hydrochloride) **</i>
2,056	<i>Terbinafine Hydrochloride 1%</i>	<i>CREAM</i>	TOPICAL	<i>D01AE15</i>	-
2,057	<i>Terbinafine Hydrochloride 1 %</i>	<i>SOLUTION</i>	TOPICAL	<i>D01AE15</i>	-
2,058	<i>Terbutaline Sulfate</i>	<i>NEBULISATION</i>	RESPIRATORY	<i>R03CC03</i>	-
2,059	<i>Terbutaline Sulfate 0.5 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03CC03</i>	-
2,060	<i>Terbutaline Sulfate 5 mg</i>	<i>TABLET</i>	ORAL	<i>R03CC03</i>	-
2,061	<i>Teriparatide 250 mcg/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H05AA02</i>	<i>prefilled pen</i>
2,062	<i>Testosterone Enantate 100 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03BA03</i>	-
2,063	<i>Testosterone Enantate 250 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>G03BA03</i>	-
2,064	<i>Testosterone Undecanoate 40 mg</i>	<i>CAPSULE</i>	ORAL	<i>G03BA03</i>	-
2,065	<i>Tetanus Antitoxin uine*</i>	<i>INJECTION</i>	PARENTERAL	<i>J06AA02</i>	-

2,066	<i>Tetanus Immune globulin* 250 IU</i>	<i>INJECTION</i>	PARENTERAL	<i>J06BB02</i>	-
2,067	<i>Tetanus Toxoid Adsorbed</i>	<i>INJECTION</i>	PARENTERAL	<i>J07AM01</i>	**(TT)**
2,068	<i>Tetrabenazine 25 mg</i>	<i>TABLET</i>	ORAL	<i>N05AK01</i>	-
2,069	<i>Tetracaine Hydrochloride 1%</i>	<i>INJECTION</i>	PARENTERAL	<i>N01BA03</i>	-
2,070	<i>Tetracaine Hydrochloride 0.5%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AA09</i>	-
2,071	<i>Tetracosactide Acetate 1 mg/ml</i>	<i>INJECTION, SUSPENSION</i>	PARENTERAL	<i>H01AA02</i>	**With ZINC PHOSPHATE COMPLEX**
2,072	<i>Tetracycline Hydrochloride 1%</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01AA06</i>	-
2,073	<i>Tetracycline Hydrochloride 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>J01AA07</i>	-
2,074	<i>Tetracycline Hydrochloride 3%</i>	<i>OINTMENT</i>	TOPICAL	<i>D06AA04</i>	-
2,075	<i>Thallium [201Tl] Chloride 10 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09GX01</i>	-
2,076	<i>Thallium [201Tl] Chloride 5 mCi</i>	<i>INJECTION</i>	INTRAVENOUS BOLUS	<i>V09GX01</i>	-
2,077	<i>Theophylline 100 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>R03DA04</i>	-
2,078	<i>Theophylline 200 mg</i>	<i>TABLET</i>	ORAL	<i>R03DA04</i>	-
2,079	<i>Theophylline 200 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>R03DA04</i>	-
2,080	<i>Theophylline 200 mg</i>	<i>CAPSULE, EXTENDED RELEASE, PELLETS</i>	ORAL	<i>R03DA04</i>	-
2,081	<i>Theophylline/Guaifenesin 50/30 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>R03DA54</i>	<i>(Theophylline anhydrous 50 mg+Guaifenesin 30 mg) / 5 ml</i>
2,082	<i>Thiabendazole 500 mg</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>P02CA02</i>	-

2,083	<i>Thiethylperazine 6.5 mg</i>	<i>TABLET</i>	ORAL	<i>R06AD03</i>	<i>** (as Dimaleate) **</i>
2,084	<i>Thiethylperazine 6.5 mg/ml</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>R06AD03</i>	<i>** (as Dimaleate) **</i>
2,085	<i>Thioguanine 40 mg</i>	<i>TABLET</i>	ORAL	<i>L01BB03</i>	-
2,086	<i>Thiopental Sodium 1 g</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>N01AF03</i>	-
2,087	<i>Thiopental Sodium 25 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AF03</i>	-
2,088	<i>Thiopental Sodium 50 mg/ml, 20ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N01AF03</i>	-
2,089	<i>Thiopental Sodium 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>N01AF03</i>	-
2,090	<i>Thioridazine Hydrochloride 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05AC02</i>	-
2,091	<i>Thioridazine Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>N05AC02</i>	-
2,092	<i>Thioridazine Hydrochloride 25 mg</i>	<i>TABLET</i>	ORAL	<i>N05AC02</i>	-
2,093	<i>Thiothixene 5 mg</i>	<i>CAPSULE</i>	ORAL	<i>N05AF04</i>	-
2,094	<i>Thyrotrophin 10 U</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>V04CJ01</i>	-
2,095	<i>Ticlopidine Hydrochloride 250 mg</i>	<i>TABLET</i>	ORAL	<i>B01AC05</i>	-
2,096	<i>Tilactase 3000 FCC U</i>	<i>TABLET</i>	ORAL	<i>A09AA04</i>	<i>** (Lactase) **</i>
2,097	<i>Timolol 0.5%</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01ED01</i>	<i>** (as Maleate) **</i>
2,098	<i>Tinidazole 500 mg</i>	<i>TABLET</i>	ORAL	<i>P01AB02</i>	-
2,099	<i>Tiotropium 18 mcg/capsule</i>	<i>INHALER</i>	RESPIRATORY	<i>R03BB04</i>	<i>** (As Bromide Monohydrate) **</i>

2,100	<i>Tirofiban 0.25mg/ml, 50ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B01AC17</i>	<i>** (As Hydrochloride Monohydrate)**</i>
2,101	<i>Tirofiban Hydrochloride 0.25mg/ml, 25ml</i>	<i>INJECTION, SOLUTION</i>	PARENTERAL	<i>B01AC17</i>	<i>** (As Hydrochloride Monohydrate)**</i>
2,102	<i>Titanium Dioxide</i>	<i>LOTION</i>	TOPICAL	<i>D02AB</i>	<i>Titanium Oxide 3.6% + Zinc Oxide 14%</i>
2,103	<i>Titanium Dioxide</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
2,104	<i>Tizanidine 4 mg</i>	<i>TABLET</i>	ORAL	<i>M03BX02</i>	<i>** (as Hydrochloride)**</i>
2,105	<i>Tobramycin 10 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB01</i>	<i>** (as Sulfate)**</i>
2,106	<i>Tobramycin 40 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB01</i>	<i>** (as Sulfate)**</i>
2,107	<i>Tobramycin 50 mg / ml, 1.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>J01GB01</i>	<i>** (as Sulfate)**</i>
2,108	<i>Tolazoline Hydrochloridel 10 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>C04AB02</i>	-
2,109	<i>Tolmetin 200 mg</i>	<i>TABLET</i>	ORAL	<i>M01AB03</i>	<i>** (as Sodium)**</i>
2,110	<i>Tolnaftate 1%</i>	<i>CREAM</i>	TOPICAL	<i>D01AE18</i>	-
2,111	<i>Tolnaftate 1%</i>	<i>SOLUTION</i>	TOPICAL	<i>D01AE18</i>	-
2,112	<i>Tolterodine Tartarate 1 mg</i>	<i>TABLET</i>	ORAL	<i>G04BD07</i>	-
2,113	<i>Tolterodine Tartarate 2 mg</i>	<i>TABLET</i>	ORAL	<i>G04BD07</i>	-
2,114	<i>Topiramate 100 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX11</i>	-
2,115	<i>Topiramate 200 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX11</i>	-
2,116	<i>Topiramate 25 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX11</i>	-

2,117	<i>Topiramate 50 mg</i>	<i>TABLET</i>	ORAL	<i>N03AX11</i>	-
2,118	<i>Trace Metal Combination 1</i>	<i>INJECTION</i>	PARENTERAL	<i>v03</i>	<i>(4mcg Chromium + 0.4mg Copper + 25mcg Iodine + 0.1mg Manganese + 20mcg Selenium + 1mg Zinc)/10ml</i>
2,119	<i>Trace Metal Combination 2</i>	<i>INJECTION</i>	PARENTERAL	<i>V03</i>	<i>(Copper 1.3mg + Selenium 32mcg + Manganese 0.27mg + Chromium 10mcg + Molybdenum 19mcg + Fe 1.1mg + Iodine 0.13mcg + Fluorine 0.95mg + Zinc 6.5mg)/10ml</i>
2,120	<i>Trace Metal Combination 3</i>	<i>INJECTION</i>	PARENTERAL	<i>V03</i>	<i>(Zinc Chloride 521mcg + Copper Chloride 2H2O 53.7mcg + Manganese Chloride 4H2O 3.6mcg + Sodium Selenite 5H2O 6.66mcg + Sodium Fluoride 126mcg + Potassium Iodide 1.31mg/ml)</i>
2,121	<i>Tramadol Hydrochloride 100 mg</i>	<i>TABLET</i>	ORAL	<i>N02AX02</i>	-
2,122	<i>Tramadol Hydrochloride 100 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>N02AX02</i>	-
2,123	<i>Tramadol Hydrochloride 50 mg</i>	<i>CAPSULE</i>	ORAL	<i>N02AX02</i>	-
2,124	<i>Tramadol Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>N02AX02</i>	-
2,125	<i>Tramadol Hydrochloride 50 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N02AX02</i>	-
2,126	<i>Tranexamic Acid 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AA02</i>	-
2,127	<i>Tranexamic Acid 100 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AA02</i>	-
2,128	<i>Tranexamic Acid 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>B02AA02</i>	-
2,129	<i>Tranexamic Acid 50 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02AA02</i>	-
2,130	<i>Tranexamic Acid 500 mg</i>	<i>TABLET</i>	ORAL	<i>B02AA02</i>	-
2,131	<i>Tranlycypromine 10 mg</i>	<i>TABLET</i>	ORAL	<i>N06AF04</i>	<i>** (as Sulfate) **</i>
2,132	<i>Trastuzumab 150 mg</i>	<i>INJECTION, POWDER FOR RECONSTITUTION</i>	PARENTERAL	<i>L01XC03</i>	-

2,133	<i>Trastuzumab 440 MG</i>	<i>INJECTION, POWDER FOR RECONSTITUTION</i>	PARENTERAL	<i>L01XC03</i>	-
2,134	<i>Trazodone Hydrochloride 50 mg</i>	<i>TABLET</i>	ORAL	<i>N06AX05</i>	-
2,135	<i>Tretinoin 0.025%</i>	<i>GEL</i>	TOPICAL	<i>D10AD01</i>	-
2,136	<i>Tretinoin 0.05%</i>	<i>GEL</i>	TOPICAL	<i>D10AD01</i>	-
2,137	<i>Tretinoin 0.05%</i>	<i>CREAM</i>	TOPICAL	<i>D10AD01</i>	-
2,138	<i>Tretinoin 0.05%</i>	<i>LOTION</i>	TOPICAL	<i>D10AD01</i>	-
2,139	<i>Triamcinolone Acetonide 0.1%</i>	<i>PASTE</i>	ORAL	<i>A01AC01</i>	-
2,140	<i>Triamcinolone Acetonide 0.1%</i>	<i>CREAM</i>	TOPICAL	<i>D07AB09</i>	-
2,141	<i>Triamcinolone Acetonide 0.1%</i>	<i>OINTMENT</i>	TOPICAL	<i>D07AB09</i>	-
2,142	<i>Triamcinolone Acetonide 0.1%</i>	<i>GEL</i>	TOPICAL	<i>D07AB09</i>	-
2,143	<i>Triamcinolone Acetonide 40 mg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>R03BA06</i>	-
2,144	<i>Triamcinolone NN*</i>	<i>CREAM</i>	TOPICAL	<i>D07BB03</i>	<i>(Triamcinolone Acetonide 1mg + Neomycin (As Sulfate) 2.5mg + Nystatin 100,000 U) / g</i>
2,145	<i>Triamcinolone NN*</i>	<i>OINTMENT</i>	TOPICAL	<i>D07BB03</i>	<i>(Triamcinolone Acetonide 1mg + Neomycin (As Sulfate) 2.5mg + Nystatin 100,000 U) / g</i>
2,146	<i>Triamterene/Hydrochlorothiazide 50/25 mg</i>	<i>TABLET</i>	ORAL	<i>C03DB02</i>	<i>Triamterene 50 mg+Hydrochlorothiazide 25 mg</i>
2,147	<i>Triclabendazole 250 mg</i>	<i>TABLET</i>	ORAL	<i>P02</i>	-
2,148	<i>Trifluoperazine 1 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB06</i>	<i>** (as 2HCl) **</i>
2,149	<i>Trifluoperazine 1 mg/ml</i>	<i>INJECTION</i>	INTRAMUSCULAR	<i>N05AB06</i>	<i>** (as 2HCl) **</i>

2,150	<i>Trifluoperazine 10 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB06</i>	<i>** (as 2HCl) **</i>
2,151	<i>Trifluoperazine 2 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB06</i>	<i>** (as 2HCl) **</i>
2,152	<i>Trifluoperazine 5 mg</i>	<i>TABLET</i>	ORAL	<i>N05AB06</i>	<i>** (as 2HCl) **</i>
2,153	<i>Trifluridine 1%</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01AD02</i>	-
2,154	<i>Trihexyphenidyl Hydrochloride 2 mg</i>	<i>TABLET</i>	ORAL	<i>N04AA01</i>	-
2,155	<i>Trihexyphenidyl Hydrochloride 5 mg</i>	<i>TABLET</i>	ORAL	<i>N04AA01</i>	-
2,156	<i>Trimethaphan Camsylate 50 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C02BA01</i>	-
2,157	<i>Trimethoprim 100 mg</i>	<i>TABLET</i>	ORAL	<i>J01EA01</i>	-
2,158	<i>Trimipramine 100 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA06</i>	<i>** (as Maleate) **</i>
2,159	<i>Trimipramine 25 mg</i>	<i>TABLET</i>	ORAL	<i>N06AA06</i>	<i>** (as Maleate) **</i>
2,160	<i>Trimipramine 4%</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>N06AA06</i>	<i>** (as Mesylate) **</i>
2,161	<i>Triple Sulfa</i>	<i>CREAM</i>	VAGINAL	<i>G01AE10</i>	<i>Sulfathiazole 3.42 % + Sulfacetamide 2.86 % + Sulfabenzamide 3.7%</i>
2,162	<i>Triple Sulfa</i>	<i>TABLET</i>	VAGINAL	<i>G01AE10</i>	<i>Sulfathiazole 172.5 mg + Sulfacetamide 143.75 mg + Sulfabenzamide 184 mg</i>
2,163	<i>Triptorelin 3.75 mg</i>	<i>INJECTION, POWDER, EXTENDED RELEASE</i>	PARENTERAL	<i>L02AAE0</i>	<i>** (as Acetate) **</i>
2,164	<i>Triptorelin (As Acetate) 95.6 mcg</i>	<i>INJECTION</i>	PARENTERAL	<i>L02AE04</i>	-
2,165	<i>Tropicamide 0.5%, 10ml</i>	<i>DROPS, SOLUTION</i>	OPHTHALMIC	<i>S01FA06</i>	-
2,166	<i>Tropicamide 1%, 10ml</i>	<i>SOLUTION</i>	OPHTHALMIC	<i>S01FA06</i>	-

2,167	<i>Tropisetron 5 mg</i>	<i>CAPSULE</i>	ORAL	<i>A04AA03</i>	<i>** (as Hydrochloride) **</i>
2,168	<i>Tropisetron 1 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A04AA03</i>	<i>** (as Hydrochloride) **</i>
2,169	<i>Trypan Blue 0.1%</i>	<i>INJECTION</i>	INTRAOCULAR	<i>S01</i>	-
2,170	<i>Tuberculin ppd*</i>	<i>INJECTION</i>	PARENTERAL	<i>V04CF01</i>	-
2,171	<i>Typhoid Vaccine</i>	<i>CAPSULE, DELAYED RELEASE</i>	ORAL	<i>J07AP</i>	-
2,172	<i>Urea</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
2,173	<i>Urea 10%</i>	<i>CREAM</i>	TOPICAL	<i>D02</i>	-
2,174	<i>Urea 20%</i>	<i>CREAM</i>	TOPICAL	<i>D02</i>	-
2,175	<i>Urea 5%</i>	<i>CREAM</i>	TOPICAL	<i>D02</i>	-
2,176	<i>Urofollitropin 75 IU FSH</i>	<i>INJECTION, POWDER,</i>	INTRAMUSCULAR	<i>G03GA04</i>	-
2,177	<i>Urokinase 250,000 IU</i>	<i>INJECTION, POWDER, LYOPHILIZED</i>	PARENTERAL	<i>B01AD04</i>	-
2,178	<i>Urokinase 75,000 IU</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>B01AD04</i>	-
2,179	<i>Ursodeoxycholic Acid 250 mg</i>	<i>CAPSULE</i>	ORAL	<i>A05AA02</i>	-
2,180	<i>Ursodeoxycholic Acid 250 mg</i>	<i>TABLET</i>	ORAL	<i>A05AA02</i>	-
2,181	<i>Ursodeoxycholic Acid 300 mg</i>	<i>CAPSULE</i>	ORAL	<i>A05AA02</i>	-
2,182	<i>Ursodeoxycholic Acid 300 mg</i>	<i>TABLET</i>	ORAL	<i>A05AA02</i>	-
2,183	<i>Valganciclovir (As Hydrochloride) 450 mg</i>	<i>TABLET</i>	ORAL	<i>J05AB14</i>	-

2,184	<i>Valproate Semisodium 250 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N03AG</i>	<i>Eq with 500 mg Valproic Acid</i>
2,185	<i>Valproate Semisodium 500 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N03AG</i>	<i>Eq with 500 mg Valproic Acid</i>
2,186	<i>Valproate Sodium 100 mg/ml, 10ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AG</i>	-
2,187	<i>Valproate Sodium 100 mg/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AG</i>	-
2,188	<i>Valproate Sodium 100 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>N03AG</i>	-
2,189	<i>Valproate Sodium 200 mg</i>	<i>TABLET, DELAYED RELEASE</i>	ORAL	<i>N03AG01</i>	-
2,190	<i>Valproate Sodium 200 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>N03AG01</i>	-
2,191	<i>Valproate Sodium 300 mg</i>	<i>CAPSULE, EXTENDED RELEASE</i>	ORAL	<i>N03AG</i>	-
2,192	<i>Valproate Sodium 300 mg/5ml</i>	<i>SYRUP</i>	ORAL	<i>N03AG01</i>	-
2,193	<i>Valproate Sodium 400 mg</i>	<i>INJECTION, POWDER</i>	PARENTERAL	<i>N03AG</i>	-
2,194	<i>Valproate Sodium 500 mg</i>	<i>TABLET, EXTENDED RELEASE, DILAY RELEASE</i>	ORAL	<i>N03AG01</i>	<i>Sodium Valproate 333mg+ Valproic Acid 145mg</i>
2,195	<i>Valsartan 160 mg</i>	<i>CAPSULE</i>	ORAL	<i>C09CA03</i>	-
2,196	<i>Valsartan 160 mg</i>	<i>TABLET</i>	ORAL	<i>C09CA03</i>	-
2,197	<i>Valsartan 40 mg</i>	<i>TABLET</i>	ORAL	<i>C09CA03</i>	-
2,198	<i>Valsartan 40 mg</i>	<i>CAPSULE</i>	ORAL	<i>C09CA03</i>	-
2,199	<i>Valsartan 80 mg</i>	<i>TABLET</i>	ORAL	<i>C09CA03</i>	-
2,200	<i>Valsartan 80 mg</i>	<i>CAPSULE</i>	ORAL	<i>C09CA03</i>	-

2,201	<i>Vancomycin 500 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>A07AA09</i>	<i>**as Hydrochloride)**</i>
2,202	<i>Vancomycin 500 mg/6ml</i>	<i>POWDER, FOR SUSPENSION</i>	ORAL	<i>A07AA09</i>	<i>**as Hydrochloride)**</i>
2,203	<i>Varicella Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BK01</i>	<i>**(Chicken Pox)**</i>
2,204	<i>Vasopressin 20 pressorU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>H01BA01</i>	<i>**(Lypressin)**</i>
2,205	<i>Verapamil Hydrochloride 240 mg</i>	<i>TABLET, EXTENDED RELEASE</i>	ORAL	<i>C08DA02</i>	-
2,206	<i>Verapamil Hydrochloride 2.5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>C08DA02</i>	-
2,207	<i>Verapamil Hydrochloride 40 mg</i>	<i>TABLET</i>	ORAL	<i>C08DA02</i>	-
2,208	<i>Verapamil Hydrochloride 80 mg</i>	<i>TABLET</i>	ORAL	<i>C08DA02</i>	-
2,209	<i>Vinblastine Sulfate 10 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01CA01</i>	-
2,210	<i>Vincristine Sulfate 1 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01CA02</i>	-
2,211	<i>Vincristine Sulfate 1 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>L01CA02</i>	-
2,212	<i>Vindesine Sulfate 5 mg</i>	<i>INJECTION, POWDER,</i>	PARENTERAL	<i>L01CA</i>	-
2,213	<i>Vinorelbine 10 mg/ml, 1ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01CA04</i>	<i>**(as Tartarate)**</i>
2,214	<i>Vinorelbine 10 mg/ml, 5ml</i>	<i>INJECTION, SOLUTION, CONCENTRATE</i>	PARENTERAL	<i>L01CA04</i>	<i>**(As Tartarate)**</i>
2,215	<i>Vitamin A 25,000 U</i>	<i>CAPSULE</i>	ORAL	<i>A11CA01</i>	-
2,216	<i>Vitamin A 25,000 U</i>	<i>TABLET, CHEWABLE</i>	ORAL	<i>A11CA01</i>	-
2,217	<i>Vitamin A 250 U/g</i>	<i>OINTMENT</i>	OPHTHALMIC	<i>S01XA02</i>	-

2,218	<i>Vitamin A 50,000 U</i>	<i>TABLET</i>	ORAL	<i>A11CA01</i>	-
2,219	<i>Vitamin A 50,000 U</i>	<i>CAPSULE</i>	ORAL	<i>A11CA01</i>	-
2,220	<i>Vitamin A 50,000 U/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A11CA01</i>	-
2,221	<i>Vitamin A 50,000 U/ml</i>	<i>DROPS, SOLUTION</i>	ORAL	<i>A11JA</i>	-
2,222	<i>Vitamin A+D</i>	<i>OINTMENT</i>	TOPICAL	<i>D03AA</i>	<i>(Vit. A 850 IU+Vit. D 85 IU) / g</i>
2,223	<i>Vitamin B Complex</i>	<i>INJECTION</i>	PARENTERAL	<i>A11EA</i>	<i>(Vit.B1 10 mg + Vit.B2 4 mg + Vit.B6 4 mg + Dexpanthenol 6 mg + Nicotinamide 40 mg)/2ml</i>
2,224	<i>Vitamin B1 100 mg</i>	<i>TABLET</i>	ORAL	<i>A11DA01</i>	-
2,225	<i>Vitamin B1 300 mg</i>	<i>TABLET</i>	ORAL	<i>A11DA01</i>	-
2,226	<i>Vitamin B1/Vitamin B6/Vitamin B12</i>	<i>INJECTION</i>	PARENTERAL	<i>A11EA</i>	<i>** (Vit.B1 100 mg + Vit.B6 100mg + Vit.B12 1000mcg)/3ml**</i>
2,227	<i>Vitamin B12 100 mcg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03BA01</i>	-
2,228	<i>Vitamin B12 1000 mcg/ml, 1ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B03BA01</i>	<i>** (Cyanocobalamin)**</i>
2,229	<i>Vitamin B2 5 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A11HA04</i>	-
2,230	<i>Vitamin B6 100 mg/ml, 3ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A11HA02</i>	-
2,231	<i>Vitamin B6 50 mg/ml, 2ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A11HA02</i>	-
2,232	<i>Vitamin C 100 mg/ml, 5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A11GA01</i>	-
2,233	<i>Vitamin D3 300,000 U</i>	<i>INJECTION</i>	PARENTERAL	<i>A11CC05</i>	-
2,234	<i>Vitamin D3 50,000 U</i>	<i>CAPSULE</i>	ORAL	<i>A11CC05</i>	-

2,235	<i>Vitamin E 100 IU/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>A11HA03</i>	-
2,236	<i>Vitamin K1 10 mg</i>	<i>TABLET</i>	ORAL	<i>B02BA01</i>	<i>** (Phytonadione) **</i>
2,237	<i>Vitamin K1 10 mg/ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02BA01</i>	<i>** (Phytonadione) **</i>
2,238	<i>Vitamin K1 2 mg/ml, 0.5ml</i>	<i>INJECTION</i>	PARENTERAL	<i>B02BA01</i>	<i>** (Phytonadione) **</i>
2,239	<i>Warfarin Sodium 2.5 mg</i>	<i>TABLET</i>	ORAL	<i>B01AA03</i>	-
2,240	<i>Warfarin Sodium 5 mg</i>	<i>TABLET</i>	ORAL	<i>B01AA03</i>	-
2,241	<i>Water 10 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V07</i>	-
2,242	<i>Water 1000 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V07</i>	-
2,243	<i>Water 2 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V07</i>	-
2,244	<i>Water 3 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V07</i>	-
2,245	<i>Water 5 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V07</i>	-
2,246	<i>Water 500 ml</i>	<i>INJECTION</i>	PARENTERAL	<i>V07</i>	-
2,247	<i>White Wax</i>	<i>UNKNOWN</i>	UNASSIGNED	<i>V03</i>	-
2,248	<i>Yellow Fever Vaccine</i>	<i>INJECTION</i>	PARENTERAL	<i>J07BL01</i>	-
2,249	<i>Yohimbine Hydrochloride 2 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE04</i>	-
2,250	<i>Yohimbine Hydrochloride 5.4 mg</i>	<i>TABLET</i>	ORAL	<i>G04BE04</i>	-
2,251	<i>Zafirlukast 20 mg</i>	<i>TABLET</i>	ORAL	<i>R03DC01</i>	-

2,252	Zanamivir 5 mg/Blister	INHALER	RESPIRATORY	J05AH01	-
2,253	Zidovudine 100 mg	CAPSULE	ORAL	J05AF01	-
2,254	Zidovudine 300 mg	CAPSULE	ORAL	J015AF0	-
2,255	Zidovudine 300 mg	TABLET	ORAL	J05AF01	-
2,256	Zidovudine 50 mg/5ml	SYRUP	ORAL	J05AF01	-
2,257	Zinc Oxide	UNKNOWN	UNASSIGNED	V03	-
2,258	Zinc Oxide 20%	OINTMENT	TOPICAL	D02AB	-
2,259	Zinc Sulfate	UNKNOWN	UNASSIGNED	V03	-
2,260	Zolpidem 10 mg	TABLET	ORAL	N05CF02	-
2,261	Zolpidem 5 mg	TABLET	ORAL	N05CF02	-
2,262	Zonisamide 100 mg	CAPSULE	ORAL	N03AX15	-
2,263	Zonisamide 100 mg	TABLET	ORAL	N03AX15	-
2,264	Zonisamide 25 mg	CAPSULE	ORAL	N03AX15	-
2,265	Zonisamide 50 mg	CAPSULE	ORAL	N03AX15	-